

Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:35:40 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	FinalJob
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Aug 10, 2017 3:12:46 PM
Modification	Aug 10, 2017 4:24:09 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	true
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name Prompt Need Prompt? Type	Value	Source
-------------------------------	-------	--------

Component List

Component Name	Component Type	
tParallelize_1	tParallelize	
tParallelize_2	tParallelize	
tParallelize_3	tParallelize	
tRunJob_1	tRunJob	
tRunJob_10	tRunJob	
tRunJob_11	tRunJob	
tRunJob_12	tRunJob	
tRunJob_13	tRunJob	
tRunJob_2	tRunJob	
tRunJob_3	tRunJob	
tRunJob_4	tRunJob	
tRunJob_5	tRunJob	
tRunJob_6	tRunJob	
tRunJob_7	tRunJob	
tRunJob_8	tRunJob	
tRunJob_9	tRunJob	

Components Description

Component tParallelize

→	UNIQUE NAME	tParallelize_1	INPUT(S)	none
				tRunJob_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	, tRunJob_2, tParallelize_2

Component Parameters:		
Properties	Values	
Unique Name	tParallelize_1	
Component Name	tParallelize	
Version	0.101 (ALPHA)	
Family	Orchestration	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	

Help	org.talend.help.tParallelize	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
	false	
Wait for	All	
Sleep Duration	100	
Die when one of parallelize subjobs fails	false	
Label format	UNIQUE_NAME	
Hint format	UNIQUE_NAME COMMENT	
Connection format	row	
Show Information	false	

Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tParallelize

	UNIQUE NAME	tParallelize_2	INPUT(S)	tParallelize_1	
		LABEL	UNIQUE_NAME	OUTPUT(S)	tRunJob_6 , tRunJob_7, tRunJob_8, tRunJob_9, tRunJob_10, tRunJob_11, tRunJob_12, tParallelize_3, tRunJob_13

Component Parameters:		
Properties	Values	
Unique Name	tParallelize_2	
Component Name	tParallelize	
Version	0.101 (ALPHA)	
Family	Orchestration	
Start	false	
Startable	true	
SUBTREE_START	true	

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tParallelize
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Wait for	All
Sleep Duration	100
Die when one of parallelize subjobs fails	false

Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tParallelize

UNIQUE NAME	tParallelize_3	INPUT(S)	tParallelize_2
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Properties	Values
Unique Name	tParallelize_3
Component Name	tParallelize
Version	0.101 (ALPHA)
Family	Orchestration

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tParallelize
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Wait for	AII
Sleep Duration	100
Die when one of parallelize subjobs fails	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_1	INPUT(S)	tParallelize_1
LABEL	PROCESS		tRunJob_3 , tRunJob_4

Properties	Values

Unique Name	tRunJob_1
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	ltrue
Schema	Built-In
Use dynamic job	false
Context job	
Job	dimgeo
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true

Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_1 :

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_10	INPUT(S)	tParallelize_2
LABEL	PROCESS	OUTPUT(S)	none

Component Parameters.	
Properties	Values
Unique Name	tRunJob_10
Component Name	tRunJob
Version	0.101 (ALPHA)

Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_promotion
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_10:

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_11	INPUT(S)	tParallelize_2
LABEL	PROCESS	OUTPUT(S)	none

Component i diameters.		
Properties	Values	
Unique Name	tRunJob_11	
Component Name	tRunJob	
Version	0.101 (ALPHA)	
Family	System Orchestration	
Start	false	
Startable	true	

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false

Context job	
Job	fact_exchange_rate
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	П
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tRunJob_11:

Column Key Type	Length	Precision	Nullable	Comment
-----------------	--------	-----------	----------	---------

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_12	INPUT(S)	tParallelize_2
LABEL	PROCESS	OUTPUT(S)	none

Component Parameters:				
Properties	Values			
Unique Name	tRunJob_12			
Component Name	tRunJob			
Version	0.101 (ALPHA)			
Family	System Orchestration			
Start	false			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			

DUMAN	
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_entity
Context	Default

Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_12 :

Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_13	INPUT(S)	tParallelize_2
	LABEL	PROCESS	OUTPUT(S)	none

Component Parameters:				
Properties	Values			
Unique Name	tRunJob_13			
Component Name	tRunJob			
Version	0.101 (ALPHA)			
Family	System Orchestration			
Start	false			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tRunJob			

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_scenario
Context	Default
Use an independent process to run subjob	false
Die on child error	true

Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_13:

Column	Key	Type	Length	Precision	Nullable	Comment
Column	ney	туре	Length	Precision	Nullable	Comment

Original Function Parameters: Component tRunJob

•	UNIQUE NAME	tRunJob_2	INPUT(S)	tParallelize_1

LABEL	PROCESS	OUTPUT(S)	tRunJob_5
-------	---------	-----------	-----------

Component Parameters:		
Properties	Values	
Unique Name	tRunJob_2	
Component Name	tRunJob	
Version	0.101 (ALPHA)	
Family	System Orchestration	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tRunJob	
Update components	true	
IREPORT_PATH		

JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_productcategory
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	

Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob 2:

Column	Key	Туре	Length	Precision	Nullable	Comment	

Original Function Parameters: Component tRunJob

•	UNIQUE NAME	tRunJob_3	INPUT(S)	tRunJob_1
	LABEL	PROCESS	OUTPUT(S)	none

Properties	Values
Unique Name	tRunJob_3
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_salesterritory
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false

Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_3:

Column	Key	Туре	Length	Precision	Nullable	Comment

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_4	INPUT(S)	tRunJob_1
LABEL	PROCESS	OUTPUT(S)	none

Properties	Values
Unique Name	tRunJob_4
Component Name	tRunJob

Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_customer_person
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	П
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_4:

Column	Key	Туре	Length	Precision	Nullable	Comment

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_5	INPUT(S)	tRunJob_2
LABEL	PROCESS	OUTPUT(S)	none

Component i diameters.		
Properties	Values	
Unique Name	tRunJob_5	
Component Name	tRunJob	
Version	0.101 (ALPHA)	
Family	System Orchestration	
Start	false	

Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Use dynamic job	false
Context job	
Job	dim_product
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	П
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_5:

Column	Key	Туре	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_6	INPUT(S)	tParallelize_2
LABEL	PROCESS	OUTPUT(S)	none

Component Farameters.	
Properties	Values
Unique Name	tRunJob_6
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_store

Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_6:

Column Key Type Length Precision Nullable Comme	t
---	---

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_7	INPUT(S)	tParallelize_2
LABEL	PROCESS	OUTPUT(S)	none

Component Parameters:		
Properties	Values	
Unique Name	tRunJob_7	
Component Name	tRunJob	
Version	0.101 (ALPHA)	
Family	System Orchestration	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	

Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_channel
Context	Default
Use an independent process to run subjob	false

Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_7:

Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_8	INPUT(S)	tParallelize_2
	LABEL	PROCESS	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Unique Name	tRunJob_8		
Component Name	tRunJob		
Version	0.101 (ALPHA)		
Family	System Orchestration		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tRunJob		
Update components	true		

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_account
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false

ſ

Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_8 :

Column Key Type	Length I	Precision	Nullable	Comment
-----------------	----------	-----------	----------	---------

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_9	INPUT(S)	tParallelize_2
LABEL	PROCESS	OUTPUT(S)	none

Component Parameters:				
Properties	Values			
Unique Name	tRunJob_9			
Component Name	tRunJob			
Version	0.101 (ALPHA)			
Family	System Orchestration			
Start	false			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tRunJob			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java			

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	dim_currency
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false

Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_9 :

Column	Key	Туре	Length	Precision	Nullable	Comment	
--------	-----	------	--------	-----------	----------	---------	--

Original Function Parameters: