

Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:35:42 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	dim_productprice
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Aug 1, 2017 8:25:26 PM
Modification	Aug 5, 2017 10:13:17 PM

Preview Picture

```
price_e.r_1 or ce_eur_3

tow5 (Main)

dpp_1 (Main)

dpp_1 (Main)

dpp_2 dpo_3 (Maird improductorice)

'dimproduct''

price_e.r_2

ow8 (Main)

tw8 ( nokun)

'dimproduct'

'dimproduct'

tmap 3

dop_4 (Main)

row7 (Main)

'dimproduct

'dimproduct

tmap 3

dop_4 (Main)

row8 ( nokun)

'dimproduct'

'dimproduct'
```

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source

Component List

Component Name	Component Type
tFileInputExcel_4	tFileInputExcel
tMap_3	tMap
tMysqlInput_4	tMysqlInput

tMysqlSCD_4	tMysqlSCD	

Components Description

Component tFileInputExcel

XLS	UNIQUE NAME	tFileInputExcel_4	INPUT(S)	none
	LABEL	price_eur_4	OUTPUT(S)	tMap_3

Component Parameters:

Component Parameters:		
Properties	Values	
Unique Name	tFileInputExcel_4	
Component Name	tFileInputExcel	
Version	0.102 (ALPHA)	
Family	File/Input	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	

false
org.talend.help.tFileInputExcel
true
C:\Program Files (x86)\Talend-Studio\studio\configuration\l
false
2
false
repository: EXCEL:price_eur_4
true
"C:/data/- Final Team Project/DataSources/FlatFiles-2017-07-27/product_price/p
true
1
0

Limit	
Affect each sheet(header&&footer)	false
First column	1
Last column	
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: EXCEL:price_eur_4 - metadata
Schema	repository: EXCEL:price_eur_4 - metadata
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=fals SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEM {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Convert date column to string	false
Check need convert date column	[{PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=Brand_II {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=Currency {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=UnitPrice {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SCD_Eff CONVERTDATE=false}]

Encoding	"UTF-8"
Read real values for numbers	false
Stop reading on encountering empty rows	false
Don't validate the cells	false
Ignore the warning	false
Generation mode	USER_MODE
Label format	price_eur_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metad	ata :					
Column	Key	Туре	Length	Precision	Nullable	Comment
Brand_ID	false	String	24		true	
CurrencyKey	false	Integer	1		true	

UnitPrice	false	Float	8	5	true	
SCD_EffectiveDate	false	String	28		true	

Original Function Parameters: Component tMysqlInput

The second second	UNIQUE NAME	tMysqlInput_4	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_3

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_4	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	

false
org.talend.help.tMysqlInput
true
C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
false
2
false
repository: DB (MYSQL):retail_dw
MYSQL_5
false
"localhost"
"3306"
"retail_dw"

Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MYSQL):retail_dw - dimproduct
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	1111

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductCategoryName`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StrandName`, `dimproduct`.`ClassID`, `dimproduct`.`StyleName`, `dimproduct`.`ColorID`, `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`UnitOfMeasureName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`, `dimproduct`.`SOR_ID`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false
Frim all the String/Char columns	false
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stock

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for dimproduct:


Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

9
9
9
e

Original Function Parameters: Component tMap





Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false

Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_3 (input):

Mapper table Properties (row7):

mapper table 1 toperties (10W1).			
Properties	Values		
Name	row7		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(row7):

motadata Tabio Ent			
Name	Туре	Expression	isNullable
Brand_ID	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	String		true

Constraint Table Entries(row7):

CONCRAINT TABLE	101 100 10 11 1 1		
Name	Туре	Expression	isNullable

Mapper table Properties(row8):

Properties	Values
Name	row8
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row8):

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String	row7.Brand_ID	false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

Constraint Table Entries(row8):

Name	Туре	Expression	on isNullable
------	------	------------	---------------

Mapper table for tMap_3 (output):
Mapper table Properties(dpp 4):

wapper table Properties(dpp_4):				
Properties	Values			
Name	dpp_4			
Matching-mode				
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(dpp_4):

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row8.ProductSK	false
CurrencyKey	int	row7.CurrencyKey	false
UnitPrice	Float	row7.UnitPrice	true
SCD_EffectiveDate	java.util.Date		true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	1	false
SOR_ID	int	1	false
SOR_LoadDate	java.util.Date	row8.SOR_LoadDate	true
SOR_UpdateDate	java.util.Date	row8.SOR_UpdateDate	true
DI_Job_ID	String	"1"	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(dpp_4):

Name	Туре	Expression	isNullable

Mapper table for tMap_3 (var):

Mapper table Properties (Var):

mappor table i reperties	
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable

Component tMysqlSCD

UNIQUE NAME	tMysqlSCD_4		tMap_3 , tMysqlInput_4	
LABEL	TABLE	OUTPUT(S)	none	

Component Parameters:

Properties	Values
Activate	true

tStatCatcher Statistics	false
Enable parallel execution	false
DB Version	MYSQL_5
Use an existing connection	false
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	*****
Table	"dimproductprice"
Action on table	NONE
SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"

Debug mode	false	
Show Information	false	
Comment		
Use an existing validation rule	false	

Schema for dimproductprice :

Schema for dimproductionice.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	
DI_Job_ID	false	String	20		false	
SCD_EffectiveDate	false	java.util.Date			false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date			true	Column generated by scd editor.
SCD_ProductPriceSK	true	int			false	Column generated by scd editor.