

Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:35:49 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	dimproductprice
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Aug 7, 2017 5:04:20 PM
Modification	Aug 10, 2017 9:22:12 AM

Preview Picture



Settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source	

Component List

Component Name	Component Type
CNTL_Job_Tracking_Stats_ROOT_1	CNTL_Job_Tracking_Stats_ROOT
tFileInputDelimited_1	tFileInputDelimited
tFileInputDelimited_10	tFileInputDelimited
tFileInputDelimited_11	tFileInputDelimited
tFileInputDelimited_12	tFileInputDelimited
tFileInputDelimited_2	tFileInputDelimited
tFileInputDelimited_3	tFileInputDelimited
tFileInputDelimited_4	tFileInputDelimited
tFileInputDelimited_5	tFileInputDelimited
tFileInputDelimited_6	tFileInputDelimited
tFileInputDelimited_7	tFileInputDelimited

	T
tFileInputDelimited_8	tFileInputDelimited
tFileInputDelimited_9	tFileInputDelimited
tMap_1	tMap
tMap_10	tMap
tMap_11	tMap
tMap_12	tMap
tMap_2	tMap
tMap_3	tMap
tMap_4	tMap
tMap_5	tMap
tMap_6	tMap
tMap_7	tMap
tMap_8	tMap
tMap_9	tMap
tMysqlInput_1	tMysqlInput
tMysqlInput_10	tMysqlInput
tMysqlInput_11	tMysqlInput

tMysqlInput
tMysqlInput
tMysqlRow
tMysqlSCD

tMysqlSCD_5	tMysqlSCD
tMysqlSCD_6	tMysqlSCD
tMysqlSCD_7	tMysqlSCD
tMysqlSCD_8	tMysqlSCD
tMysqlSCD_9	tMysqlSCD

Components Description

Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	tMysqlRow_1
LABEL	price_cny_step_1_of_4	OUTPUT(S)	tMap_1

Component i diameters.		
Properties	Values	
Unique Name	tFileInputDelimited_1	
Component Name	tFileInputDelimited	
Version	0.102 (ALPHA)	
Family	File/Input	
Start	false	
Startable	true	

SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
File name/Stream	"C:/Users/Nitin Bali/Desktop/TalendRe/price_cny_step_1_of_4.csv"

CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	" "
Escape char	11111
Text enclosure	ппп
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/Tejasvi Krishna/workspace"
Advanced separator (for numbers)	false

Thousands separator	" "
Decimal separator	n n
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{DECODE=false, SCHEMA_COLUMN=Product_ID}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
!!!DESTINATION.NAME!!!	

Min column number of optimize code	100
Label format	price_cny_step_1_of_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
Product_ID	true	String	13		true	
CurrencyKey	false	Integer	2		true	
UnitPrice	false	Float	9	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_10		tMysqlSCD_10 , tMysqlInput_9
LABEL	price_usd_step_2_of_4	OUTPUT(S)	tMap_10

Component Parameters:	
Properties	Values
Unique Name	tFileInputDelimited_10
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
File name/Stream	"C:/Users/Nitin Bali/Downloads/FinalCsvs/price_usd_step_2_of_4.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	","
Escape char	нин
Text enclosure	нии
Header	1
Footer	0
Limit	
Skip empty rows	false

Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/Nitin Bali/workspace"
Advanced separator (for numbers)	false
Thousands separator	II II ,
Decimal separator	
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Check each row structure against schema	false
Check date	false

Γ

Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{DECODE=false, SCHEMA_COLUMN=ProductLabel}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	price_usd_step_2_of_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductLabel	true	String	6		true	

CurrencyKey	false	Integer	1		true	
UnitPrice	false	Float	8	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_11		tMysqlSCD_12 , tMysqlInput_10	
	LABEL	price_usd_step_3_of_4	OUTPUT(S)	tMap_11	

Properties	Values
Unique Name	tFileInputDelimited_11
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
File name/Stream	"C:/Users/Nitin Bali/Downloads/FinalCsvs/price_usd_step_3_of_4.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"

Field Separator	" ",
Escape char	пнп
Text enclosure	нин
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/Nitin Bali/workspace"
Advanced separator (for numbers)	false
Thousands separator	, ii
Decimal separator	n n
Extract lines at random	false

Number of lines	10
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{DECODE=false, SCHEMA_COLUMN=ProductLabel}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	price_usd_step_3_of_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

ochema for metad	ata .					
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductLabel	true	String	6		true	
CurrencyKey	false	Integer	1		true	
UnitPrice	false	Float	8	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_12		tMysqlSCD_11 , tMysqlInput_11
	LABEL	price_usd_step_4_of_4	OUTPUT(S)	tMap_12

Properties	Values
Unique Name	tFileInputDelimited_12
Component Name	tFileInputDelimited

Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Property Type	Built-In
File name/Stream	"C:/Users/Nitin Bali/Downloads/FinalCsvs/price_usd_step_4_of_4.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	" "
Escape char	ппп
Text enclosure	ппп
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/Nitin Bali/workspace"
Advanced separator (for numbers)	false
Thousands separator	n n ,
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false

Decode table	[{DECODE=false, SCHEMA_COLUMN=ProductLabel}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	price_usd_step_4_of_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductLabel	true	String	6		true	
CurrencyKey	false	Integer	1		true	
UnitPrice	false	Float	8	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_2		tMysqlSCD_8 , tMysqlInput_6
	LABEL	price_eur_step_3_of_4	OUTPUT(S)	tMap_9

Component Parameters:				
Properties	Values			
Unique Name	tFileInputDelimited_2			
Component Name	tFileInputDelimited			
Version	0.102 (ALPHA)			
Family	File/Input			
Start	false			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tFileInputDelimited			

true
C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
false
2
false
Built-In
"C:/Users/Nitin Bali/Desktop/TalendRe/price_eur_step_3_of_4.csv"
false
"\n"
"\n"
II II ,
11111
11111

Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/Tejasvi Krishna/workspace"
Advanced separator (for numbers)	false
Thousands separator	" " ,
Decimal separator	
Extract lines at random	false
Number of lines	10
Trim all columns	false

[{TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
false
false
"UTF-8"
false
false
[{DECODE=false, SCHEMA_COLUMN=Brand_ID}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
100
price_eur_step_3_of_4
UNIQUE_NAME COMMENT
row
false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
Brand_ID	true	String	12		true	
CurrencyKey	false	Integer	1		true	
UnitPrice	false	Float	8	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_3	INPUT(S)	tMysqlSCD_1 , tMysqlInput_1
LABEL	price_cny_step_2_of_4	OUTPUT(S)	tMap_4

Properties	Values
Unique Name	tFileInputDelimited_3
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)

Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	Built-In
File name/Stream	"C:/Users/Nitin Bali/Desktop/TalendRe/price_cny_step_2_of_4.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	","
Escape char	нии
Text enclosure	нин
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In

!!!TEMP_DIR.NAME!!!	"C:/Users/Tejasvi Krishna/workspace"
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false

Decode table	[{DECODE=false, SCHEMA_COLUMN=Product_ID}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	price_cny_step_2_of_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Odlicilia for flictad	utu i					
Column	Key	Туре	Length	Precision	Nullable	Comment
Product_ID	true	String	13		true	
CurrencyKey	false	Integer	2		true	
UnitPrice	false	Float	9	6	true	

SCD_EffectiveDate	false	java.util.Date	10	true	

Original Function Parameters: Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_4	INPUT(S)	tMysqlSCD_4 , tMysqlInput_2
	LABEL	price_cny_step_3_of_4	OUTPUT(S)	tMap_5

oomponent i arameters.	
Properties	Values
Unique Name	tFileInputDelimited_4
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
File name/Stream	"C:/Users/Nitin Bali/Desktop/TalendRe/price_cny_step_3_of_4.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	11 II 1
Escape char	11111

Text enclosure	нин
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/Tejasvi Krishna/workspace"
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	II II
Extract lines at random	false
Number of lines	10
Trim all columns	false

Check column to trim	[{TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]				
Check each row structure against schema	false				
Check date	false				
Encoding	"US-ASCII"				
Split row before field	false				
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false				
Decode table	[{DECODE=false, SCHEMA_COLUMN=Product_ID}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]				
!!!DESTINATION.NAME!!!					
Min column number of optimize code	100				
Label format	price_cny_step_3_of_4				
Hint format	UNIQUE_NAME COMMENT				
Connection format	row				
Show Information	false				

Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
Product_ID	true	String	13		true	
CurrencyKey	false	Integer	2		true	
UnitPrice	false	Float	9	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_5	INPUT(S)	tMysqlSCD_5 , tMysqlInput_3
LABEL	price_cny_step_4_of_4	OUTPUT(S)	tMap_6

Properties	Values
Unique Name	tFileInputDelimited_5
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)

Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	Built-In
File name/Stream	"C:/Users/Nitin Bali/Desktop/TalendRe/price_eur_step_4_of_4.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	, , , , , , , , , , , , , , , , , , ,
Escape char	ппп
Text enclosure	ппп
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	ltrue
Schema	Built-In
Schema	Built-In

!!!TEMP_DIR.NAME!!!	"C:/Users/Tejasvi Krishna/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false

ſ

Decode table	[{DECODE=false, SCHEMA_COLUMN=Product_ID}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	price_cny_step_4_of_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Odlicilia for flictad	utu i					
Column	Key	Туре	Length	Precision	Nullable	Comment
Product_ID	true	String	13		true	
CurrencyKey	false	Integer	2		true	
UnitPrice	false	Float	9	5	true	

SCD_EffectiveDate	false	java.util.Date	10	true	

Original Function Parameters: Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_6		tMysqlSCD_6 , tMysqlInput_4
	LABEL	price_eur_step_1_of_4	OUTPUT(S)	tMap_7

Component i arameters.	
Properties	Values
Unique Name	tFileInputDelimited_6
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false

org.talend.help.tFileInputDelimited
true
C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
false
2
false
Built-In
"C:/Users/Nitin Bali/Desktop/TalendRe/price_eur_step_1_of_4.csv"
false
"\n"
"\n"
" "
ппп

Text enclosure	нин
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/Tejasvi Krishna/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	
Extract lines at random	false
Number of lines	10
Trim all columns	false

[{TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
false
false
"UTF-8"
false
false
[{DECODE=false, SCHEMA_COLUMN=Brand_ID}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
100
price_eur_step_1_of_4
UNIQUE_NAME COMMENT
row
false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
Brand_ID	true	String	12		true	
CurrencyKey	false	Integer	1		true	
UnitPrice	false	Float	8	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_7	INPUT(S)	tMysqlSCD_7 , tMysqlInput_5
LABEL	price_eur_step_2_of_4	OUTPUT(S)	tMap_8

Component i didineters.			
Properties	Values		
Unique Name	tFileInputDelimited_7		
Component Name	tFileInputDelimited		
Version	0.102 (ALPHA)		

Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	Built-In
File name/Stream	"C:/Users/Nitin Bali/Desktop/TalendRe/price_eur_step_2_of_4.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	n n ,
Escape char	нин
Text enclosure	шпп
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In

!!!TEMP_DIR.NAME!!!	"C:/Users/Tejasvi Krishna/workspace"
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false

ſ

Decode table	[{DECODE=false, SCHEMA_COLUMN=Brand_ID}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	price_eur_step_2_of_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
Brand_ID	true	String	12		true	
CurrencyKey	false	Integer	1		true	
UnitPrice	false	Float	8	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_8		tMysqlSCD_9 , tMysqlInput_7
LABEL	price_eur_step_4_of_4	OUTPUT(S)	tMap_3

Component Parameters:	
Properties	Values
Unique Name	tFileInputDelimited_8
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited

true
C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
false
2
false
Built-In
"C:/Users/Nitin Bali/Desktop/TalendRe/price_eur_step_4_of_4.csv"
false
"\n"
"\n"
II II ,
нин
нин

Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/Tejasvi Krishna/workspace"
Advanced separator (for numbers)	false
Thousands separator	" " ,
Decimal separator	
Extract lines at random	false
Number of lines	10
Trim all columns	false

[{TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
false
false
"UTF-8"
false
false
[{DECODE=false, SCHEMA_COLUMN=Brand_ID}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
100
price_eur_step_4_of_4
UNIQUE_NAME COMMENT
row
false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
Brand_ID	true	String	12		true	
CurrencyKey	false	Integer	1		true	
UnitPrice	false	Float	8	5	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_9	INPUT(S)	tMysqlSCD_3 , tMysqlInput_8
LABEL	price_usd_step_1_of_4	OUTPUT(S)	tMap_2

Properties	Values
Unique Name	tFileInputDelimited_9
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)

Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	Built-In
File name/Stream	"C:/Users/Nitin Bali/Downloads/FinalCsvs/price_usd_step_1_of_4.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	, ,
Escape char	нин
Text enclosure	нин
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In

!!!TEMP_DIR.NAME!!!	"C:/Users/Nitin Bali/workspace"
Advanced separator (for numbers)	false
Thousands separator	II II ,
Decimal separator	" "
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=UnitPrice}, {TRIM=false, SCHEMA_COLUMN=SCD_EffectiveDate}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{DECODE=false, SCHEMA_COLUMN=ProductLabel}, {DECODE=false, SCHEMA_COLUMN=CurrencyKey}, {DECODE=false, SCHEMA_COLUMN=UnitPrice}, {DECODE=false, SCHEMA_COLUMN=SCD_EffectiveDate}]

!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	price_usd_step_1_of_4
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductLabel	true	String	6		true	
CurrencyKey	false	Integer	1		true	
UnitPrice	false	Float	6	3	true	
SCD_EffectiveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tMysqlInput

5	UNIQUE NAME	tMysqlInput_1	INPUT(S)	none

LABE	TABLE_	OUTPUT(S)	tMap_1
------	--------	-----------	--------

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_1	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlInput	
Update components	true	
IREPORT_PATH		

JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	""
Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductSubcategoryDescription`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryName`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`BrandName`, `dimproduct`.`ClassID`, `dimproduct`.`StyleName`, `dimproduct`.`StyleID`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`Veight`, `dimproduct`.`UnitOfMeasureID`, `dimproduct`.`UnitOfMeasureName`, `dimproduct`.`StockTypeID`, `dimproduct`.`StockTypeID, `dimproduct`.`StockTypeName`, `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`, `dimproduct`.`SOR_ID, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Greate_Date`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Modified_Date` FROM `dimproduct`."
Specify a data source alias	false

Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
	[{TRIM=false, SCHEMA_COLUMN=ProductSK}, {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassName}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ColorID}, {TRIM=false

Trim column	{TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeUnitMeasureID}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=WeightUnitMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureName}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=StockTypeName}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimproduct:

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

9
9
9
9

Original Function Parameters: Component tMysqlInput

The second second	UNIQUE NAME	tMysqlInput_10	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_10

Component Parameters:			
Properties	Values		
Unique Name	tMysqlInput_10		
Component Name	tMysqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tMysqlInput		

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пп

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryDescription`, `dimproduct`.`ProductSubcategoryDescription`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StyleID`, `dimproduct`.`ClassName`, `dimproduct`.`StyleID`, `dimproduct`.`StyleName`, `dimproduct`.`StyleID`, `dimproduct`.`ColorName`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`StockTypeID`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`Stock_IpeName`, `dimproduct`.`Stock_IpeName`,
Specify a data source alias	false
Data source alias	нн
Mapping	mysql_id

Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=ProductSK}, {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimproduct :

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	

Product_ID	false	String	24	false	
Brand_ID	false	String	24	false	
ProductLabel	false	String	24	false	

The second second	UNIQUE NAME	tMysqlInput_11	INPUT(S)	none	
	LABEL	TABLE	OUTPUT(S)	tMap_11	

Component Parameters:

Component Parameters:				
Properties	Values			
Unique Name	tMysqlInput_11			
Component Name	tMysqlInput			
Version	0.102 (ALPHA)			
Family	Databases/MySQL			
Start	false			
Startable	true			
SUBTREE_START	false			
END_OF_FLOW	false			
Activate	true			

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"

Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пп

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryDescription`, `dimproduct`.`ProductSubcategoryDescription`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StyleID`, `dimproduct`.`ClassName`, `dimproduct`.`StyleID`, `dimproduct`.`StyleName`, `dimproduct`.`StyleID`, `dimproduct`.`ColorName`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`StockTypeID`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`Stock_IpeName`, `dimproduct`.`Stock_IpeName`,
Specify a data source alias	false
Data source alias	нн
Mapping	mysql_id

Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=ProductSK}, {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimproduct :

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	

Product_ID	false	String	24	false	
Brand_ID	false	String	24	false	
ProductLabel	false	String	24	false	

The second second	UNIQUE NAME	tMysqlInput_12	INPUT(S)	none	
	LABEL	TABLE	OUTPUT(S)	tMap_12	

Component Parameters:

Component Parameters:				
Properties	Values			
Unique Name	tMysqlInput_12			
Component Name	tMysqlInput			
Version	0.102 (ALPHA)			
Family	Databases/MySQL			
Start	false			
Startable	true			
SUBTREE_START	false			
END_OF_FLOW	false			
Activate	true			

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"

Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пп

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryDescription`, `dimproduct`.`ProductSubcategoryDescription`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StyleID`, `dimproduct`.`ClassName`, `dimproduct`.`StyleID`, `dimproduct`.`StyleName`, `dimproduct`.`StyleID`, `dimproduct`.`ColorName`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`StockTypeID`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`Stock_IpeName`, `dimproduct`.`Stock_IpeName`,
Specify a data source alias	false
Data source alias	нн
Mapping	mysql_id

Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=ProductSK}, {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimproduct :

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	

Product_ID	false	String	24	false	
Brand_ID	false	String	24	false	
ProductLabel	false	String	24	false	

UNIQUE NAME	tMysqlInput_2	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tMap_4

Component Parameters:

Component Parameters:			
Properties	Values		
Unique Name	tMysqlInput_2		
Component Name	tMysqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"

Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пп

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductCategoryName`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StrandName`, `dimproduct`.`ClassID`, `dimproduct`.`StyleName`, `dimproduct`.`ColorID`, `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`UnitOfMeasureName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`, `dimproduct`.`SOR_ID`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false
Frim all the String/Char columns	false
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stock

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimproduct:

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

9
9
9
e

5	UNIQUE NAME	tMysqlInput_3	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_5

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_3	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlInput	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пн

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductCategoryName`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StrandName`, `dimproduct`.`ClassID`, `dimproduct`.`StyleName`, `dimproduct`.`ColorID`, `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`UnitOfMeasureName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`, `dimproduct`.`SOR_ID`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false
Frim all the String/Char columns	false
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stock

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimproduct:

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

9
9
9
e

UNIQUE NAME	tMysqlInput_4	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tMap_6

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_4	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlInput	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пн

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductCategoryName`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StrandName`, `dimproduct`.`ClassID`, `dimproduct`.`StyleName`, `dimproduct`.`ColorID`, `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`UnitOfMeasureName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`, `dimproduct`.`SOR_ID`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false
Frim all the String/Char columns	false
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stock

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

9
9
9
e

	UNIQUE NAME	tMysqlInput_5	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_7

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_5	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlInput	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пн

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductCategoryName`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StrandName`, `dimproduct`.`ClassID`, `dimproduct`.`StyleName`, `dimproduct`.`ColorID`, `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`UnitOfMeasureName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`, `dimproduct`.`SOR_ID`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false
Frim all the String/Char columns	false
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stock

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

9
9
9
e

The second second	UNIQUE NAME	tMysqlInput_6	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_8

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_6	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlInput	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пн

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductCategoryName`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StrandName`, `dimproduct`.`ClassID`, `dimproduct`.`StyleName`, `dimproduct`.`ColorID`, `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`UnitOfMeasureName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`, `dimproduct`.`SOR_ID`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false			
Trim all the String/Char columns	false			
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stock			

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

false	String	50	true
false	String	20	true
false	Double	22	true
false	String	20	true
false	String	10	true
false	String	40	true
false	String	10	true
false	String	40	true
false	java.util.Date	19	true
false	java.util.Date	19	true
false	String	7	true
false	int	10	false
false	java.util.Date	19	true
false	java.util.Date	19	true
false	String	20	false
false	java.util.Date	19	false
false	java.util.Date	19	false
	false	false String false Double false String false String false String false String false String false java.util.Date false java.util.Date false java.util.Date false String false String false java.util.Date false java.util.Date false java.util.Date false java.util.Date	false String 20 false Double 22 false String 20 false String 10 false String 40 false String 40 false String 40 false String 7 false java.util.Date 19 false int 10 false java.util.Date 19 false String 7 false int 10 false java.util.Date 19 false java.util.Date 19

UNIQUE NAME	tMysqlInput_7	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tMap_9

Component Parameters:			
Properties	Values		
Unique Name	tMysqlInput_7		
Component Name	tMysqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tMysqlInput		

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пн

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductCategoryName`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StrandName`, `dimproduct`.`ClassID`, `dimproduct`.`StyleName`, `dimproduct`.`ColorID`, `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`UnitOfMeasureName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`, `dimproduct`.`SOR_ID`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false
Trim all the String/Char columns	false
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stock

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

	UNIQUE NAME	tMysqlInput_8	INPUT(S)	none	
	LABEL	TABLE	OUTPUT(S)	tMap_3	

Component Parameters:		
Properties	Values	
Unique Name	tMysqlInput_8	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tMysqlInput	

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	ши

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`Brand_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductSubcategoryName`, `dimproduct`.`ProductCategoryName`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StrandName`, `dimproduct`.`ClassID`, `dimproduct`.`StyleName`, `dimproduct`.`ColorID`, `dimproduct`.`StyleName`, `dimproduct`.`ProductSize`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`UnitOfMeasureName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StopSaleDate`, `dimproduct`.`Status`, `dimproduct`.`SOR_ID`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`SOR_LoadDate`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Job_ID`, `dimproduct`.`DI_Modified_Date` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	1111
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false
Frim all the String/Char columns	false
	[(TRIM=false, SCHEMA_COLUMN=ProductSK), {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductName}, {TRIM=false, SCHEMA_COLUMN=ProductDescription}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryName}, {TRIM=false, SCHEMA_COLUMN=ProductSubcategoryDescription {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryLabel}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryDescription}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=BrandName}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=ClassID}, {TRIM=false, SCHEMA_COLUMN=StyleID}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=StyleName}, {TRIM=false, SCHEMA_COLUMN=ClorName}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=ProductSize}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=SizeRange}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=Weight}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=UnitOfMeasureID}, {TRIM=false, SCHEMA_COLUMN=StockTypeID}, {TRIM=false, SCHEMA_COLUMN=Stock

Trim column	{TRIM=false, SCHEMA_COLUMN=AvailableForSaleDate}, {TRIM=false, SCHEMA_COLUMN=StopSaleDate}, {TRIM=false, SCHEMA_COLUMN=Status}, {TRIM=false, SCHEMA_COLUMN=SOR_ID}, {TRIM=false, SCHEMA_COLUMN=SOR_LoadDate}, {TRIM=false, SCHEMA_COLUMN=SOR_UpdateDate},

	{TRIM=false, SCHEMA_COLUMN=DI_Job_ID}, {TRIM=false, SCHEMA_COLUMN=DI_Create_Date}, {TRIM=false, SCHEMA_COLUMN=DI_Modified_Date}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimproduct:

Schema for diffiproduct.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	
Product_ID	false	String	24		false	
Brand_ID	false	String	24		false	
ProductLabel	false	String	24		false	
ProductName	false	String	500		true	
ProductDescription	false	String	400		true	

ProductSubcategoryKey	false	Integer	10	true
ProductSubcategoryLabel	false	String	100	true
ProductSubcategoryName	false	String	50	false
ProductSubcategoryDescription	false	String	100	true
ProductCategoryKey	false	Integer	10	true
ProductCategoryLabel	false	String	100	false
ProductCategoryName	false	String	30	false
ProductCategoryDescription	false	String	50	false
Manufacturer	false	String	50	true
BrandName	false	String	50	true
ClassID	false	String	10	true
ClassName	false	String	20	true
StyleID	false	String	10	true
StyleName	false	String	20	true
ColorID	false	String	10	true
ColorName	false	String	20	true
ProductSize	false	String	50	true

9
9
9
e

Original Function Parameters: Component tMysqlInput

	UNIQUE NAME	tMysqlInput_9	INPUT(S)	none	
	LABEL	TABLE	OUTPUT(S)	tMap_2	

Component Parameters:				
Properties	Values			
Unique Name	tMysqlInput_9			
Component Name	tMysqlInput			
Version	0.102 (ALPHA)			
Family	Databases/MySQL			
Start	false			
Startable	true			
SUBTREE_START	false			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tMysqlInput			

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"

Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	

Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`ProductLabel`, `dimproduct`.`ProductName`, `dimproduct`.`ProductDescription`, `dimproduct`.`ProductSubcategoryKey`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryLabel`, `dimproduct`.`ProductSubcategoryDescription`, `dimproduct`.`ProductSubcategoryDescription`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryLabel`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`ProductCategoryDescription`, `dimproduct`.`StyleID`, `dimproduct`.`ClassName`, `dimproduct`.`StyleID`, `dimproduct`.`StyleName`, `dimproduct`.`StyleID`, `dimproduct`.`ColorName`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeRange`, `dimproduct`.`SizeUnitMeasureID`, `dimproduct`.`WeightUnitMeasureID`, `dimproduct`.`StockTypeID`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`StockTypeName`, `dimproduct`.`Stock_IpeName`, `dimproduct`.`Stock_IpeName`,
Specify a data source alias	false
Data source alias	нн
Mapping	mysql_id

Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=ProductSK}, {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Brand_ID}, {TRIM=false, SCHEMA_COLUMN=ProductLabel}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimproduct :

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	
ProductKey	false	int	10		false	

Product_ID	false	String	24	false	
Brand_ID	false	String	24	false	
ProductLabel	false	String	24	false	

Original Function Parameters: Component tMysqlRow

UNIQUE NAME	tMysqlRow_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileInputDelimited_1

Component Parameters:

Component Parameters:			
Properties	Values		
Unique Name	tMysqlRow_1		
Component Name	tMysqlRow		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Start	true		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"

Database	"retail_dw"
Database Driver	MySQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Table Name	пп
Query Type	Built-In
Query	"truncate dimproductprice"
Specify a data source alias	false
Data source alias	пп
Die on error	false
Additional JDBC Parameters	пп
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false

Set PreparedStatement Parameters	
Encoding	"ISO-8859-15"
Commit every	10000
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRow_1:

	Column	Key	Туре	Length	Precision	Nullable	Comment
--	--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:

Component CNTL_Job_Tracking_Stats_ROOT

2.5	UNIQUE NAME	CNTL_Job_Tracking_Stats_ROOT_1	INPUT(S)	none
	LABEL	CNTL_Job_Tracking_Stats_ROOT	OUTPUT(S)	none


Component Parameters:

Properties Values	
-------------------	--

Version	Latest
Show Information	false
Comment	

Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tMysqlSCD_1 , tMysqlInput_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_1



Component Parameters:

Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		

Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties (row1):

mapper table i repetites (1011).		
Properties	Values	
Name	row1	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(row1):

motadata Table Elit			
Name	Туре	Expression	isNullable
Product_ID	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

Constraint Table Entries(row1):

OUTION ATTIC TUBIC ET	iti 100\ 1011 /i			
Name	Туре	Expression	isNullable	

Mapper table Properties(row2):

Properties	Values
Name	row2
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row2):

Motadata Table Elitilot Tevre			L. N. HI. I.
Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String	row1.Product_ID	false
Brand_ID	String		false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

Constraint Table Entries(row2):

Name Ty	- уре	Expression	isNullable
---------	----------	------------	------------

Mapper table for tMap_1 (output):
Mapper table Properties(igh):

s(jgh):
Values
jgh
false
false
false
false
null

Metadata Table Entries(jgh):

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row2.ProductSK	false
CurrencyKey	int	row1.CurrencyKey	false
UnitPrice	Float	row1.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row1.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	0	false
SOR_ID	int	221	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(jgh):

lame Type	9	Expression	isNullable

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

mapper table i roperties val j.		
Values		
Var		
true		
false		
false		
false		
null		

Metadata Table Entries(Var):


me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Name Type Expre	ssion isNullable
-----------------	------------------

Component tMap

 UNIQUE NAME	tMap_10	INDLIT(S)	tMysqlSCD_12 , tMysqlInput_10
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_12



Component Parameters:

Component Parameters:				
Values				
false				
false				
AUTO				
200000				
false				
false				
false				

Mapper table for tMap_10 (input):

Mapper table Properties(row18):

Properties	Values
Name	row18
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row18):

Name	Туре	Expression	isNullable
ProductLabel	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

Constraint Table Entries(row18):

	onoticities Introduction				
Na	ame	Туре	Expression	isNullable	

Mapper table Properties (row23):

mapper table i reperties (10 WZe).				
Properties	Values			
Name	row23			
Matching-mode	UNIQUE_MATCH			
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(row23):

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String		false
ProductLabel	String	row18.ProductLabel	false

Constraint Table Entries(row23):

Name

Mapper table for tMap_10 (output): Mapper table Properties(ImI):

Properties	Values
Name	lml
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Iml):

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row23.ProductSK	false
CurrencyKey	int	row18.CurrencyKey	false
UnitPrice	Float	row18.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row18.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	0	false
SOR_ID	int	230	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(Iml):

Name Type Expression isNullable

Mapper table for tMap_10 (var):

Mapper table Properties (Var):

5(vai).
Values
Var
true
false
false
false
null


Metadata Table Entries(Var):

me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Component tMap

 UNIQUE NAME	tMap_11	INPUT(S)	tMysqlSCD_11 , tMysqlInput_11
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_11



Component Parameters:

Component Parameters:	,,
Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_11 (input):

Mapper table Properties(row19):

Properties	Values
Name	row19
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row19):

Name	Туре	Expression	isNullable
ProductLabel	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

Constraint Table Entries(row19):

Name	Туре	Expression	isNullable

Mapper table Properties(row22):

apper table i Toperties (Towzz).		
Values		
row22		
UNIQUE_MATCH		
false		
null		

Metadata Table Entries(row22):

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String		false
ProductLabel	String	row19.ProductLabel	false

Constraint Table Entries(row22):

Name

Mapper table for tMap_11 (output): Mapper table Properties(k):

Properties	Values
Name	k
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(k):

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row22.ProductSK	false
CurrencyKey	int	row19.CurrencyKey	false
UnitPrice	Float	row19.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row19.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	0	false
SOR_ID	int	231	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(k):

|--|

Mapper table for tMap_11 (var):

Mapper table Properties (Var):

mapper table i repetites (var).		
Properties	Values	
Name	Var	
Matching-mode		
isMinimized	true	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(Var):


me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Name Type Expre	ssion isNullable
-----------------	------------------

Component tMap

~~~	UNIQUE NAME	tMap_12	INDLIT(S)	tMap_12 , tMysqlInput_12
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_2



**Component Parameters:** 

Component Parameters:	,,
Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

### Mapper table for tMap_12 ( input ):

Mapper table Properties (row20):

inapportable reportion rep		
Properties	Values	
Name	row20	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( row20 ):

Name	Туре	Expression	isNullable
ProductLabel	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries( row20 ):** 

GOTIONIAITIC TABIO ETIMIO	00(101120).		
Name Typ	pe	Expression	isNullable

**Mapper table Properties( row21 ):** 

mapper table i Toperties (Tower ).		
Values		
row21		
UNIQUE_MATCH		
false		
null		

Metadata Table Entries( row21 ):

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String		false
ProductLabel	String	row20.ProductLabel	false

**Constraint Table Entries( row21 ):** 

Name
------

## Mapper table for tMap_12 ( output ): Mapper table Properties( m ):

Properties	Values
Name	m
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

# Metadata Table Entries( m ):

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row21.ProductSK	false
CurrencyKey	int	row20.CurrencyKey	false
UnitPrice	Float	row20.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row20.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	1	false
SOR_ID	int	232	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( m ):

|--|

# Mapper table for tMap_12 ( var ):

**Mapper table Properties (Var):** 

mapper table i roperties var ).		
Values		
Var		
true		
false		
false		
false		
null		


Metadata Table Entries( Var ):

me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries( Var ):** 

#### Component tMap

 UNIQUE NAME	tMap_2	INPLIT(S)	tMysqlSCD_10 , tMysqlInput_9
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_10



**Component Parameters:** 

Component Parameters:		
Properties	Values	
tStatCatcher Statistics	false	
Enable parallel execution	false	
Mapping links display as:	AUTO	
Temp data directory path:		
Max buffer size (nb of rows):	200000	
Ignore trailing zeros for BigDecimal	false	
Show Information	false	
Comment		
Use an existing validation rule	false	

## Mapper table for tMap_2 ( input ):

**Mapper table Properties (row17):** 

mapper table i repetites ( rew ii ).		
Properties	Values	
Name	row17	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( row17 ):

Name	Туре	Expression	isNullable
ProductLabel	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries( row17 ):** 

Outlott attit i abio Et	iti 100\ 10 11 /i		
Name	Туре	Expression	isNullable

**Mapper table Properties( row24 ):** 

wapper table Froperties (10w2+).		
Properties	Values	
Name	row24	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( row24 ):

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String		false
ProductLabel	String	row17.ProductLabel	false

**Constraint Table Entries( row24 ):** 

Name
------

Mapper table for tMap_2 ( output ): Mapper table Properties( km ):

Properties	Values
Name	km
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( km ):

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row24.ProductSK	false
CurrencyKey	int	row17.CurrencyKey	false
UnitPrice	Float	row17.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row17.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	0	false
SOR_ID	int	229	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( km ):

Name	Туре	Expression	isNullable	

# Mapper table for tMap_2 ( var ):

**Mapper table Properties (Var):** 

mapper table Properties var j.			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( Var ):


me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries(Var):** 

Name Type Expre	ssion isNullable
-----------------	------------------

#### Component tMap

 UNIQUE NAME	tMap_3	INPUT(S)	tMysqlSCD_3 , tMysqlInput_8
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_3



**Component Parameters:** 

Component Parameters:			
Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		
Temp data directory path:			
Max buffer size (nb of rows):	200000		
Ignore trailing zeros for BigDecimal	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

## Mapper table for tMap_3 ( input ):

**Mapper table Properties (row9):** 

mapper table Properties (10w3).			
Properties	Values		
Name	row9		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

**Metadata Table Entries( row9 ):** 

motadata Table Elit	1100(10110 /1		
Name	Туре	Expression	isNullable
Brand_ID	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries( row9 ):** 

CONCURATION TABLE	141 100\ 1 0 110 <i> </i> 1		
Name	Туре	Expression	isNullable

### **Mapper table Properties( row16 ):**

Properties	Values
Name	row16
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( row16 ):

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String	row9.Brand_ID	false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

Constraint Table Entries( row16 ):

Mapper table for tMap_3 ( output ):

Mapper table Properties (sdf):

Mapper table Properties( sdf ):		
Properties	Values	
Name	sdf	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

**Metadata Table Entries( sdf ):** 

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row16.ProductSK	false
CurrencyKey	int	row9.CurrencyKey	false
UnitPrice	Float	row9.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row9.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	1	false
SOR_ID	int	228	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( sdf ):

N	ame	Туре	Expression	isNullable

# Mapper table for tMap_3 ( var ):

Mapper table Properties (Var):

mapper table i roperties ( vai ).			
Values			
Var			
true			
false			
false			
false			
null			

Metadata Table Entries( Var ):


me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries(Var):** 

Name Type Expre	ssion isNullable
-----------------	------------------

#### Component tMap

-N.X. =	UNIQUE NAME	tMap_4	INPUT(S)	tMysqlSCD_4 , tMysqlInput_2
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_4



**Component Parameters:** 

Values
false
false
AUTO
200000
false
false
false

## Mapper table for tMap_4 ( input ):

**Mapper table Properties (row4):** 

inapper table Froperties (10w4).			
Properties	Values		
Name	row4		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

**Metadata Table Entries( row4 ):** 

MCtadata Table Ent	1100(1011+ ).		
Name	Туре	Expression	isNullable
Product_ID	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries( row4 ):** 

 gonotiant rabio Entrico( row r ).				
Name	Туре	Expression	isNullable	

## Mapper table Properties (row10):

Properties	Values
Name	row10
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( row10 ):

Name		Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String	row4.Product_ID	false
Brand_ID	String		false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

Constraint Table Entries( row10 ):

Name Ty	- уре	Expression	isNullable
---------	----------	------------	------------

Mapper table for tMap_4 ( output ):
Mapper table Properties( adsf ):

Mapper table Properties( adsf ):			
Properties	Values		
Name	adsf		
Matching-mode			
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

**Metadata Table Entries( adsf ):** 

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row10.ProductSK	false
CurrencyKey	int	row4.CurrencyKey	false
UnitPrice	Float	row4.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row4.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	0	false
SOR_ID	int	222	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( adsf ):

# Mapper table for tMap_4 ( var ):

Mapper table Properties (Var):

mapper table i Toperties (vai ).			
Values			
Var			
true			
false			
false			
false			
null			


Metadata Table Entries( Var ):

me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries(Var):** 

#### Component tMap

- N.X. =	UNIQUE NAME	tMap_5	INPUT(S)	tMysqlSCD_5 , tMysqlInput_3
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_5



**Component Parameters:** 

Component Parameters:		
Properties	Values	
tStatCatcher Statistics	false	
Enable parallel execution	false	
Mapping links display as:	AUTO	
Temp data directory path:		
Max buffer size (nb of rows):	200000	
Ignore trailing zeros for BigDecimal	false	
Show Information	false	
Comment		
Use an existing validation rule	false	

## Mapper table for tMap_5 ( input ):

**Mapper table Properties( row5 ):** 

mapper table i reperties (10 me ).		
Properties	Values	
Name	row5	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( row5 ):

Name	Туре	Expression	isNullable
Product_ID	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries( row5 ):** 

Name	Туре	Expression	isNullable

### **Mapper table Properties( row11 ):**

Properties	Values
Name	row11
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( row11 ):

Name		Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String	row5.Product_ID	false
Brand_ID	String		false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

Constraint Table Entries( row11 ):

Name	Туре	Expression	on isNullable
------	------	------------	---------------

Mapper table for tMap_5 ( output ):
Mapper table Properties( sadf ):

Mapper table Properties( sadf ):			
Properties	Values		
Name	sadf		
Matching-mode			
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

**Metadata Table Entries( sadf ):** 

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row11.ProductSK	false
CurrencyKey	int	row5.CurrencyKey	false
UnitPrice	Float	row5.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row5.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	0	false
SOR_ID	int	223	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

**Constraint Table Entries( sadf ):** 

Name	Туре	Expression	isNullable

# Mapper table for tMap_5 ( var ):

Mapper table Properties (Var):

5( vai ).
Values
Var
true
false
false
false
null


Metadata Table Entries( Var ):

me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries( Var ):** 

#### Component tMap

-N.X. =	UNIQUE NAME	tMap_6	INPUT(S)	tMysqlSCD_6 , tMysqlInput_4
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_6



**Component Parameters:** 

Component Parameters:		
Properties	Values	
tStatCatcher Statistics	false	
Enable parallel execution	false	
Mapping links display as:	AUTO	
Temp data directory path:		
Max buffer size (nb of rows):	200000	
Ignore trailing zeros for BigDecimal	false	
Show Information	false	
Comment		
Use an existing validation rule	false	

## Mapper table for tMap_6 ( input ):

**Mapper table Properties (row6):** 

mapper table 1 toperties (10wo).			
Properties	Values		
Name	row6		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

**Metadata Table Entries( row6 ):** 

motadata Table Elit	1100(10110)		
Name	Туре	Expression	isNullable
Product_ID	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries (row6):** 

Name	Туре	Expression	isNullable		

### **Mapper table Properties( row12):**

Properties	Values
Name	row12
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( row12 ):

Name		Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String	row6.Product_ID	false
Brand_ID	String		false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

Constraint Table Entries( row12 ):

Mapper table for tMap_6 ( output ):
Mapper table Properties( asfd ):

Mapper table Properties( astd ):		
Properties	Values	
Name	asfd	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

**Metadata Table Entries( asfd ):** 

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row12.ProductSK	false
CurrencyKey	int	row6.CurrencyKey	false
UnitPrice	Float	row6.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row6.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	1	false
SOR_ID	int	224	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( asfd ):

# Mapper table for tMap_6 ( var ):

Mapper table Properties (Var):

mapper table Properties (var).		
Properties	Values	
Name	Var	
Matching-mode		
isMinimized	true	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( Var ):


me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries (Var):** 

Name	Туре	Expression	isNullable

#### Component tMap

 UNIQUE NAME	tMap_7	INPUT(S)	tMysqlSCD_7 , tMysqlInput_5
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_7



**Component Parameters:** 

Component Parameters:		
Properties	Values	
tStatCatcher Statistics	false	
Enable parallel execution	false	
Mapping links display as:	AUTO	
Temp data directory path:		
Max buffer size (nb of rows):	200000	
Ignore trailing zeros for BigDecimal	false	
Show Information	false	
Comment		
Use an existing validation rule	false	

## Mapper table for tMap_7 ( input ):

**Mapper table Properties (row7):** 

mapper table i roperties rowr j.		
Properties	Values	
Name	row7	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

**Metadata Table Entries( row7 ):** 

motadata Table Elit			
Name	Туре	Expression	isNullable
Brand_ID	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries( row7):** 

OUTION ATTIC TUBIO ET	141100(10111)		
Name	Туре	Expression	isNullable

### **Mapper table Properties( row13):**

Properties	Values
Name	row13
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( row13 ):

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String	row7.Brand_ID	false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

**Constraint Table Entries( row13 ):** 

Mapper table for tMap_7 ( output ):
Mapper table Properties( daf ):

Mapper table Properties( dat ):			
Properties	Values		
Name	daf		
Matching-mode			
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( daf ):

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row13.ProductSK	false
CurrencyKey	int	row7.CurrencyKey	false
UnitPrice	Float	row7.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row7.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	0	false
SOR_ID	int	225	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( daf ):

N	ame	Туре	Expression	isNullable

# Mapper table for tMap_7 ( var ):

**Mapper table Properties (Var):** 

5( vai ).
Values
Var
true
false
false
false
null


Metadata Table Entries( Var ):

me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries( Var ):** 

#### Component tMap

 UNIQUE NAME	tMap_8	INPUT(S)	tMysqlSCD_8 , tMysqlInput_6
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_8



**Component Parameters:** 

Component Parameters:		
Values		
false		
false		
AUTO		
200000		
false		
false		
false		

## Mapper table for tMap_8 ( input ):

**Mapper table Properties (row8):** 

mapper table Properties (10wo).		
Properties	Values	
Name	row8	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

**Metadata Table Entries( row8 ):** 

motadata rabio Entrico (rono ).			
Name	Туре	Expression	isNullable
Brand_ID	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

Constraint Table Entries( row8 ):

Name	Туре	Expression	isNullable

### Mapper table Properties (row14):

Properties	Values
Name	row14
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( row14 ):

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String	row8.Brand_ID	false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

**Constraint Table Entries( row14 ):** 

Mapper table for tMap_8 ( output ):
Mapper table Properties( sadfdf ):

mapper table Properties( sadidi ):		
Properties	Values	
Name	sadfdf	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

**Metadata Table Entries( sadfdf ):** 

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row14.ProductSK	false
CurrencyKey	int	row8.CurrencyKey	false
UnitPrice	Float	row8.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row8.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	0	false
SOR_ID	int	226	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( sadfdf ):

Name Type Expression isNullable
---------------------------------

# Mapper table for tMap_8 ( var ):

Mapper table Properties (Var):

mapper table i roperties val j.			
Values			
Var			
true			
false			
false			
false			
null			

Metadata Table Entries( Var ):


me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable

#### Component tMap

 UNIQUE NAME	tMap_9	INPUT(S)	tMysqlSCD_9 , tMysqlInput_7
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_9



**Component Parameters:** 

Component Parameters:			
Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		
Temp data directory path:			
Max buffer size (nb of rows):	200000		
Ignore trailing zeros for BigDecimal	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

## Mapper table for tMap_9 ( input ):

Mapper table Properties (row3):

mapper table i reperties ( i e ire ).			
Properties	Values		
Name	row3		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

**Metadata Table Entries( row3 ):** 

motadata Table Elit	1100(10110 /1		
Name	Туре	Expression	isNullable
Brand_ID	String		true
CurrencyKey	Integer		true
UnitPrice	Float		true
SCD_EffectiveDate	java.util.Date		true

**Constraint Table Entries( row3):** 

_	Oliotialite Table El	iti 100( 10 110 ).		
N	lame	Туре	Expression	isNullable

### **Mapper table Properties( row15 ):**

Properties	Values
Name	row15
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row15 ):** 

Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int		false
Product_ID	String		false
Brand_ID	String	row3.Brand_ID	false
ProductLabel	String		false
ProductName	String		true
ProductDescription	String		true

ProductSubcategoryKey	Integer	true
ProductSubcategoryLabel	String	true
ProductSubcategoryName	String	false
ProductSubcategoryDescription	String	true
ProductCategoryKey	Integer	true
ProductCategoryLabel	String	false
ProductCategoryName	String	false
ProductCategoryDescription	String	false
Manufacturer	String	true
BrandName	String	true
ClassID	String	true
ClassName	String	true
StyleID	String	true
StyleName	String	true
ColorID	String	true
ColorName	String	true
ProductSize	String	true

SizeRange	String	true
SizeUnitMeasureID	String	true
Weight	Double	true
WeightUnitMeasureID	String	true
UnitOfMeasureID	String	true
UnitOfMeasureName	String	true
StockTypeID	String	true
StockTypeName	String	true
AvailableForSaleDate	java.util.Date	true
StopSaleDate	java.util.Date	true
Status	String	true
SOR_ID	int	false
SOR_LoadDate	java.util.Date	true
SOR_UpdateDate	java.util.Date	true
DI_Job_ID	String	false
DI_Create_Date	java.util.Date	false
DI_Modified_Date	java.util.Date	false

**Constraint Table Entries( row15 ):** 

Name	Туре	Expression	isNullable

Mapper table for tMap_9 ( output ):

Mapper table Properties( adsfsadf ):

Mapper table Properties( adsisadi ):		
Properties	Values	
Name	adsfsadf	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

**Metadata Table Entries( adsfsadf ):** 

Name	Туре	Expression	isNullable
SCD_ProductPriceSK	int		false
ProductSK	int	row15.ProductSK	false
CurrencyKey	int	row3.CurrencyKey	false
UnitPrice	Float	row3.UnitPrice	true
SCD_EffectiveDate	java.util.Date	row3.SCD_EffectiveDate	true
SCD_IneffectiveDate	java.util.Date		true
SCD_Current_Flag	int	0	false
SOR_ID	int	227	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries( adsfsadf ):

Name Type Expression isNullable
---------------------------------

# Mapper table for tMap_9 ( var ):

**Mapper table Properties(Var):** 

mapper table i reperties ( rai ).		
Properties	Values	
Name	Var	
Matching-mode		
isMinimized	true	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

**Constraint Table Entries (Var):** 

Name Type Expre	ssion isNullable
-----------------	------------------

### Component tMysqlSCD

UNIQUE NAME	tMysqlSCD_1	INPUT(S)	tMap_1
LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_3

**Component Parameters:** 

Component Farameters.		
Properties	Values	
Activate	true	

tStatCatcher Statistics	false
Enable parallel execution	false
DB Version	MYSQL_5
Use an existing connection	false
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	******
Table	"dimproductprice"
Action on table	NONE
SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Only update active record	false
Die on error	false

Γ

Additional JDBC Parameters	"noDatetimeStringSync=true"
Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

Schema for dimproductprice :

Schema for dimproductprice.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
SCD_Current_Flag	false	int	10		false	Column generated by scd editor.
SOR_ID	false	int	10		false	Column generated by scd editor.

SOR_LoadDate	false	java.util.Date	19	true	Column generated by scd editor.
SOR_UpdateDate	false	java.util.Date	19	true	Column generated by scd editor.
DI_Modified_Date	false	java.util.Date	19	false	Column generated by scd editor.
SCD_EffectiveDate	false	java.util.Date		false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date		true	Column generated by scd editor.
SCD_ProductPriceSK	true	int		false	Column generated by scd editor.

# Component tMysqlSCD

UNIQUE NAME	tMysqlSCD_10	INPUT(S)	tMap_2
LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_10

### **Component Parameters:**

Properties	Values

Activate	true
tStatCatcher Statistics	false
Enable parallel execution	false
DB Version	MYSQL_5
Use an existing connection	false
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	******
Table	"dimproductprice"
Action on table	NONE
SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Only update active record	false
Die on error	false

Additional JDBC Parameters	"noDatetimeStringSync=true"
Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

Schema for dimproductprice :

oonoma for amproa						
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	
SCD_Current_Flag	false	int	10		false	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	

SCD_EffectiveDate	false	java.util.Date		false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date		true	Column generated by scd editor.
SCD_ProductPriceSK	true	int		false	Column generated by scd editor.

# Component tMysqlSCD

UNIQUE NAME	tMysqlSCD_11	INPUT(S)	tMap_11
LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_12

**Component Parameters:** 

Component Farameters.	
Properties	Values
Activate	true
tStatCatcher Statistics	false
Enable parallel execution	false
DB Version	MYSQL_5
Use an existing connection	false
Host	"localhost"

Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	*****
Table	"dimproductprice"
Action on table	NONE
SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Only update active record	false
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"
Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

# Schema for dimproductprice :

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	
SCD_Current_Flag	false	int	10		false	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	
SCD_EffectiveDate	false	java.util.Date			false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date			true	Column generated by scd editor.
SCD_ProductPriceSK	true	int			false	Column generated by scd editor.

UNIQUE NAME	tMysqlSCD_12	INPUT(S)	tMap_10
LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_11

<b>Component Parameters:</b>	
Properties	Values
Activate	true
tStatCatcher Statistics	false
Enable parallel execution	false
DB Version	MYSQL_5
Use an existing connection	false
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	******
Table	"dimproductprice"
Action on table	NONE

1	
SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Only update active record	false
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"
Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	Column generated by scd editor.
CurrencyKey	false	int	10		falsa	Column generated by scd editor.

UnitPrice	false	Float	15	2	true	Column generated by scd editor.
SCD_Current_Flag	false	int	10		false	Column generated by scd editor.
SOR_ID	false	int	10		false	Column generated by scd editor.
SOR_LoadDate	false	java.util.Date	19		true	Column generated by scd editor.
SOR_UpdateDate	false	java.util.Date	19		true	Column generated by scd editor.
DI_Job_ID	false	String	20		false	Column generated by scd editor.
DI_Create_Date	false	java.util.Date	19		false	Column generated by scd editor.
DI_Modified_Date	false	java.util.Date	19		false	Column generated by scd editor.

SCD_EffectiveDate	false	java.util.Date		false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date		true	Column generated by scd editor.
SCD_ProductPriceSK	true	int		false	Column generated by scd editor.

UNIQUE NAME	tMysqlSCD_2		tMap_12 , tMysqlInput_12
LABEL	TABLE	OUTPUT(S)	none

Properties	Values
Activate	true
tStatCatcher Statistics	false
Enable parallel execution	false
DB Version	MYSQL_5
Use an existing connection	false
Host	"localhost"

Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	******
Table	"dimproductprice"
Action on table	NONE
SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Only update active record	false
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"
Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	
SCD_Current_Flag	false	int	10		false	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	
SCD_EffectiveDate	false	java.util.Date			false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date			true	Column generated by scd editor.
SCD_ProductPriceSK	true	int			false	Column generated by scd editor.

UNIQUE NAME	tMysqlSCD_3	INPUT(S)	tMap_3
LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_9

Component Parameters:					
Properties	Values				
Activate	true				
tStatCatcher Statistics	false				
Enable parallel execution	false				
DB Version	MYSQL_5				
Use an existing connection	false				
Host	"localhost"				
Port	"3306"				
Database	"retail_dw"				
Username	"info7290"				
Password	******				
Table	"dimproductprice"				
Action on table	NONE				

1	
SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Only update active record	false
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"
Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

Column	Key	Туре	Length	Precision	Nullable	Comment
CurrencyKey	false	int	10		false	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
ProductSK	false	int	10		iaise	Column generated by scd editor.

UnitPrice	false	Float	15	2	true	Column generated by scd editor.
SCD_Current_Flag	false	int	10		false	Column generated by scd editor.
SOR_ID	false	int	10		false	Column generated by scd editor.
SOR_LoadDate	false	java.util.Date	19		true	Column generated by scd editor.
SOR_UpdateDate	false	java.util.Date	19		true	Column generated by scd editor.
DI_Modified_Date	false	java.util.Date	19		false	Column generated by scd editor.
SCD_EffectiveDate	false	java.util.Date			false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date			true	Column generated by scd editor.

SCD_ProductPriceSK	true	int			false	Column generated by scd editor.
--------------------	------	-----	--	--	-------	------------------------------------------

UNIQUE NAME	tMysqlSCD_4	INPUT(S)	tMap_4
LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_4

Component Parameters:					
Properties	Values				
Activate	true				
tStatCatcher Statistics	false				
Enable parallel execution	false				
DB Version	MYSQL_5				
Use an existing connection	false				
Host	"localhost"				
Port	"3306"				
Database	"retail_dw"				
Username	"info7290"				
Password	******				

Table	"dimproductprice"
Action on table	NONE
SCD Editor	
Use memory saving mode	false
Source keys include Null	false
Only update active record	false
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"
Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	

DI_Job_ID	false	String	20	false	
DI_Create_Date	false	java.util.Date	19	false	
SCD_Current_Flag	false	int	10	false	Column generated by scd editor.
SOR_ID	false	int	10	false	Column generated by scd editor.
SOR_LoadDate	false	java.util.Date	19	true	Column generated by scd editor.
SOR_UpdateDate	false	java.util.Date	19	true	Column generated by scd editor.
DI_Modified_Date	false	java.util.Date	19	false	Column generated by scd editor.
SCD_EffectiveDate	false	java.util.Date		false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date		true	Column generated by scd editor.

	UNIQUE NAME	tMysqlSCD_5	INPUT(S)	tMap_5
	LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_5

Component Parameters:				
Properties	Values			
Activate	true			
tStatCatcher Statistics	false			
Enable parallel execution	false			
DB Version	MYSQL_5			
Use an existing connection	false			
Host	"localhost"			
Port	"3306"			
Database	"retail_dw"			
Username	"info7290"			
Password	******			

Table	"dimproductprice"		
Action on table	NONE		
SCD Editor			
Use memory saving mode	false		
Source keys include Null	false		
Only update active record	false		
Die on error	false		
Additional JDBC Parameters	"noDatetimeStringSync=true"		
Debug mode	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	

DI_Job_ID	false	String	20	false	
DI_Create_Date	false	java.util.Date	19	false	
SCD_Current_Flag	false	int	10	false	Column generated by scd editor.
SOR_ID	false	int	10	false	Column generated by scd editor.
SOR_LoadDate	false	java.util.Date	19	true	Column generated by scd editor.
SOR_UpdateDate	false	java.util.Date	19	true	Column generated by scd editor.
DI_Modified_Date	false	java.util.Date	19	false	Column generated by scd editor.
SCD_EffectiveDate	false	java.util.Date		false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date		true	Column generated by scd editor.

SCD_ProductPriceSK	true	int			false	Column generated by scd editor.
--------------------	------	-----	--	--	-------	------------------------------------------

	UNIQUE NAME	tMysqlSCD_6	INPUT(S)	tMap_6
	LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_6

Component Parameters:				
Properties	Values			
Activate	true			
tStatCatcher Statistics	false			
Enable parallel execution	false			
DB Version	MYSQL_5			
Use an existing connection	false			
Host	"localhost"			
Port	"3306"			
Database	"retail_dw"			
Username	"info7290"			
Password	******			

Table	"dimproductprice"		
Action on table	NONE		
SCD Editor			
Use memory saving mode	false		
Source keys include Null	false		
Only update active record	false		
Die on error	false		
Additional JDBC Parameters	"noDatetimeStringSync=true"		
Debug mode	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	

DI_Job_ID	false	String	20	false	
DI_Create_Date	false	java.util.Date	19	false	
SCD_Current_Flag	false	int	10	false	Column generated by scd editor.
SOR_ID	false	int	10	false	Column generated by scd editor.
SOR_LoadDate	false	java.util.Date	19	true	Column generated by scd editor.
SOR_UpdateDate	false	java.util.Date	19	true	Column generated by scd editor.
DI_Modified_Date	false	java.util.Date	19	false	Column generated by scd editor.
SCD_EffectiveDate	false	java.util.Date		false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date		true	Column generated by scd editor.

	UNIQUE NAME	tMysqlSCD_7	INPUT(S)	tMap_7
	LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_7

Component Parameters:				
Properties	Values			
Activate	true			
tStatCatcher Statistics	false			
Enable parallel execution	false			
DB Version	MYSQL_5			
Use an existing connection	false			
Host	"localhost"			
Port	"3306"			
Database	"retail_dw"			
Username	"info7290"			
Password	******			

Table	"dimproductprice"		
Action on table	NONE		
SCD Editor			
Use memory saving mode	false		
Source keys include Null	false		
Only update active record	false		
Die on error	false		
Additional JDBC Parameters	"noDatetimeStringSync=true"		
Debug mode	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	

DI_Job_ID	false	String	20	false	
DI_Create_Date	false	java.util.Date	19	false	
SCD_Current_Flag	false	int	10	false	Column generated by scd editor.
SOR_ID	false	int	10	false	Column generated by scd editor.
SOR_LoadDate	false	java.util.Date	19	true	Column generated by scd editor.
SOR_UpdateDate	false	java.util.Date	19	true	Column generated by scd editor.
DI_Modified_Date	false	java.util.Date	19	false	Column generated by scd editor.
SCD_EffectiveDate	false	java.util.Date		false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date		true	Column generated by scd editor.

UNIQUE NAME	tMysqlSCD_8	INPUT(S)	tMap_8
LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_2

Component Parameters:				
Properties	Values			
Activate	true			
tStatCatcher Statistics	false			
Enable parallel execution	false			
DB Version	MYSQL_5			
Use an existing connection	false			
Host	"localhost"			
Port	"3306"			
Database	"retail_dw"			
Username	"info7290"			
Password	******			

Table	"dimproductprice"		
Action on table	NONE		
SCD Editor			
Use memory saving mode	false		
Source keys include Null	false		
Only update active record	false		
Die on error	false		
Additional JDBC Parameters	"noDatetimeStringSync=true"		
Debug mode	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	

DI_Job_ID	false	String	20	false	
DI_Create_Date	false	java.util.Date	19	false	
SCD_Current_Flag	false	int	10	false	Column generated by scd editor.
SOR_ID	false	int	10	false	Column generated by scd editor.
SOR_LoadDate	false	java.util.Date	19	true	Column generated by scd editor.
SOR_UpdateDate	false	java.util.Date	19	true	Column generated by scd editor.
DI_Modified_Date	false	java.util.Date	19	false	Column generated by scd editor.
SCD_EffectiveDate	false	java.util.Date		false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date		true	Column generated by scd editor.

UNIQUE NAME	tMysqlSCD_9	INPUT(S)	tMap_9
LABEL	TABLE	OUTPUT(S)	tFileInputDelimited_8

Component Parameters:	
Properties	Values
Activate	true
tStatCatcher Statistics	false
Enable parallel execution	false
DB Version	MYSQL_5
Use an existing connection	false
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	******

Table	"dimproductprice"			
Action on table	NONE			
SCD Editor				
Use memory saving mode	false			
Source keys include Null	false			
Only update active record	false			
Die on error	false			
Additional JDBC Parameters	"noDatetimeStringSync=true"			
Debug mode	false			
Show Information	false			
Comment				
Use an existing validation rule	false			

Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	false	int	10		false	
CurrencyKey	false	int	10		false	
UnitPrice	false	Float	15	2	true	

DI_Job_ID	false	String	20	false	
DI_Create_Date	false	java.util.Date	19	false	
SCD_Current_Flag	false	int	10	false	Column generated by scd editor.
SOR_ID	false	int	10	false	Column generated by scd editor.
SOR_LoadDate	false	java.util.Date	19	true	Column generated by scd editor.
SOR_UpdateDate	false	java.util.Date	19	true	Column generated by scd editor.
DI_Modified_Date	false	java.util.Date	19	false	Column generated by scd editor.
SCD_EffectiveDate	false	java.util.Date		false	Column generated by scd editor.
SCD_IneffectiveDate	false	java.util.Date		true	Column generated by scd editor.

SCD_ProductPriceSKtrue	int		false	Column generated by scd editor.
------------------------	-----	--	-------	------------------------------------------