Joblets

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:36:00 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	CNTL_JobStats_Child
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Jun 1, 2015 12:23:02 PM
Modification	Jun 11, 2017 8:33:52 PM

Preview Picture

Settings

Extra settings

Name	Value
Startable	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tStatCatcher_1	tStatCatcher

tMap_1	tMap
tMSSqlOutput_1	tMSSqlOutput
tMSSqlInput_1	tMSSqlInput
tMSSqlOutput_2	tMSSqlOutput
tMSSqlInput_2	tMSSqlInput
tJavaRow_1	tJavaRow
tBufferOutput_1	tBufferOutput
TRIGGER_OUTPUT_1	TRIGGER_OUTPUT

Components Description

Component   tStatCatcher

	UNIQUE NAME	tStatCatcher_1	INPUT(S)	none
	LABEL	tStatCatcher_1	OUTPUT(S)	tMap_1 , TRIGGER_OUTPUT_1

Component Parameters:

Properties	Values
Unique Name	tStatCatcher_1
Component Name	tStatCatcher
Version	0.1 (BETA)

Family	Logs_Errors
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
Help	org.talend.help.tStatCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Label format	tStatCatcher_1
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tStatCatcher_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	8		true	
project	false	String	50		true	
job	false	String	255		true	

job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	8		true	

Original Function Parameters:
Component   tMSSqlOutput

	UNIQUE NAME	tMSSqlOutput_1	INPUT(S)	tMap_1
	LABEL	"cntl_statCatcher"	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMSSqlOutput_1
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Startable	false

SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DW_CTL
Use an existing connection	false
Component List	

JDBC Provider	JTDS
Host	"localhost"
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Database Driver	MSSQL
Username	"info7290"
Password	**********
Table	"cntl_statCatcher"
Action on table	NONE
Turn on Identity insert	false
Action on data	INSERT
Specify identity field	false
Identity field	moment
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false

Field options	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=moment}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=father_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=root_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=system_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=project}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_repository_id}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=context}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=origin}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=message_type}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=message}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=duration}]
Ignore date out of range	false
Enable debug mode	false

Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	"cntl_statCatcher"
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for cntl_statCatcher :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	

project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	19		true	

Original Function Parameters:
Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_1	INPUT(S)	none
	LABEL	"cntl_JobStats"	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_1
Component Name	tMSSqlInput
Version	0.102 (ALPHA)

Family	Databases/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):DW_CTL
Host	"localhost"
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Username	"info7290"
Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"cntl_JobStats"
Query Type	Built-In
Guess Schema	""

Query	"SELECT dbo.cntl_JobStats.Job_pid, dbo.cntl_JobStats.job_sk, dbo.cntl_JobStats.moment, dbo.cntl_JobStats.pid, dbo.cntl_JobStats.father_pid, dbo.cntl_JobStats.root_pid, dbo.cntl_JobStats.system_pid, dbo.cntl_JobStats.project, dbo.cntl_JobStats.job, dbo.cntl_JobStats.job_repository_id, dbo.cntl_JobStats.job_version, dbo.cntl_JobStats.context, dbo.cntl_JobStats.origin, dbo.cntl_JobStats.message_type, dbo.cntl_JobStats.message, dbo.cntl_JobStats.duration, dbo.cntl_JobStats.job_start_time, dbo.cntl_JobStats.job_finish_time, dbo.cntl_JobStats.job_name, dbo.cntl_JobStats.job_status, dbo.cntl_JobStats.job_duration, dbo.cntl_JobStats.root_name FROM dbo.cntl_JobStats"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=Job_pid}, {TRIM=false, SCHEMA_COLUMN=job_sk}, {TRIM=false, SCHEMA_COLUMN=moment}, {TRIM=false, SCHEMA_COLUMN=pid}, {TRIM=false, SCHEMA_COLUMN=father_pid}, {TRIM=false, SCHEMA_COLUMN=root_pid}, {TRIM=false, SCHEMA_COLUMN=system_pid}, {TRIM=false, SCHEMA_COLUMN=project}, {TRIM=false, SCHEMA_COLUMN=job}, {TRIM=false, SCHEMA_COLUMN=job_repository_id}, {TRIM=false, SCHEMA_COLUMN=job_version}, {TRIM=false, SCHEMA_COLUMN=context}, {TRIM=false, SCHEMA_COLUMN=origin}, {TRIM=false, SCHEMA_COLUMN=message_type}, {TRIM=false, SCHEMA_COLUMN=message}, {TRIM=false, SCHEMA_COLUMN=duration}, {TRIM=false, SCHEMA_COLUMN=job_start_time}, {TRIM=false, SCHEMA_COLUMN=job_finish_time}, {TRIM=false, SCHEMA_COLUMN=job_name}, {TRIM=false, SCHEMA_COLUMN=job_status}, {TRIM=false, SCHEMA_COLUMN=job_duration}, {TRIM=false, SCHEMA_COLUMN=root_name}]
Label format	"cntl_JobStats"
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for cntl_JobStats :

Column	Key	Type	Length	Precision	Nullable	Comment
Job_pid	true	String	20		false	
job_sk	false	int	10		false	
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	19		true	

job_start_time	false	java.util.Date	23	3	true		
job_finish_time	false	java.util.Date	23	3	true		
job_name	false	String	50		true		
job_status	false	String	50		true		
job_duration	false	Double	53		true		
root_name	false	String	50		true		

Original Function Parameters:
Component   tMSSqlOutput

	UNIQUE NAME	tMSSqlOutput_2	INPUT(S)	tMap_1 , tMSSqlInput_1, tMSSqlInput_2
	LABEL	"cntl_JobStats"	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMSSqlOutput_2
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Startable	false
SUBTREE_START	false

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DW_CTL
Use an existing connection	false
Component List	
JDBC Provider	JTDS

Host	"localhost"
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Database Driver	MSSQL
Username	"info7290"
Password	**********
Table	"cntl_JobStats"
Action on table	NONE
Turn on Identity insert	false
Action on data	UPDATE_OR_INSERT
Specify identity field	false
Identity field	Job_pid
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=Job_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=moment}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=father_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=root_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=system_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=project},

| Field options | {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_repository_id}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=context}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=origin}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=message_type}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=message}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=duration}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_start_time}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_finish_time}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_name}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_status}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_duration}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=root_name}, |

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=is_root_job}]
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	"cntl_JobStats"
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for cntl_JobStats :

Column	Key	Type	Length	Precision	Nullable	Comment
Job_pid	true	String	20		false	
moment	false	java.util.Date	23	3	true	

pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	19		true	
job_start_time	false	java.util.Date	23	3	true	
job_finish_time	false	java.util.Date	23	3	true	
job_name	false	String	50		true	
job_status	false	String	50		true	

job_duration	false	Long	53		true	
root_name	false	String	50		true	
is_root_job	false	Character	1		true	

Original Function Parameters:
Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_2	INPUT(S)	none	
	LABEL	"cntl_JobStats"	OUTPUT(S)	tMap_1	

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_2
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):DW_CTL
Host	"localhost"
JDBC Provider	JTDS
Database Driver	MSSQL

Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Username	"info7290"
Password	**********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"cntl_JobStats"
Query Type	Built-In
Guess Schema	""
Query	"SELECT distinct root_pid, job_name, root_name FROM dbo.cntl_JobStats"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=root_pid}, {TRIM=false, SCHEMA_COLUMN=job_name}, {TRIM=false, SCHEMA_COLUMN=root_name}]
Label format	"cntl_JobStats"
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMSSqlInput_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
root_pid	false	String	20		true	
job_name	false	String	50		true	
root_name	false	String	50		true	

Original Function Parameters:
Component   tJavaRow

	UNIQUE NAME	tJavaRow_1	INPUT(S)	tMap_1
	LABEL	setContextVariables	OUTPUT(S)	tBufferOutput_1

Component Parameters:

Properties	Values
Unique Name	tJavaRow_1
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\l
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	context.setProperty("vChildPID",String.valueOf(out_set_glo context.setProperty("vJobPID",String.valueOf(out_set_glob context.setProperty("vChildName",String.valueOf(out_set_ context.setProperty("vJobName",String.valueOf(out_set_gl System.out.println("\n"+"joblet: CNTL_JobStats_Child --> vJobMessage: ["+context.getProperty("vJobMessage")+"] - vJobName: "+context.getProperty("vJobName")+" vJobPID "+context.getProperty("vJobPID")); System.out.println("vCh "+context.getProperty("vChildName")+" vChildPID: "+context.getProperty("vChildPID")+" from context"); System.out.println("vRootName: "+context.getProperty("vRootName")+" vRootPID: "+context.getProperty("vRootPID"));
Import	//import java.util.List;
Label format	setContextVariables
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	

Schema for tJavaRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
vChildPID	false	String			true	
vChildName	false	String			true	

Original Function Parameters:
Component   tBufferOutput

	UNIQUE NAME	tBufferOutput_1	INPUT(S)	tJavaRow_1
	LABEL	tBufferOutput_1	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tBufferOutput_1
Component Name	tBufferOutput
Version	0.101 (ALPHA)
Family	Misc
Startable	false
SUBTREE_START	false
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tBufferOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Label format	tBufferOutput_1
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tBufferOutput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
vChildPID	false	String			true	
vChildName	false	String			true	

Original Function Parameters:
Component   TRIGGER_OUTPUT

	UNIQUE NAME	TRIGGER_OUTPUT_1	INPUT(S)	tStatCatcher_1
	LABEL	TRIGGER_OUTPUT_1	OUTPUT(S)	none

Component Parameters:

Properties	Values
Update components	true
Unique Name	TRIGGER_OUTPUT_1
Startable	true
Start	false

Label format	TRIGGER_OUTPUT_1
Hint format	__UNIQUE_NAME__ __COMMENT__
Show Information	false
Comment	

Original Function Parameters:
Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tMap_1 , tMSSqlInput_1, tMSSqlInput_2
	LABEL	tMap_1	OUTPUT(S)	tMSSqlOutput_1 , tJavaRow_1, tMSSqlOutput_2

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false

Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):
Mapper table Properties(stats01):

Properties	Values
Name	stats01
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(stats01):

Name	Type	Expression	isNullable
moment	java.util.Date		true
pid	String		true
father_pid	String		true
root_pid	String		true
system_pid	Long		true
project	String		true
job	String		true
job_repository_id	String		true
job_version	String		true
context	String		true
origin	String		true
message_type	String		true
message	String		true
duration	Long		true

Constraint Table Entries(stats01):

Name	Type	Expression	isNullable

Mapper table Properties(lookup_jobPID):

Properties	Values
Name	lookup_jobPID
Matching-mode	UNIQUE_MATCH
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(lookup_jobPID):

Name	Type	Expression	isNullable
Job_pid	String	stats01.pid	false
job_sk	int		false
moment	java.util.Date		true
pid	String		true
father_pid	String		true
root_pid	String		true
system_pid	Long		true

project	String		true
job	String		true
job_repository_id	String		true
job_version	String		true
context	String		true
origin	String		true
message_type	String		true
message	String		true
duration	Long		true
job_start_time	java.util.Date		true
job_finish_time	java.util.Date		true
job_name	String		true
job_status	String		true
job_duration	Double		true
root_name	String		true

Constraint Table Entries(lookup_jobPID):

Name	Type	Expression	isNullable

Mapper table Properties(lookup_root):

Properties	Values
Name	lookup_root
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(lookup_root):

Name	Type	Expression	isNullable
root_pid	String	stats01.root_pid	true
job_name	String		true
root_name	String		true

Constraint Table Entries(lookup_root):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):
   Mapper table Properties(out_stats_catcher):

Properties	Values
Name	out_stats_catcher
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out_stats_catcher):

Name	Type	Expression	isNullable
moment	java.util.Date	stats01.moment	true
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
project	String	stats01.project	true
job	String	stats01.job	true
job_repository_id	String	stats01.job_repository_id	true
job_version	String	stats01.job_version	true
context	String	stats01.context	true
origin	String	stats01.origin	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true
duration	Long	stats01.duration != null ?(stats01.duration/1000) :null	true

Constraint Table Entries(out_stats_catcher):

Name	Type	Expression	isNullable

Mapper table Properties(out_set_global):

Properties	Values
Name	out_set_global
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out_set_global):

Name	Type	Expression	isNullable
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
job	String	stats01.job	true
project	String	stats01.project	true
context	String	stats01.context	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true

Constraint Table Entries(out_set_global):

Name	Type	Expression	isNullable

Mapper table Properties(out_JobStats):

Properties	Values
Name	out_JobStats
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out_JobStats):

Name	Type	Expression	isNullable
Job_pid	String	stats01.pid	false
moment	java.util.Date	stats01.moment	true
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
project	String	stats01.project	true

job	String	stats01.job	true
job_repository_id	String	stats01.job_repository_id	true
job_version	String	stats01.job_version	true
context	String	stats01.context	true
origin	String	stats01.origin	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true
duration	Long	stats01.duration	true
job_start_time	java.util.Date	lookup_jobPID.moment != null ?lookup_jobPID.moment :null	true
job_finish_time	java.util.Date	stats01.duration != null ?stats01.moment :null	true
job_name	String	stats01.job	true
job_status	String	stats01.message	true
job_duration	Long	stats01.duration != null ?(stats01.duration) :null	true
root_name	String	lookup_root.root_name != null ?lookup_root.root_name :null	true

is_root_job	Character	stats01.pid == stats01.root_pid ?'Y' :'N'	true

Constraint Table Entries(out_JobStats):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):
Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable