

Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:34:39 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	fact_sales_quota
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Aug 9, 2017 2:41:47 AM
Modification	Aug 9, 2017 6:49:32 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	true
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false

Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
------	--------	--------------	------	-------	--------

Component List

Component Name	Component Type
tMysqlRow_1	tMysqlRow
tMysqlRow_2	tMysqlRow

tParallelize_1	tParallelize
tRunJob_1	tRunJob
tRunJob_2	tRunJob
tRunJob_3	tRunJob
tRunJob_4	tRunJob

Components Description

Component tMysqlRow

UNIQUE NAME	tMysqlRow_1	INPUT(S)	tMysqlRow_2
LABEL	UNIQUE_NAME	OUTPUT(S)	tParallelize_1

Component i diameters.		
Properties	Values	
Unique Name	tMysqlRow_1	
Component Name	tMysqlRow	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	
Startable	true	

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false

Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MySQL
Username	"info7290"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Table Name	"factsalesquota_rejects"
Query Type	Built-In
Query	"TRUNCATE TABLE factsalesquota_rejects;"
Specify a data source alias	false
Data source alias	пп
Die on error	false
Additional JDBC Parameters	пп

Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	
Encoding	"ISO-8859-15"
Commit every	10000
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRow_1:

Column	Key	Туре	Length	Precision	Nullable	Comment

Original Function Parameters: Component tMysqlRow

 UNIQUE NAME	tMysqlRow_2	INPUT(S)	none

Component Parameters:			
Properties	Values		
Unique Name	tMysqlRow_2		
Component Name	tMysqlRow		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Start	true		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tMysqlRow		
Update components	true		
IREPORT_PATH			

JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MySQL
Username	"info7290"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Reject Schema	Built-In
Table Name	"factsalesquota"
Query Type	Built-In
Query	"TRUNCATE TABLE factsalesquota"
Specify a data source alias	false
Data source alias	""
Die on error	false
Additional JDBC Parameters	1111
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	0
Encoding	"ISO-8859-15"
Commit every	10000
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRow_2:

Column	Key	Туре	Length	Precision	Nullable	Comment

Original Function Parameters: Component tParallelize

UNIQUE NAME	tParallelize_1	INPUT(S)	tMysqlRow_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tRunJob_1 , tRunJob_2, tRunJob_3, tRunJob_4

Properties	Values
Unique Name	tParallelize_1
Component Name	tParallelize
Version	0.101 (ALPHA)
Family	Orchestration
Start	false

Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tParallelize	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
	false	
Wait for	All	

Sleep Duration	100
Die when one of parallelize subjobs fails	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_1	INPUT(S)	tParallelize_1
	LABEL	PROCESS	OUTPUT(S)	none

component i diamotere:		
Properties	Values	
Unique Name	tRunJob_1	
Component Name	tRunJob	

Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	fact_sales_quota_as
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_1:

Column	Key	Туре	Length	Precision	Nullable	Comment

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_2	INPUT(S)	tParallelize_1
LABEL	PROCESS	OUTPUT(S)	none

Component Parameters.	
Properties	Values
Unique Name	tRunJob_2
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false

Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Use dynamic job	false
Context job	
Job	fact_sales_quota_eu
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	0
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_2:

Column Key Type Length Precision Nullable Comment

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_3	INPUT(S)	tParallelize_1
LABEL	PROCESS	OUTPUT(S)	none

Component i diameters.	
Properties	Values
Unique Name	tRunJob_3
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	fact_sales_quota_cat

Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	0
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_3:

Column Key Type Length Precision Nullal	ole Comment
---	-------------

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_4	INPUT(S)	tParallelize_1
LABEL	PROCESS	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Unique Name	tRunJob_4		
Component Name	tRunJob		
Version	0.101 (ALPHA)		
Family	System Orchestration		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		

	,
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	fact_sales_quota_na
Context	Default
Use an independent process to run subjob	false

Die on child error	true
Transmit whole context	false
Context Param	0
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Schema for tRunJob_4:

Column Key Type Length Precision Nullable Comme	nt
---	----

Original Function Parameters: