

Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:35:58 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	factinventory
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Aug 5, 2017 7:41:52 PM
Modification	Aug 8, 2017 2:31:34 AM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name Prompt Need Prompt? Type Value Source
--

Component List

Component Name	Component Type
CNTL_Job_Tracking_Stats_ROOT_1	CNTL_Job_Tracking_Stats_ROOT
tMap_5	tMap
tMysqlInput_10	tMysqlInput
tMysqlInput_11	tMysqlInput
tMysqlOutput_7	tMysqlOutput
tMysqlOutput_8	tMysqlOutput
tOracleInput_1	tOracleInput
tOracleInput_2	tOracleInput
tOracleInput_3	tOracleInput

Components Description

Component tMysqlInput

The second second	UNIQUE NAME	tMysqlInput_10	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_5

Properties	Values
Unique Name	tMysqlInput_10

Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimstore"
Query Type	Built-In
Guess Schema	пп

Query	"SELECT `dimstore`.`StoreSK`, `dimstore`.`StoreID`, `dimstore`.`StoreKey`, `dimstore`.`GeographySK` FROM `dimstore`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	true
Trim column	[{TRIM=false, SCHEMA_COLUMN=StoreSK}, {TRIM=false, SCHEMA_COLUMN=StoreID}, {TRIM=false, SCHEMA_COLUMN=StoreKey}, {TRIM=false, SCHEMA_COLUMN=GeographySK}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for dimstore:

Column	Key	Туре	Length	Precision	Nullable	Comment
StoreSK	true	int	10		false	
StoreID	false	int	10		false	
StoreKey	false	int	10		false	
GeographySK	false	int	10		false	

Original Function Parameters: Component tMysqlInput

The second second	UNIQUE NAME	tMysqlInput_11	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_5

Component i arameters.			
Properties	Values		
Unique Name	tMysqlInput_11		
Component Name	tMysqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Start	false		

Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5

Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimproduct"
Query Type	Built-In
Guess Schema	пп
Query	"SELECT `dimproduct`.`ProductSK`, `dimproduct`.`ProductKey`, `dimproduct`.`Product_ID`, `dimproduct`.`Brand_ID` FROM `dimproduct`"
Specify a data source alias	false
Data source alias	пп

Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	true
Trim column	[{TRIM=false, SCHEMA_COLUMN=ProductSK}, {TRIM=false, SCHEMA_COLUMN=ProductKey}, {TRIM=false, SCHEMA_COLUMN=Product_ID}, {TRIM=false, SCHEMA_COLUMN=Brand_ID}]
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimproduct :

Concina ioi	annipiodao	• •				
Column	Key	Туре	Length	Precision	Nullable	Comment
ProductSK	true	int	10		false	

ProductKey	false	int	10	false	
Product_ID	false	String	24	false	
Brand_ID	false	String	24	false	

Original Function Parameters: Component tMysqlOutput

	UNIQUE NAME	tMysqlOutput_7	INPUT(S)	tMap_5	
	LABEL	TABLE	OUTPUT(S)	none	

Component Parameters:			
Properties	Values		
Unique Name	tMysqlOutput_7		
Component Name	tMysqlOutput		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		

tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"

Database	"retail_dw"
Username	"info7290"
Password	*****
Table	"factinventory"
Action on table	NONE
Action on data	INSERT_OR_UPDATE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	1111
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true

Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	0
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=InventorySK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=InventoryDateSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=InventoryDate}, {UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=InventoryDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=StoreSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=ProductSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=GeographySK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=OnHandQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=OnOrderQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SafetyStockQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DaysInStock}, {UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DaysInStock}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MinDayInStock}, {UPDATABLE=true, INSERTABLE=true, UPDATABLE=true, INSERTABLE=true, UPDATABLE=true, INSERTABLE=true, UPDATABLE=true, INSERTABLE=true, UPDATABLE=true, INSERTABLE=true, UPDATABLE=true, INSERTABLE=true, UPDATABLE=true, UPDATABLE=true, UPDATABLE=true, UPDATABLE=true, UPDATABLE=true, UPDATABLE=true, UPDATABLE=true, UPDATABLE=tru

{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=Aging}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, Field options SCHEMA_COLUMN=SOR_LoadDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR UpdateDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Job_ID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Create Date},

SCHEMA_COLUMN=MaxDayInStock},

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}]
Use Hint Options	false
Hint Options	
Enable debug mode	false
Use duplicate key update mode insert	false
	П
Support null in "SQL WHERE" statement	false
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for factinventory:

Column	Key	Туре	Length	Precision	Nullable	Comment
InventorySK	true	int	10		false	

InventoryDateSK	false	int	10	false	
InventoryDate	false	java.util.Date	10	false	
StoreSK	false	int	10	false	
ProductSK	false	int	10	false	
GeographySK	false	int	10	false	
OnHandQuantity	false	Integer	10	true	
OnOrderQuantity	false	Integer	10	true	
SafetyStockQuantity	false	Integer	10	true	
DaysInStock	false	Integer	10	true	
MinDayInStock	false	Integer	10	true	
MaxDayInStock	false	Integer	10	true	
Aging	false	Integer	10	true	
SOR_ID	false	int	10	false	
SOR_LoadDate	false	java.util.Date	19	true	
SOR_UpdateDate	false	java.util.Date	19	true	
DI_Job_ID	false	String	20	false	
DI_Create_Date	false	java.util.Date	19	false	

Original Function Parameters: Component tMysqlOutput

UNIQUE NAME	tMysqlOutput_8	INPUT(S)	tMap_5 , tMysqlInput_10, tMysqlInput_11, tOracleInput_3, tOracleInput_2
LABEL	TABLE	OUTPUT(S)	none

Properties	Values
Unique Name	tMysqlOutput_8
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"

Username	"info7290"
Password	*****
Table	"factinventory_rejects"
Action on table	NONE
Action on data	INSERT_OR_UPDATE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	пп
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000

Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=InventorySK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=InventoryDateSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=InventoryDate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=StoreSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=ProductSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=GeographySK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=OnHandQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=OnOrderQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SafetyStockQuantity}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DaysInStock}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DaysInStock}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MinDayInStock}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MinDayInStock}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MaxDayInStock}, {UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MaxDayInStock}, {UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MaxDayInStock}, {UPDAT

Field options

SCHEMA COLUMN=Aging), {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Reject_Code}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=InventoryID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=StoreID). {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ProductLabel}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true. INSERTABLE=true. SCHEMA_COLUMN=Brand_ID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=Product ID). {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=GeographyID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR ID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_LoadDate}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR UpdateDate, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Job ID). {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Create Date},

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}]
Use Hint Options	false
Hint Options	П
Enable debug mode	false
Use duplicate key update mode insert	false
	0
Support null in "SQL WHERE" statement	false
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for factinventory_rejects:

Column	Key		Length	Precision	Nullable	Comment
InventorySK	true	int	10		false	

InventoryDateSK	false	int	10	false	
InventoryDate	false	java.util.Date	10	false	
StoreSK	false	int	10	false	
ProductSK	false	int	10	false	
GeographySK	false	int	10	false	
OnHandQuantity	false	int	10	false	
OnOrderQuantity	false	int	10	false	
SafetyStockQuantity	false	Integer	10	true	
DaysInStock	false	Integer	10	true	
MinDayInStock	false	Integer	10	true	
MaxDayInStock	false	Integer	10	true	
Aging	false	Integer	10	true	
DI_Reject_Code	false	Integer	10	true	
InventoryID	false	Integer	10	true	
StoreID	false	Integer	10	true	
ProductLabel	false	String	24	true	
Brand_ID	false	String	24	true	

Product_ID	false	String	24	true	
GeographyID	false	Integer	10	true	
SOR_ID	false	int	10	false	
SOR_LoadDate	false	java.util.Date	19	true	
SOR_UpdateDate	false	java.util.Date	19	true	
DI_Job_ID	false	String	20	false	
DI_Create_Date	false	java.util.Date	19	false	
DI_Modified_Date	false	java.util.Date	19	false	

Original Function Parameters: Component tOracleInput

UNIQUE NAME	tOracleInput_1	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tMap_5

Component Parameters:				
Properties	Values			
Unique Name	tOracleInput_1			
Component Name	tOracleInput			
Version	0.102 (ALPHA)			
Family	Databases/Oracle			

Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tOracleInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\I
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (ORACLE_SERVICE_NAME):retail_sor_cat

Use an existing connection	false
Component List	
Connection Type	ORACLE_SERVICE_NAME
DB Version	ORACLE_12
URL	"localhost"
Host	"localhost"
Database Driver	ORACLE_SERVICE_NAME
Port	"1521"
Database	пп
Local Service Name	пп
Oracle schema	"RETAIL_SOR_CAT"
Username	"info7290"
Password	*****
URL	"jdbc:oracle:oci:/@talend"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"FACTINVENTORY"

Query Type	Built-In
Guess Schema	11 11
Query	"SELECT RETAIL_SOR_CAT.FACTINVENTORY.INVENT RETAIL_SOR_CAT.FACTINVENTORY.INVENTORYDATE RETAIL_SOR_CAT.FACTINVENTORY.STOREKEY, RETAIL_SOR_CAT.FACTINVENTORY.PRODUCTLABEL_RETAIL_SOR_CAT.FACTINVENTORY.GEOGRAPHYKEY RETAIL_SOR_CAT.FACTINVENTORY.ONHANDQUANTI RETAIL_SOR_CAT.FACTINVENTORY.ONORDERQUAN RETAIL_SOR_CAT.FACTINVENTORY.SAFETYSTOCKQ RETAIL_SOR_CAT.FACTINVENTORY.DAYSINSTOCK, RETAIL_SOR_CAT.FACTINVENTORY.MINDAYINSTOCK RETAIL_SOR_CAT.FACTINVENTORY.MAXDAYINSTOCI RETAIL_SOR_CAT.FACTINVENTORY.AGING, RETAIL_SOR_CAT.FACTINVENTORY.ETLLOADID, RETAIL_SOR_CAT.FACTINVENTORY.LOADDATE, RETAIL_SOR_CAT.FACTINVENTORY.UPDATEDATE FR RETAIL_SOR_CAT.FACTINVENTORY.
Specify a data source alias	false
Data source alias	пп
Mapping	oracle_id
Additional JDBC Parameters	пп
Convert XMLType To Java Type.(just when use extract() return a NODE)	false
Encoding	"ISO-8859-15"
Use cursor	false
Cursor size	1000

Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=INVENTORYPK}, {TRISCHEMA_COLUMN=INVENTORYDATE}, {TRIM=false, SCHEMA_COLUMN=STOREKEY}, {TRIM=false, SCHEMA_COLUMN=PRODUCTLABEL}, {TRIM=false, SCHEMA_COLUMN=GEOGRAPHYKEY}, {TRIM=false, SCHEMA_COLUMN=ONHANDQUANTITY}, {TRIM=false, SCHEMA_COLUMN=ONORDERQUANTITY}, {TRIM=false, SCHEMA_COLUMN=SAFETYSTOCKQUANTITY}, {TRIM=schema_Column=Daysinstock}, {Trim=false, SCHEMA_COLUMN=MINDAYINSTOCK}, {TRIM=false, SCHEMA_COLUMN=MAXDAYINSTOCK}, {TRIM=false, SCHEMA_COLUMN=AGING}, {TRIM=false, SCHEMA_COLUMN=ETLLOADID}, {TRIM=false, SCHEMA_COLUMN=LOADDATE}, {TRIM=false, SCHEMA_COLUMN=LOADDATE}]
No null values	false
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for FACTINVENTORY :

Column	Key	Туре	Length	Precision	Nullable	Comment
INVENTORYPK	true	int	38		false	

INVENTORYDATE	false	java.util.Date	7		false	
STOREKEY	false	int	38		false	
PRODUCTLABEL	false	String	24		true	
GEOGRAPHYKEY	false	Integer	38		true	
ONHANDQUANTITY	false	int	38		false	
ONORDERQUANTITY	false	int	38		false	
SAFETYSTOCKQUANTITY	false	Integer	38		true	
DAYSINSTOCK	false	Integer	38		true	
MINDAYINSTOCK	false	Integer	38		true	
MAXDAYINSTOCK	false	Integer	38		true	
AGING	false	Integer	38		true	
ETLLOADID	false	Integer	38		true	
LOADDATE	false	java.util.Date	11	6	true	
UPDATEDATE	false	java.util.Date	11	6	true	

Original Function Parameters: Component tOracleInput

UNIQUE NAME	tOracleInput_2	INPUT(S)	none

LABEL	TABLE	OUTPUT(S)	tMap_5
-------	-------	-----------	--------

Component Parameters:				
Properties	Values			
Unique Name	tOracleInput_2			
Component Name	tOracleInput			
Version	0.102 (ALPHA)			
Family	Databases/Oracle			
Start	false			
Startable	true			
SUBTREE_START	false			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tOracleInput			
Update components	true			
IREPORT_PATH				

JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java		
Subjob color			
Title color			
Enable parallel execution	false		
Number of parallel executions	2		
	false		
Property Type	Built-In		
Use an existing connection	false		
Component List			
Connection Type	ORACLE_SID		
DB Version	ORACLE_12		
URL	"localhost"		
Host	localhost"		
Database Driver	ORACLE_SID		
Port	"1521"		
Database	"orcl"		
Local Service Name	"orcl"		

Oracle schema	пп		
Username	"RETAIL_SOR_CAT"		
Password	******		
URL	"jdbc:oracle:oci:/@talend"		
REPOSITORY_ALLOW_AUTO_SWITCH	true		
Schema	Built-In		
Table Name	"DIMSTORE"		
Query Type	Built-In		
Guess Schema	пп		
Query	"SELECT RETAIL_SOR_CAT.DIMSTORE.STOREKEY FROM RETAIL_SOR_CAT.DIMSTORE"		
Specify a data source alias	false		
Data source alias	1111		
Mapping	oracle_id		
Additional JDBC Parameters	пи		
Convert XMLType To Java Type.(just when use extract() return a NODE)	false		

Encoding	"ISO-8859-15"			
Use cursor	false			
Cursor size	1000			
Trim all the String/Char columns	true			
Trim column	[{TRIM=false, SCHEMA_COLUMN=STOREKEY}]			
No null values	false			
Label format	TABLE			
Hint format	UNIQUE_NAME COMMENT			
Connection format	row			
Show Information	false			
Comment				
Use an existing validation rule	false			
Validation Rule Type				

Schema for DIMSTORE:

Column	Key	Туре	Length	Precision	Nullable	Comment
STOREKEY	true	int	38		false	

Original Function Parameters: Component tOracleInput

	UNIQUE NAME	tOracleInput_3	INPUT(S)	none	
	LABEL	TABLE	OUTPUT(S)	tMap_5	

mnonont D

Component Parameters:			
Properties	Values		
Unique Name	tOracleInput_3		
Component Name	tOracleInput		
Version	0.102 (ALPHA)		
Family	Databases/Oracle		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tOracleInput		
Update components	true		

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Use an existing connection	false
Component List	
Connection Type	ORACLE_SID
DB Version	ORACLE_12
URL	"localhost"
Host	"localhost"
Database Driver	ORACLE_SID
Port	"1521"
Database	"orcl"

Local Service Name	"orcl"
Oracle schema	н
Username	"RETAIL_SOR_CAT"
Password	******
URL	"jdbc:oracle:oci:/@talend"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"DIMPRODUCT"
Query Type	Built-In
Guess Schema	11.11
Query	"SELECT RETAIL_SOR_CAT.DIMPRODUCT.PRODUCTKEY, RETAIL_SOR_CAT.DIMPRODUCT.PRODUCTLABEL FROM RETAIL_SOR_CAT.DIMPRODUCT"
Specify a data source alias	false
Data source alias	111
Mapping	oracle_id
Additional JDBC Parameters	11 11
Convert XMLType To Java Type.(just when use extract() return a NODE)	false

Encoding	"ISO-8859-15"
Use cursor	false
Cursor size	1000
Trim all the String/Char columns	true
Trim column	[{TRIM=false, SCHEMA_COLUMN=PRODUCTKEY}, {TRIM=false, SCHEMA_COLUMN=PRODUCTLABEL}]
No null values	false
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIMPRODUCT :

Column	Key	Туре	Length	Precision	Nullable	Comment
PRODUCTKEY	true	int	38		false	

PRODUCTLABEL	false	String	24	false	

Original Function Parameters: Component CNTL_Job_Tracking_Stats_ROOT


 UNIQUE NAME	CNTL_Job_Tracking_Stats_ROOT_1	INPUT(S)	none
LABEL	CNTL_Job_Tracking_Stats_ROOT	OUTPUT(S)	none

Component Parameters:

Component i diameters.			
Properties	Values		
Version	Latest		
Show Information	false		
Comment			

Component tMap

UNIQUE NAME	tMap_5	INPUT(S)	tMap_5 , tMysqlInput_10, tMysqlInput_11, tOracleInput_3, tOracleInput_2
LABEL	UNIQUE_NAME		tMysqlOutput_7 , tMysqlOutput_8



Component Parameters:

omponent i diameters.			
Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		
Temp data directory path:			
Max buffer size (nb of rows):	200000		
Ignore trailing zeros for BigDecimal	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

Mapper table for tMap_5 (input): Mapper table Properties(row16):

Properties	Values
Name	row16
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row16):

Name	Туре	Expression	isNullable
INVENTORYPK	int		false
INVENTORYDATE	java.util.Date		false
STOREKEY	int		false
PRODUCTLABEL	String		true
GEOGRAPHYKEY	Integer		true
ONHANDQUANTITY	int		false
ONORDERQUANTITY	int		false
SAFETYSTOCKQUANTITY	Integer		true
DAYSINSTOCK	Integer		true
MINDAYINSTOCK	Integer		true
MAXDAYINSTOCK	Integer		true
AGING	Integer		true
ETLLOADID	Integer		true
LOADDATE	java.util.Date		true
UPDATEDATE	java.util.Date		true

Constraint Table Entries(row16):

Name Type	Expression	isNullable	
-----------	------------	------------	--

Mapper table Properties (row18):

mapper table i roperties	mapper table Properties (10w10).		
Properties	Values		
Name	row18		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(row18):

Name	Туре	Expression	isNullable
StoreSK	int		false
StoreID	int		false
StoreKey	int	row17.STOREKEY	false
GeographySK	int		false

Constraint Table Entries(row18):

Name Type Expression isNullable

Mapper table Properties (row20):

mapper table 1 toperties (10w20).		
Properties	Values	
Name	row20	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(row20):

motadata rabio Em			
Name	Туре	Expression	isNullable
ProductSK	int		false
ProductKey	int	row19.PRODUCTKEY	false
Product_ID	String		false
Brand_ID	String		false

Constraint Table Entries(row20):

CONCRAINT TABLE	141100(101120)		
Name	Туре	Expression	isNullable

Mapper table Properties (row17):

imapper table Properties (10w17).		
Properties	Values	
Name	row17	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(row17):

Name	Туре	Expression	isNullable
STOREKEY	int		false

Constraint Table Entries(row17):

Name	Туре	Expression	isNullable

Mapper table Properties (row19):

mapper table repetites (10 m to).		
Properties	Values	
Name	row19	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(row19):

Name	Туре	Expression	isNullable
PRODUCTKEY	int		false
PRODUCTLABEL	String		false

Constraint Table Entries(row19):

|--|

Mapper table for tMap_5 (output): Mapper table Properties(gv):

Properties	Values
Name	gv
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(gv):

Mictadata Table Em		
Name	Туре	Expression
InventorySK	int	
InventoryDateSK	int	(row16.INVENTORYDATE==null) ?null :Integer.parseInt(routines.TalendDate.formatDate("yyyyMMdd",row
InventoryDate	java.util.Date	row16.INVENTORYDATE
StoreSK	int	row18.StoreSK
ProductSK	int	row20.ProductSK
GeographySK	int	row18.GeographySK
OnHandQuantity	Integer	row16.ONHANDQUANTITY

OnOrderQuantity	Integer	row16.ONORDERQUANTITY
SafetyStockQuantity	Integer	row16.SAFETYSTOCKQUANTITY
DaysInStock	Integer	row16.DAYSINSTOCK
MinDayInStock	Integer	row16.MINDAYINSTOCK
MaxDayInStock	Integer	row16.MAXDAYINSTOCK
Aging	Integer	row16.AGING
SOR_ID	int	161
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()
DI_Job_ID	String	context.getProperty("vRootPID")
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()

Constraint Table Entries(gv):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table Properties(jkbk):

Properties	Values
Name	jkbk
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	true
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(jkbk):

Name	Туре	Expression
InventorySK	int	
InventoryDateSK	int	(row16.INVENTORYDATE==null) ?null :Integer.parseInt(routines.TalendDate.formatDate("yyyyMMdd",row
InventoryDate	java.util.Date	row16.INVENTORYDATE
StoreSK	int	row18.StoreSK
ProductSK	int	row20.ProductSK
GeographySK	int	row18.GeographySK
OnHandQuantity	int	row16.ONHANDQUANTITY

OnOrderQuantity	int	row16.ONORDERQUANTITY
SafetyStockQuantity	Integer	row16.SAFETYSTOCKQUANTITY
DaysInStock	Integer	row16.DAYSINSTOCK
MinDayInStock	Integer	row16.MINDAYINSTOCK
MaxDayInStock	Integer	row16.MAXDAYINSTOCK
Aging	Integer	row16.AGING
DI_Reject_Code	Integer	
InventoryID	Integer	row16.INVENTORYPK
StoreID	Integer	row18.StoreID
ProductLabel	String	row16.PRODUCTLABEL
Brand_ID	String	row20.Brand_ID
Product_ID	String	row20.Product_ID
GeographyID	Integer	row16.GEOGRAPHYKEY
SOR_ID	int	161
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()
DI_Job_ID	String	context.getProperty("vRootPID")

DI_Create_Date	java.util.Date TalendDate.getCurrentDate()
DI_Modified_Date	java.util.DateTalendDate.getCurrentDate()

Constraint Table Entries(jkbk):

Name T	Туре	Expression	isNullable
--------	------	------------	------------

Mapper table for tMap_5 (var): Mapper table Properties(Var):

wapper table Properties	s(vai).
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

lame	Туре	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):