

## Jobs

### Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:34:38 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

### **Project Description**

Properties	Values
Name	final_project
Language	java
Description	

## **Description**

Properties	Values	
Name	fact_strategy_plan_na	
Author	user@talend.com	
Version	0.1	
Purpose		
Status		
Description		
Creation	Aug 9, 2017 12:09:54 AM	
Modification	Aug 9, 2017 6:54:24 PM	

### **Preview Picture**

```
"dimentity"

"FactStrategyPlan"

"FactStrategyPlan"

"factstrategyplan order:1)

/pwi19/tl-Ukklijk/cts (Main order:2)

"ow9 (Lookuo)

"dimecount"
```

## **Settings**

#### **Extra settings**

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

#### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false

Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

### **Context List**

#### ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
------	--------	--------------	------	-------	--------

## **Component List**

Component Name	Component Type
CNTL_Job_Tracking_Stats_ROOT_1	CNTL_Job_Tracking_Stats_ROOT
tMSSqlInput_1	tMSSqlInput

tMap_1	tMap
tMysqlInput_1	tMysqlInput
tMysqlInput_2	tMysqlInput
tMysqlInput_3	tMysqlInput
tMysqlOutput_1	tMysqlOutput
tMysqlOutput_2	tMysqlOutput

## **Components Description**

### Component tMSSqlInput

UNIQUE NAME	tMSSqlInput_1	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tMap_1

Domponent i arameters.		
Properties	Values	
Unique Name	tMSSqlInput_1	
Component Name	tMSSqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MS_SQL_Server	
Start	true	

true
true
false
true
false
false
org.talend.help.tMSSqlInput
true
C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
false
2
false
false

Property Type	Built-In
Host	"LAPTOP-4CDQQRE2"
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	пп
Database	"retail_sor_na"
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"FactStrategyPlan"
Query Type	Built-In
Guess Schema	IIII

Query	"SELECT FactStrategyPlan.StrategyPlanSK, FactStrategyPlan.StrategyPlanKey, FactStrategyPlan.PlanDate, FactStrategyPlan.EntityKey, FactStrategyPlan.ScenarioKey, FactStrategyPlan.AccountKey, FactStrategyPlan.CurrencyKey, FactStrategyPlan.ProductCategoryKey, FactStrategyPlan.PlanAmount, FactStrategyPlan.StoreKey, FactStrategyPlan.GeographyKey, FactStrategyPlan.ETLLoadID, FactStrategyPlan.LoadDate, FactStrategyPlan.UpdateDate FROM FactStrategyPlan"
Specify a data source alias	false
Data source alias	нн
Mapping	id_MSSQL
Additional JDBC Parameters	пп
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=StrategyPlanSK}, {TRIM=false, SCHEMA_COLUMN=StrategyPlanKey}, {TRIM=false, SCHEMA_COLUMN=PlanDate}, {TRIM=false, SCHEMA_COLUMN=EntityKey}, {TRIM=false, SCHEMA_COLUMN=ScenarioKey}, {TRIM=false, SCHEMA_COLUMN=AccountKey}, {TRIM=false, SCHEMA_COLUMN=CurrencyKey}, {TRIM=false, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=false, SCHEMA_COLUMN=PlanAmount}, {TRIM=false, SCHEMA_COLUMN=StoreKey}, {TRIM=false, SCHEMA_COLUMN=ETLLoadID}, {TRIM=false, SCHEMA_COLUMN=ETLLoadID}, {TRIM=false, SCHEMA_COLUMN=LoadDate}, {TRIM=false, SCHEMA_COLUMN=UpdateDate}]			
Label format	TABLE			
Hint format	<b>UNIQUE_NAME</b> COMMENT			
Connection format	row			
Show Information	false			
Comment				
Use an existing validation rule	false			
Validation Rule Type				

Schema for FactStrategyPlan :

Column	Key	Туре	Length	Precision	Nullable	Comment
StrategyPlanSK	true	int	10		false	
StrategyPlanKey	false	int	10		false	

PlanDate	false	java.util.Date	10		false	
EntityKey	false	int	10		false	
ScenarioKey	false	int	10		false	
AccountKey	false	int	10		false	
CurrencyKey	false	int	10		false	
ProductCategoryKey	false	Integer	10		true	
PlanAmount	false	float	15	2	false	
StoreKey	false	Integer	10		true	
GeographyKey	false	Integer	10		true	
ETLLoadID	false	Integer	10		true	
LoadDate	false	java.util.Date	23	3	true	
UpdateDate	false	java.util.Date	23	3	true	

# Original Function Parameters: Component tMysqlInput

The second secon	UNIQUE NAME	tMysqlInput_1	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_1

Properties	Values
------------	--------

Unique Name	tMysqlInput_1
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimentity"
Query Type	Built-In

Guess Schema	пп			
Query	"SELECT `dimentity`.`EntitySK`, `dimentity`.`EntityKey` FROM `dimentity`"			
Specify a data source alias	false			
Data source alias	1111			
Mapping	mysql_id			
Additional JDBC Parameters	"noDatetimeStringSync=true"			
Encoding	"ISO-8859-15"			
Enable stream	false			
Trim all the String/Char columns	true			
Trim column	[{TRIM=false, SCHEMA_COLUMN=EntitySK}, {TRIM=false, SCHEMA_COLUMN=EntityKey}]			
Label format	TABLE			
Hint format	<b>UNIQUE_NAME</b> COMMENT			
Connection format	row			
Show Information	false			
Comment				
Use an existing validation rule	false			

Validation Rule Type	

Schema for dimentity:

	<u> </u>					
Column	Key	Туре	Length	Precision	Nullable	Comment
EntitySK	true	int	10		false	
EntityKey	false	int	10		false	

# Original Function Parameters: Component tMysqlInput

The second second	UNIQUE NAME	tMysqlInput_2	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_1

Component Parameters:				
Properties	Values			
Unique Name	tMysqlInput_2			
Component Name	tMysqlInput			
Version	0.102 (ALPHA)			
Family	Databases/MySQL			
Start	false			
Startable	true			
SUBTREE_START	false			

END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	

Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimscenario"
Query Type	Built-In
Guess Schema	пп
Query	"SELECT `dimscenario`.`ScenarioSK`, `dimscenario`.`ScenarioKey` FROM `dimscenario`"
Specify a data source alias	false
Data source alias	пп
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"

Enable stream	false
Trim all the String/Char columns	true
Trim column	[{TRIM=false, SCHEMA_COLUMN=ScenarioSK}, {TRIM=false, SCHEMA_COLUMN=ScenarioKey}]
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for dimscenario:

		-				
Column	Key	Туре	Length	Precision	Nullable	Comment
ScenarioSK	true	int	10		false	
ScenarioKey	false	int	10		false	

# Original Function Parameters: Component tMysqlInput

UNIQUE NAME	tMysqlInput_3	INPUT(S)	none

LABEL	TABLE	OUTPUT(S)	tMap_1
-------	-------	-----------	--------

Component Parameters:				
Properties	Values			
Unique Name	tMysqlInput_3			
Component Name	tMysqlInput			
Version	0.102 (ALPHA)			
Family	Databases/MySQL			
Start	false			
Startable	true			
SUBTREE_START	false			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tMysqlInput			
Update components	true			
IREPORT_PATH				

JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Table Name	"dimaccount"
Query Type	Built-In
Guess Schema	1111
Query	"SELECT `dimaccount`.`AccountSK`, `dimaccount`.`AccountKey` FROM `dimaccount`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	true
Trim column	[{TRIM=false, SCHEMA_COLUMN=AccountSK}, {TRIM=false, SCHEMA_COLUMN=AccountKey}]
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for dimaccount:

Column	Key	Туре	Length	Precision	Nullable	Comment
AccountSK	true	int	10		false	
AccountKey	false	int	10		false	

# Original Function Parameters: Component tMysqlOutput

UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tMap_1
LABEL	TABLE	OUTPUT(S)	none

Component Parameters.				
Properties	Values			
Unique Name	tMysqlOutput_1			
Component Name	tMysqlOutput			
Version	0.102 (ALPHA)			
Family	Databases/MySQL			

Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5

Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	******
Table	"factstrategyplan"
Action on table	NONE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	ни
Die on error	false

Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false

[{UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA\_COLUMN=PlanDateSK}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=PlanDatekey}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=EntitySK). {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ScenarioSK), {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true. INSERTABLE=true. SCHEMA\_COLUMN=AccountSK}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ProductCategoryKey}, {UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=PlanAmount \, {UPDATE KEY=false, DELETE KEY=false, Field options UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=Local CurrencySK}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true. INSERTABLE=true. SCHEMA\_COLUMN=PlanAmount\_Local}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR ID}, **(UPDATE KEY=false, DELETE KEY=false,** UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR LoadDate . {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR UpdateDate, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Job ID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Create Date}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Modified Date}] **Use Hint Options** false

Hint Options	
Enable debug mode	false
Use duplicate key update mode insert	false
Support null in "SQL WHERE" statement	false
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for factstrategyplan:

ochema for factoria	tegypian	•				
Column	Key	Туре	Length	Precision	Nullable	Comment
PlanDateSK	true	int	10		false	
PlanDatekey	false	java.util.Date	10		false	
EntitySK	false	int	10		false	

ScenarioSK	false	int	10		false	
AccountSK	false	int	10		false	
ProductCategoryKey	false	Integer	10		true	
PlanAmount	false	float	15	2	false	
Local_CurrencySK	false	Integer	10		true	
PlanAmount_Local	false	Float	15	2	true	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	

# Original Function Parameters: Component tMysqlOutput

UNIQUE NAME	tMysqlOutput_2	INPUT(S)	tMap_1
LABEL	TABLE	OUTPUT(S)	none

Properties	Values
------------	--------

Unique Name	tMysqlOutput_2
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

2
false
Built-In
MYSQL_5
false
MYSQL
"localhost"
"3306"
"retail_dw"
"info7290"
******
"factstrategyplan_rejects"
NONE
INSERT
true
Built-In

Reject Schema	Built-In
Specify a data source alias	false
Data source alias	111
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanDateSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanDatekey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=EntityDK},

Field options

{UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ScenarioSK), {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=AccountSK}. {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ProductCategoryKey}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA\_COLUMN=PlanAmount}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=Local CurrencvSK). {UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=PlanAmount Local). {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Reject Code}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true. INSERTABLE=true. SCHEMA\_COLUMN=EntityKey}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ScenarioKey}, {UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA\_COLUMN=AccountKey}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR ID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR LoadDate . {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR UpdateDate, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Job ID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Create Date},

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}]
Use Hint Options	false
Hint Options	
Enable debug mode	false
Use duplicate key update mode insert	false
	П
Support null in "SQL WHERE" statement	false
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for factstrategyplan rejects:

Column	Key	_	Length	Precision	Nullable	Comment
PlanDateSK	true	Integer	10		true	

	1	I		I	
PlanDatekey	false	java.util.Date	10		true
EntityDK	false	Integer	10		true
ScenarioSK	false	Integer	10		true
AccountSK	false	Integer	10		true
ProductCategoryKey	false	Integer	10		true
PlanAmount	false	Float	15	2	true
Local_CurrencySK	false	Integer	10		true
PlanAmount_Local	false	Float	15	2	true
DI_Reject_Code	false	Integer	10		true
EntityKey	false	Integer	10		true
ScenarioKey	false	Integer	10		true
AccountKey	false	Integer	10		true
SOR_ID	false	int	10		false
SOR_LoadDate	false	java.util.Date	19		true
SOR_UpdateDate	false	java.util.Date	19		true
DI_Job_ID	false	String	20		false
DI_Create_Date	false	java.util.Date	19		false

ate 19 false	java.util.Date19	false	DI_Modified_Date
--------------	------------------	-------	------------------

# Original Function Parameters: Component CNTL\_Job\_Tracking\_Stats\_ROOT


UNIQUE NAME	CNTL_Job_Tracking_Stats_ROOT_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	none

**Component Parameters:** 

oomponent i arameters.		
Properties	Values	
Version	Latest	
Show Information	false	
Comment		

#### Component tMap

 UNIQUE NAME	tMap_1	INPUT(S)	tMSSqlInput_1 , tMysqlInput_1, tMysqlInput_2, tMysqlInput_3
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlOutput_1 , tMysqlOutput_2



oomponent i arameters.	
Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table Properties (row3):

Mapper table 1 Toperties (Tows ).				
Properties	Values			
Name	row3			
Matching-mode	UNIQUE_MATCH			
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries( row3 ):

Name	Туре	Expression	isNullable
StrategyPlanSK	int		false
StrategyPlanKey	int		false
PlanDate	java.util.Date		false
EntityKey	int		false
ScenarioKey	int		false
AccountKey	int		false
CurrencyKey	int		false
ProductCategoryKey	Integer		true
PlanAmount	float		false
StoreKey	Integer		true
GeographyKey	Integer		true
ETLLoadID	Integer		true
LoadDate	java.util.Date		true
UpdateDate	java.util.Date		true

Constraint Table Entries( row3 ):

Name	Туре	Expression	isNullable	

Mapper table Properties (row8):

mapper table i repetites (1040).		
Properties	Values	
Name	row8	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	true	
expressionFilter	null	

Metadata Table Entries( row8 ):

Name	Туре	Expression	isNullable
EntitySK	int		false
EntityKey	int	row3.EntityKey	false

**Constraint Table Entries( row8 ):** 

Name	Туре	Expression	isNullable

Mapper table Properties (row9):

mapper table i repetites (1040).		
Properties	Values	
Name	row9	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	true	
expressionFilter	null	

Metadata Table Entries( row9 ):

Name	Туре	Expression	isNullable
ScenarioSK	int		false
ScenarioKey	int	row3.ScenarioKey	false

**Constraint Table Entries( row9 ):** 

Name	Туре	Expression	isNullable

Mapper table Properties (row10):

mapper table i reperties ( i e ii i e j		
Properties	Values	
Name	row10	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	true	
expressionFilter	null	

Metadata Table Entries( row10 ):

Name	Туре	Expression	isNullable
AccountSK	int		false
AccountKey	int	row3.AccountKey	false

**Constraint Table Entries( row10 ):** 

Mapper table for tMap\_1 ( output ): Mapper table Properties( sor\_na ):

Properties	Values
Name	sor_na
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( sor\_na ):

Name	Туре	Expression
PlanDateSK	int	(Integer.parseInt(TalendDate.formatDate("yyyyMMdd",row3.PlanD)))
PlanDatekey	java.util.Date	row3.PlanDate
EntitySK	int	row8.EntitySK
ScenarioSK	int	row9.ScenarioSK
AccountSK	int	row10.AccountSK
ProductCategoryKey	Integer	row3.ProductCategoryKey
PlanAmount	float	row3.PlanAmount
Local_CurrencySK	Integer	1
PlanAmount_Local	Float	row3.PlanAmount
SOR_ID	int	20
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()
DI_Job_ID	String	context.getProperty("vRootPID")
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()

#### Constraint Table Entries( sor\_na ):

	Name T	Туре	Expression	isNullable
--	--------	------	------------	------------

Mapper table Properties( sor\_na\_rejects ):

Properties	Values
Name	sor_na_rejects
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	true
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( sor\_na\_rejects ):

Name	Туре	Expression
PlanDateSK	Integer	(Integer.parseInt(TalendDate.formatDate("yyyyMMdd",row3.PlanD)))
PlanDatekey	java.util.Date	row3.PlanDate
EntityDK	Integer	row8.EntitySK
ScenarioSK	Integer	row9.ScenarioSK
AccountSK	Integer	row10.AccountSK
ProductCategoryKey	Integer	row3.ProductCategoryKey

PlanAmount	Float	row3.PlanAmount
Local_CurrencySK	Integer	1
PlanAmount_Local	Float	row3.PlanAmount
DI_Reject_Code	Integer	(row8.EntitySK ==0) ? 80 : (row10.AccountSK ==0) ? 70 : (row3.ProductCategoryKey == 0) ? 60 : -1
EntityKey	Integer	row3.EntityKey
ScenarioKey	Integer	row3.ScenarioKey
AccountKey	Integer	row3.AccountKey
SOR_ID	int	20
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()
DI_Job_ID	String	context.getProperty("vRootPID")
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()

Constraint Table Entries( sor\_na\_rejects ):

Name Type	Expression	isNullable	
-----------	------------	------------	--

### Mapper table for tMap\_1 ( var ):

**Mapper table Properties (Var):** 

inapper table i reperties ( rai ).			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable