

Joblets

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:36:03 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	CNTL_JobStats_Root
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Jun 1, 2015 12:22:47 PM
Modification	Jun 11, 2017 8:33:51 PM

Preview Picture



Settings

Extra settings

Name	Value
Startable	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source

Component List

Component Name	Component Type

tStatCatcher_1	tStatCatcher
tMap_1	tMap
tMSSqlOutput_1	tMSSqlOutput
tMSSqlInput_1	tMSSqlInput
tMSSqlOutput_2	tMSSqlOutput
tJavaRow_1	tJavaRow
TRIGGER_OUTPUT_1	TRIGGER_OUTPUT

Components Description

Component tStatCatcher

UNIQUE NAME	tStatCatcher_1	INPUT(S)	none
LABEL	tStatCatcher_1		tMap_1 , TRIGGER_OUTPUT_1

Component Parameters:	
Properties	Values
Unique Name	tStatCatcher_1
Component Name	tStatCatcher
Version	0.1 (BETA)
Family	Logs_Errors

Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
Help	org.talend.help.tStatCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Label format	tStatCatcher_1
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tStatCatcher_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	8		true	
project	false	String	50		true	
job	false	String	255		true	
job_repository_id	false	String	255		true	

job_version	false	String	255	true	
context	false	String	50	true	
origin	false	String	255	true	
message_type	false	String	255	true	
message	false	String	255	true	
duration	false	Long	8	true	

Original Function Parameters: Component tMSSqlOutput

UNIQUE NAME	tMSSqlOutput_1	INPUT(S)	tMap_1
LABEL	"cntl_statCatcher"	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Unique Name	tMSSqlOutput_1		
Component Name	tMSSqlOutput		
Version	0.102 (ALPHA)		
Family	Databases/MS_SQL_Server		
Startable	false		
SUBTREE_START	false		

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DW_CTL
Use an existing connection	false
Component List	
JDBC Provider	JTDS

Host	"localhost"
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Database Driver	MSSQL
Username	"info7290"
Password	*****
Table	"cntl_statCatcher"
Action on table	NONE
Turn on Identity insert	false
Action on data	INSERT
Specify identity field	false
Identity field	moment
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Reject Schema	Built-In
Specify a data source alias	false
Data source alias	1111
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	1111
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false

Field options	SCHEMA_COLUMN=moment}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE=true, SCHEMA_COLUMN=father_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATBLE=true, INSERTABLE=true, SCHEMA_COLUMN=root_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=system_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=project}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job}, {UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=context}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=origin}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATB_KEY=false, DELETE_KEY=false, UPDATB_KEY=false, DELETE_KEY=false, UPDATE_KEY=false, DELETE_KEY=false, UPDATBLE=true, INSERTABLE=true, SCHEMA_COLUMN=message}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATBLE=true, INSERTABLE=true, SCHEMA_COLUMN=duration}]
Ignore date out of range	false
Enable debug mode	false

Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	"cntl_statCatcher"
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for cntl_statCatcher:

Ochema for enti-	_otatoato	0				
Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	

project	false	String	50	true	
job	false	String	50	true	
job_repository_id	false	String	255	true	
job_version	false	String	255	true	
context	false	String	50	true	
origin	false	String	255	true	
message_type	false	String	255	true	
message	false	String	255	true	
duration	false	Long	19	true	

Original Function Parameters: Component tMSSqlInput

-	UNIQUE NAME	tMSSqlInput_1	INPUT(S)	none
	LABEL	"cntl_JobStats"	OUTPUT(S)	tMap_1

Properties	Values
Unique Name	tMSSqlInput_1
Component Name	tMSSqlInput
Version	0.102 (ALPHA)

Family	Databases/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Use an existing connection	false
Component List	
Property Type	repository: DB (MSSQL):DW_CTL
Host	"localhost"
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"cntl_JobStats"
Query Type	Built-In
Guess Schema	пп

Query	"SELECT dbo.cntl_JobStats.Job_pid, dbo.cntl_JobStats.job_sk, dbo.cntl_JobStats.moment, dbo.cntl_JobStats.pid, dbo.cntl_JobStats.father_pid, dbo.cntl_JobStats.root_pid, dbo.cntl_JobStats.system_pid, dbo.cntl_JobStats.project, dbo.cntl_JobStats.job, dbo.cntl_JobStats.job_repository_id, dbo.cntl_JobStats.job_version, dbo.cntl_JobStats.origin, dbo.cntl_JobStats.origin, dbo.cntl_JobStats.message_type, dbo.cntl_JobStats.message, dbo.cntl_JobStats.duration, dbo.cntl_JobStats.job_start_time, dbo.cntl_JobStats.job_start_time, dbo.cntl_JobStats.job_finish_time, dbo.cntl_JobStats.job_status, dbo.cntl_JobStats.job_duration, dbo.cntl_JobStats.job_duration, dbo.cntl_JobStats.root_name FROM dbo.cntl_JobStats.
Specify a data source alias	false
Data source alias	1111
Mapping	id_MSSQL
Additional JDBC Parameters	1111
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=Job_pid}, {TRIM=false, SCHEMA_COLUMN=job_sk}, {TRIM=false, SCHEMA_COLUMN=moment}, {TRIM=false, SCHEMA_COLUMN=pid}, {TRIM=false, SCHEMA_COLUMN=father_pid}, {TRIM=false, SCHEMA_COLUMN=root_pid}, {TRIM=false, SCHEMA_COLUMN=system_pid}, {TRIM=false, SCHEMA_COLUMN=project}, {TRIM=false, SCHEMA_COLUMN=job}, {TRIM=false, SCHEMA_COLUMN=job}, {TRIM=false, SCHEMA_COLUMN=job_version}, {TRIM=false, SCHEMA_COLUMN=context}, {TRIM=false, SCHEMA_COLUMN=origin}, {TRIM=false, SCHEMA_COLUMN=origin}, {TRIM=false, SCHEMA_COLUMN=message}, {TRIM=false, SCHEMA_COLUMN=duration}, {TRIM=false, SCHEMA_COLUMN=job_start_time}, {TRIM=false, SCHEMA_COLUMN=job_start_time}, {TRIM=false, SCHEMA_COLUMN=job_name}, {TRIM=false, SCHEMA_COLUMN=job_name}, {TRIM=false, SCHEMA_COLUMN=job_duration}, {TRIM=false, SCHEMA_COLUMN=job_duration}]
Label format	"cntl_JobStats"
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for cntl_JobStats:

Column	Key	Туре	Length	Precision	Nullable	Comment
Job_pid	true	String	20		false	
job_sk	false	int	10		false	
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	19		true	

job_start_time	false	java.util.Date	23	3	true	
job_finish_time	false	java.util.Date	23	3	true	
job_name	false	String	50		true	
job_status	false	String	50		true	
job_duration	false	Double	53		true	
root_name	false	String	50		true	

Original Function Parameters: Component tMSSqlOutput

UNIQUE NAME	tMSSqlOutput_2		tMap_1 , tMSSqlInput_1
LABEL	"cntl_JobStats"	OUTPUT(S)	none

Properties	Values
Unique Name	tMSSqlOutput_2
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Startable	false
SUBTREE_START	false

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MSSQL):DW_CTL
Use an existing connection	false
Component List	
JDBC Provider	JTDS

Host	"localhost"
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Database Driver	MSSQL
Username	"info7290"
Password	******
Table	"cntl_JobStats"
Action on table	NONE
Turn on Identity insert	false
Action on data	UPDATE_OR_INSERT
Specify identity field	false
Identity field	Job_pid
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Reject Schema	Built-In
Specify a data source alias	false
Data source alias	пп
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	пп
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=Job_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=moment}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE=true, SCHEMA_COLUMN=father_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=root_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=system_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=project}, SCHEMA_COLUMN=project},

Field options

{UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=job}, {UPDATE KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=job repository id}. {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=job version}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=context}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=origin). {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true. INSERTABLE=true. SCHEMA COLUMN=message type. {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=message}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=duration}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=job start time}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_finish_time}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=job name}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=job status}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=job duration}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=root name},

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=is_root_job}]
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	"cntl_JobStats"
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for cntl JobStats:

ochema for chin	_oobolats					
Column	Key	Туре	Length	Precision	Nullable	Comment
Job_pid	true	String	20		false	
moment	false	java.util.Date	23	3	true	

pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	19		true	
job_start_time	false	java.util.Date	23	3	true	
job_finish_time	false	java.util.Date	23	3	true	
job_name	false	String	50		true	
job_status	false	String	50		true	

job_duration	false	Long	53	true	
root_name	false	String	50	true	
is_root_job	false	Character	1	true	

Original Function Parameters: Component tJavaRow

 UNIQUE NAME	tJavaRow_1	INPUT(S)	tMap_1	
LABEL	setContextVariables	OUTPUT(S)	none	

Component Parameters:			
Properties	Values		
Unique Name	tJavaRow_1		
Component Name	tJavaRow		
Version	0.101 (ALPHA)		
Family	Custom_Code		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		

tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\I
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	context.setProperty("vRootPID",String.valueOf(out_set_glocontext.setProperty("vJobPID",String.valueOf(out_set_glocontext.setProperty("vRootName",String.valueOf(out_set_glocontext.setProperty("vJobName",String.valueOf(out_set_glcontext.setProperty("vJobMessage",String.valueOf(out_setSystem.out.println("\n"+"joblet: CNTL_JobStats_Root> v.["+context.getProperty("vJobMessage")+"] vJobName: "+context.getProperty("vJobName")+" vJobPID: "+context.getProperty("vJobName")+" vJobPID: "+context.getProperty("vRootName: "+context.getProperty("vRootPID")+" Project Name: "+project Name: "+pr
Import	//import java.util.List;

Label format	setContextVariables
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaRow_1 :

Original Function Parameters: Component TRIGGER_OUTPUT

UNIQUE NAME	TRIGGER_OUTPUT_1	INPUT(S)	tStatCatcher_1
LABEL	TRIGGER_OUTPUT_1	OUTPUT(S)	none

Properties	Values
Update components	true
Unique Name	TRIGGER_OUTPUT_1
Startable	true

Start	false
Label format	TRIGGER_OUTPUT_1
Hint format	UNIQUE_NAME COMMENT
Show Information	false
Comment	

Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tMap_1 , tMSSqlInput_1
LABEL	tMap_1	OUTPUT(S)	tMSSqlOutput_1 , tJavaRow_1, tMSSqlOutput_2

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000

Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):
Mapper table Properties(stats01):

Mapper table Properties	5(Statso 1).
Properties	Values
Name	stats01
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(stats01):

Name	Туре	Expression	isNullable
moment	java.util.Date		true
pid	String		true
father_pid	String		true
root_pid	String		true
system_pid	Long		true
project	String		true
job	String		true
job_repository_id	String		true
job_version	String		true
context	String		true
origin	String		true
message_type	String		true
message	String		true
duration	Long		true

Constraint Table Entries(stats01):

Name	Туре	Expression	isNullable	

Mapper table Properties(lookup_jobPID):

Properties	Values	
Name	lookup_jobPID	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(lookup_jobPID):

		/ -	
Name	Туре	Expression	isNullable
Job_pid	String	stats01.pid	false
job_sk	int		false
moment	java.util.Date		true
pid	String		true
father_pid	String		true
root_pid	String		true
system_pid	Long		true

project	String	true
job	String	true
job_repository_id	String	true
job_version	String	true
context	String	true
origin	String	true
message_type	String	true
message	String	true
duration	Long	true
job_start_time	java.util.Date	true
job_finish_time	java.util.Date	true
job_name	String	true
job_status	String	true
job_duration	Double	true
root_name	String	 true

Constraint Table Entries(lookup_jobPID):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (output):

Mapper table Properties(out_stats_catcher):

mapper tenere i repertie	
Properties	Values
Name	out_stats_catcher
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out_stats_catcher):

Name	Туре	Expression	isNullable
moment	java.util.Date	stats01.moment	true
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
project	String	stats01.project	true
job	String	stats01.job	true
job_repository_id	String	stats01.job_repository_id	true
job_version	String	stats01.job_version	true
context	String	stats01.context	true
origin	String	stats01.origin	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true
duration	Long	stats01.duration != null ?(stats01.duration/1000) :null	true

Constraint Table Entries(out_stats_catcher):

Name Type Expression isNullable

Mapper table Properties(out_set_global):

mapper table i Toperties (Out_set_global).		
Properties	Values	
Name	out_set_global	
Matching-mode		
isMinimized	true	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(out_set_global):

Name	Туре	Expression	isNullable
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
job	String	stats01.job	true
project	String	stats01.project	true
context	String	stats01.context	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true

Constraint Table Entries(out_set_global):

Name	Туре	Expression	isNullable	

Mapper table Properties(out_JobStats):

Properties	Values
Name	out_JobStats
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out_JobStats):

Name	Туре	Expression	isNullable
Job_pid	String	stats01.pid	false
moment	java.util.Date	stats01.moment	true
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
project	String	stats01.project	true

job	String	stats01.job	true
job_repository_id	String	stats01.job_repository_id	true
job_version	String	stats01.job_version	true
context	String	stats01.context	true
origin	String	stats01.origin	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true
duration	Long	stats01.duration	true
job_start_time	java.util.Date	lookup_jobPID.moment != null ?lookup_jobPID.moment :null	true
job_finish_time	java.util.Date	stats01.duration != null ?stats01.moment :null	true
job_name	String	stats01.job	true
job_status	String	stats01.message	true
job_duration	Long	stats01.duration != null ?(stats01.duration) :null	true
root_name	String	stats01.job	true
is_root_job	Character	stats01.pid == stats01.root_pid ?'Y' :'N'	true

Constraint Table Entries(out_JobStats):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

Mapper table Properties	s(var):
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries (Var):

Name Type Expression isNullable

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable