

Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:35:12 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values	
Name	dimSorSystem	
Author	user@talend.com	
Version	0.1	
Purpose		
Status		
Description		
Creation	Jul 31, 2017 3:14:34 PM	
Modification	Aug 9, 2017 3:00:56 AM	

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source

Component List

Component Name	Component Type
CNTL_Job_Tracking_Stats_ROOT_1	CNTL_Job_Tracking_Stats_ROOT
tFileInputExcel_1	tFileInputExcel
tMap_1	tMap

tMysqlOutput_1	tMysqlOutput	
iiviyoqioutput_1	liviyoqioatpat	

Components Description

Component tFileInputExcel

XLS	UNIQUE NAME	tFileInputExcel_1	INPUT(S)	none
	LABEL	dimsor_system	OUTPUT(S)	tMap_1

Component Parameters:

Component Parameters:		
Properties	Values	
Unique Name	tFileInputExcel_1	
Component Name	tFileInputExcel	
Version	0.102 (ALPHA)	
Family	File/Input	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	

tStatCatcher Statistics	false
Help	org.talend.help.tFileInputExcel
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\I
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Read excel2007 file format(xlsx)	true
File name/Stream	"C:/Users/kruts/MastersNorthEastern/DBWI_Summer2017
All sheets	true
Sheet list	
Header	1
Footer	0

Limit	
Affect each sheet(header&&footer)	false
First column	1
Last column	
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	" " "
Decimal separator	n n
Trim all columns	false
Check column to trim	[{TRIM=false, SCHEMA_COLUMN=SOR_System_ID}, {TF SCHEMA_COLUMN=SOR_Name}, {TRIM=false, SCHEMA_COLUMN=SOR_Description}, {TRIM=false, SCHEMA_COLUMN=SOR_Type}, {TRIM=false, SCHEMA_COLUMN=SOR_DBMS}, {TRIM=false, SCHEMA_COLUMN=SOR_DBName}, {TRIM=false, SCHEMA_COLUMN=SOR_DBSchema}, {TRIM=false, SCHEMA_COLUMN=SOR_FileType}, {TRIM=false, SCHEMA_COLUMN=SOR_FileType}, {TRIM=false, SCHEMA_COLUMN=SOR_Filename}, {TRIM=false, SCHEMA_COLUMN=SOR_AppName}, {TRIM=false, SCHEMA_COLUMN=SOR_AppName}, {TRIM=false, SCHEMA_COLUMN=SOR_AppModule}]
Convert date column to string	false

Check need convert date column	[{PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_S} CONVERTDATE=false}, {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_Name, CONVERTDATE=false {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_De CONVERTDATE=false}, {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_Type, CONVERTDATE=false}, {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_DE CONVERTDATE=false}, {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_DE CONVERTDATE=false}, {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_DE CONVERTDATE=false}, {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_FileType, CONVERTDATE=fal {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_FileType, CONVERTDATE=fal {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_FileType, CONVERTDATE=fal {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_AppName, CONVERTDATE=fal {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=SOR_ApCONVERTDATE=false}]
Encoding	"UTF-8"
Read real values for numbers	false
Stop reading on encountering empty rows	false
Don't validate the cells	false
Ignore the warning	false
Generation mode	USER_MODE
Label format	dimsor_system
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

ochema for meta	adda .					
Column	Key	Туре	Length	Precision	Nullable	Comment
SOR_System_ID	false	Integer	2		true	
SOR_Name	false	String	37		true	
SOR_Description	false	String	26		true	
SOR_Type	false	String	19		true	
SOR_DBMS	false	String	13		true	
SOR_DBName	false	String	14		true	
SOR_DBSchema	false	String			true	
SOR_FileType	false	String	14		true	
SOR_Filename	false	String	37		true	
SOR_AppName	false	String			true	
SOR_AppModule	false	String			true	

Original Function Parameters: Component tMysqlOutput

	UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tMap_1	
	LABEL	TABLE	OUTPUT(S)	none	

Component Parameters:				
Properties	Values			
Unique Name	tMysqlOutput_1			
Component Name	tMysqlOutput			
Version	0.102 (ALPHA)			
Family	Databases/MySQL			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tMysqlOutput			
Update components	true			
IREPORT_PATH				

JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	******
Table	"dim_sor_system"

Action on table	TRUNCATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	1111
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	

Use field options	false
Field options	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_System_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_Name}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_Description}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_Type}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_DBMS}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_DBMS}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_DBSchema}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_DBSchema}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_FileType}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_Filename}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_AppName}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_AppModule}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=SOR_AppModule}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Job_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Job_ID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Create_Date}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Create_Date}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Create_Date}]
Use Hint Options	false

Hint Options	
Enable debug mode	false
Use duplicate key update mode insert	false
Support null in "SQL WHERE" statement	false
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dim_sor_system :

Odlicina for ann_	<u>.cocyc.c</u>	••••				
Column	Key	Туре	Length	Precision	Nullable	Comment
SOR_System_ID	true	int	10		false	
SOR_Name	false	String	20		true	
SOR_Description	false	String	80		true	

SOR_Type	false	String	80	true	
SOR_DBMS	false	String	80	true	
SOR_DBName	false	String	80	true	
SOR_DBSchema	false	String	80	true	
SOR_FileType	false	String	80	true	
SOR_Filename	false	String	255	true	
SOR_AppName	false	String	255	true	
SOR_AppModule	false	String	255	true	
DI_Job_ID	false	String	20	true	
DI_Create_Date	false	java.util.Date	19	false	
DI_Modified_Date	false	java.util.Date	19	false	

Original Function Parameters: Component CNTL_Job_Tracking_Stats_ROOT

UNIQUE NAME	CNTL_Job_Tracking_Stats_ROOT_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Properties	Values
Version	Latest

Show Information	false
Comment	

Component tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tFileInputExcel_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlOutput_1

Component Parameters:

Component Parameters:			
Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		
Temp data directory path:			
Max buffer size (nb of rows):	200000		
Ignore trailing zeros for BigDecimal	false		
Show Information	false		
Comment			

Use an existing validation rule	false	
---------------------------------	-------	--

Mapper table for tMap_1 (input):

Mapper table Properties(row1):

Mapper table Properties(row1):				
Properties	Values			
Name	row1			
Matching-mode	UNIQUE_MATCH			
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
SOR_System_ID	Integer		true
SOR_Name	String		true
SOR_Description	String		true
SOR_Type	String		true
SOR_DBMS	String		true
SOR_DBName	String		true
SOR_DBSchema	String		true
SOR_FileType	String		true
SOR_Filename	String		true
SOR_AppName	String		true
SOR_AppModule	String		true

Constraint Table Entries(row1):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (output):
Mapper table Properties(dim_sor_system):

Properties	Values
Name	dim_sor_system
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(dim_sor_system):

Name	Туре	Expression	isNullable
SOR_System_ID	int	row1.SOR_System_ID	false
SOR_Name	String	row1.SOR_Name	true
SOR_Description	String	row1.SOR_Description	true
SOR_Type	String	row1.SOR_Type	true
SOR_DBMS	String	row1.SOR_DBMS	true
SOR_DBName	String	row1.SOR_DBName	true
SOR_DBSchema	String	row1.SOR_DBSchema	true
SOR_FileType	String	row1.SOR_FileType	true
SOR_Filename	String	row1.SOR_Filename	true
SOR_AppName	String	row1.SOR_AppName	true
SOR_AppModule	String	row1.SOR_AppModule	true
DI_Job_ID	String	context.getProperty("vRootPID")	true
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(dim_sor_system):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

mapper takes reperties	mapper table i reperties var j.				
Properties	Values				
Name	Var				
Matching-mode					
isMinimized	true				
isReject	false				
isRejectInnerJoin	false				
isInnerJoin	false				
expressionFilter	null				

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable