

# The Ratio and Root Test

October 11, 2006

# The Ratio Test

1. If

$$\lim_{n \rightarrow \infty} \left| \frac{a_{n+1}}{a_n} \right| = L < 1,$$

then the series  $\sum a_n$  is absolutely convergent.

2. If

$$\lim_{n \rightarrow \infty} \left| \frac{a_{n+1}}{a_n} \right| = L > 1 \quad \text{or} \quad \lim_{n \rightarrow \infty} \left| \frac{a_{n+1}}{a_n} \right| = \infty,$$

then the series  $\sum a_n$  is divergent.

3. If

$$\lim_{n \rightarrow \infty} \left| \frac{a_{n+1}}{a_n} \right| = 1,$$

the Ratio Test is inconclusive.

# Examples

Determine whether the series is AC, CC, or D.

- $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{2^n}{n^4}.$

# Examples

Determine whether the series is AC, CC, or D.

- $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{2^n}{n^4}.$
- $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{n}{n^2+1}.$

# Examples

Determine whether the series is AC, CC, or D.

- $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{2^n}{n^4}.$
- $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{n}{n^2+1}.$
- $\sum_{n=1}^{\infty} e^{-n} n!.$

# Examples

Determine whether the series is AC, CC, or D.

- $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{2^n}{n^4}.$
- $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{n}{n^2+1}.$
- $\sum_{n=1}^{\infty} e^{-n} n!.$
- $\sum_{n=1}^{\infty} \frac{n!}{n^n}$

# Examples

Determine whether the series is AC, CC, or D.

- $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{2^n}{n^4}.$
- $\sum_{n=1}^{\infty} (-1)^{n-1} \frac{n}{n^2+1}.$
- $\sum_{n=1}^{\infty} e^{-n} n!.$
- $\sum_{n=1}^{\infty} \frac{n!}{n^n}$
- $\sum \frac{(n+3)!}{3!n!3^n}$

# The Root Test

1. If  $\lim_{n \rightarrow \infty} \sqrt[n]{|a_n|} = L < 1$ , then the series  $\sum a_n$  is absolutely convergent.
2. If  $\lim_{n \rightarrow \infty} \sqrt[n]{|a_n|} = L > 1$  or  $\lim_{n \rightarrow \infty} \sqrt[n]{|a_n|} = \infty$ , then the series  $\sum a_n$  is divergent.
3. If  $\lim_{n \rightarrow \infty} \sqrt[n]{|a_n|} = 1$ , the Root Test is inconclusive.



# Examples

Determine whether the series is AC, CC, or D.

- $\sum \frac{(-1)^n}{(\ln n)^n}$

# Examples

Determine whether the series is AC, CC, or D.

- $\sum \frac{(-1)^n}{(\ln n)^n}$

- $\sum \frac{(-1)^n}{n \ln n}$

# Examples

Determine whether the series is AC, CC, or D.

- $\sum \frac{(-1)^n}{(\ln n)^n}$

- $\sum \frac{(-1)^n}{n \ln n}$

- $\sum \frac{(-1)^n}{(\arctan n)^n}$