

R CODE LAB EXPERIMENT

SET 25 – Website Traffic Analysis

R Code

```
#=====
#
# SET 25 - WEBSITE TRAFFIC ANALYSIS
#=====
#

# Load Libraries
library(ggplot2)
library(dplyr)
library(tidyr)

#=====
#
# DATASET
#=====
#

traffic <- data.frame(
  Date = as.Date(c("2023-01-01",
                  "2023-01-02",
                  "2023-01-03",
                  "2023-01-04",
                  "2023-01-05")),
  Page_Views = c(1500,1600,1400,1650,1800),
  CTR = c(2.3,2.7,2.0,2.4,2.6)
)
```

R CODE LAB EXPERIMENT

```
print(traffic)
```

```
#=====
=
```

```
# QUESTION 1
```

```
# Line Chart - Page Views Over Time
```

```
#=====
=
```

```
ggplot(traffic,
  aes(x = Date,
    y = Page_Views,
    group = 1)) +
  geom_line(color = "blue", linewidth = 1.2) +
  geom_point(color = "red", size = 3) +
  labs(title = "Website Page Views Over Time",
    x = "Date",
    y = "Page Views") +
  theme_minimal()
```

```
#=====
=
```

```
# QUESTION 2
```

```
# Top 3 Click Through Rates
```

```
#=====
=
```

R CODE LAB EXPERIMENT

```
top_ctr <- traffic %>%
```

```
  arrange(desc(CTR)) %>%
```

```
  slice(1:3)
```

```
ggplot(top_ctr,
```

```
  aes(x = reorder(as.character(Date), CTR),
```

```
    y = CTR,
```

```
    fill = CTR)) +
```

```
geom_bar(stat = "identity") +
```

```
geom_text(aes(label = CTR),
```

```
  vjust = -0.5,
```

```
  size = 5) +
```

```
labs(title = "Top 3 Days with Highest Click Through Rate",
```

```
  x = "Date",
```

```
  y = "Click Through Rate (%)") +
```

```
theme_minimal()
```

```
#=====
```

```
# QUESTION 3
```

```
# Stacked Area Chart
```

```
#=====
```

```
interaction <- data.frame(
```

```
  Date = traffic$Date,
```

```
  Likes = c(220,250,210,270,300),
```

```
  Shares = c(80,95,75,100,120),
```

R CODE LAB EXPERIMENT

```
Comments = c(40,50,45,60,65)
)
```

```
interaction_long <- pivot_longer(
  interaction,
  cols = c(Likes, Shares, Comments),
  names_to = "Interaction",
  values_to = "Count"
)
```

```
ggplot(interaction_long,
  aes(x = Date,
    y = Count,
    fill = Interaction)) +
  geom_area(alpha = 0.8) +
  labs(title = "Distribution of Website User Interactions",
    x = "Date",
    y = "Interaction Count") +
  theme_minimal()
```

```
#=====
=
```

```
# QUESTION 4
```

```
# Page Views by Traffic Source
```

```
# (Equivalent chart used in Tableau Dashboard)
```

```
#=====
=
```

R CODE LAB EXPERIMENT

```
source_data <- data.frame(  
  Source = c("Direct",  
             "Search",  
             "Social",  
             "Referral",  
             "Email"),  
  Page_Views = c(3200,5400,2100,1700,1200)  
)
```

```
ggplot(source_data,  
  aes(x = reorder(Source, Page_Views),  
      y = Page_Views,  
      fill = Source)) +  
  geom_bar(stat = "identity") +  
  coord_flip() +  
  geom_text(aes(label = Page_Views),  
            hjust = -0.2,  
            size = 5) +  
  labs(title = "Page Views by Traffic Source",  
        x = "Traffic Source",  
        y = "Page Views") +  
  theme_minimal()
```

```
#=====
```


```
# SUMMARY
```

```
#=====
```


R CODE LAB EXPERIMENT

```
cat("\n===== WEBSITE TRAFFIC SUMMARY =====\n")
cat("Total Page Views :", sum(traffic$Page_Views), "\n")
cat("Average Page Views :", mean(traffic$Page_Views), "\n")
cat("Highest CTR :", max(traffic$CTR), "%\n")
cat("Lowest CTR :", min(traffic$CTR), "%\n")
```


R CODE LAB EXPERIMENT




R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



SET 26 – Student Mini Data Analysis

R Code

```
#=====
#
# SET 26 - STUDENT MINI DATA ANALYSIS
#=====
#
# Load Libraries
library(ggplot2)
library(dplyr)
```

R CODE LAB EXPERIMENT

```
library(zoo)
```

```
#=====
=
```

```
# DATASET
```

```
#=====
=
```

```
student <- data.frame(
  Student_ID = c("S01","S02","S03","S04","S05","S06"),
  Gender = c("Male","Female","Male","Female","Male","Female"),
  Study_Hours = c(2.0,3.5,1.5,4.0,2.8,3.0),
  Attendance = c(78,90,70,95,85,92),
  Math_Score = c(62,80,55,90,72,82),
  Science_Score = c(65,85,58,92,74,86),
  Exam_Date = as.Date(c("2025-01-10",
                        "2025-01-10",
                        "2025-02-12",
                        "2025-02-12",
                        "2025-03-15",
                        "2025-03-15"))
)
```

```
print(student)
```

```
#=====
=
```

```
# QUESTION 1
```

R CODE LAB EXPERIMENT

```
# Histogram - Math Score
```

```
#=====
```

```
ggplot(student,  
  aes(x=Math_Score))+
```

```
geom_histogram(binwidth=5,  
  fill="skyblue",  
  color="black")+
```

```
labs(title="Histogram of Math Scores",  
  x="Math Score",  
  y="Frequency")+
```

```
theme_minimal()
```

```
#=====
```

```
# Boxplot - Science Score by Gender
```

```
#=====
```

```
ggplot(student,  
  aes(x=Gender,  
    y=Science_Score,  
    fill=Gender))+
```

R CODE LAB EXPERIMENT

```
geom_boxplot()+
```

```
labs(title="Science Score by Gender",  
      x="Gender",  
      y="Science Score")+
```

```
theme_minimal()
```

```
#=====
```

```
# QUESTION 2
```

```
# Scatter Plot with Regression Line
```

```
#=====
```

```
ggplot(student,  
      aes(x=Study_Hours,  
          y=Math_Score,  
          color=Gender))+
```

```
geom_point(size=4)+
```

```
geom_smooth(method="lm",  
            se=FALSE,  
            color="black")+
```

```
labs(title="Study Hours vs Math Score",  
      x="Study Hours",
```

R CODE LAB EXPERIMENT

```
y="Math Score")+
```

```
theme_minimal()
```

```
#=====
=
```

```
# QUESTION 3
```

```
# Monthly Average Math Score
```

```
#=====
=
```

```
student$Month <- format(student$Exam_Date,"%Y-%m")
```

```
monthly <- student %>%
```

```
group_by(Month) %>%
```

```
summarise(Average_Math=mean(Math_Score))
```

```
monthly$Moving_Average <- rollmean(
```

```
monthly$Average_Math,
```

```
k=2,
```

```
fill=NA,
```

```
align="right"
```

```
)
```

```
print(monthly)
```

```
ggplot(monthly,
```

```
aes(x=Month,
```

R CODE LAB EXPERIMENT

```
      y=Average_Math,
      group=1))+

geom_line(color="blue",
          linewidth=1.2)+

geom_point(size=3,
           color="red")+

geom_line(aes(y=Moving_Average),
          color="darkgreen",
          linewidth=1.2,
          linetype="dashed")+

labs(title="Monthly Average Math Score",
      x="Month",
      y="Average Score")+

theme_minimal()

#=====
#
# QUESTION 4
# Average Math Score by Gender
# (Equivalent chart used in Tableau Dashboard)
#=====
#
```

R CODE LAB EXPERIMENT

```
gender_avg <- student %>%
```

```
group_by(Gender) %>%
```

```
summarise(Average_Math=mean(Math_Score))
```

```
print(gender_avg)
```

```
ggplot(gender_avg,
```

```
  aes(x=Gender,
```

```
      y=Average_Math,
```

```
      fill=Gender))+
```

```
geom_bar(stat="identity")+
```

```
geom_text(aes(label=round(Average_Math,1)),
```

```
          vjust=-0.4,
```

```
          size=5))+
```

```
labs(title="Average Math Score by Gender",
```

```
      x="Gender",
```

```
      y="Average Math Score"))+
```

```
theme_minimal()
```

```
#=====
```

```
=
```

```
# SUMMARY
```

```
#=====
```

```
=
```


R CODE LAB EXPERIMENT

```
cat("\n===== STUDENT MINI DATA SUMMARY =====\n")
```


```
cat("\nAverage Math Score :",  
mean(student$Math_Score))
```

```
cat("\nAverage Science Score :",  
mean(student$Science_Score))
```


```
cat("\nHighest Math Score :",  
max(student$Math_Score))
```

```
cat("\nLowest Math Score :",  
min(student$Math_Score))
```


R CODE LAB EXPERIMENT




R CODE LAB EXPERIMENT




R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT

R Code

```
#=====
=
```

```
# SET 27 - PATIENT HEALTH RISK ANALYSIS
```

```
#=====
=
```

```
# Load Libraries
```

```
library(ggplot2)
```

```
library(corrplot)
```

```
#=====
=
```

```
# DATASET
```

```
#=====
=
```

```
patient <- data.frame(
  Patient_ID = c("P1", "P2", "P3", "P4", "P5"),
  Age = c(25, 40, 55, 35, 60),
  BMI = c(22, 28, 30, 26, 32),
  BP = c(120, 135, 145, 130, 150),
  Cholesterol = c(180, 210, 240, 200, 260)
)
```

```
print(patient)
```

R CODE LAB EXPERIMENT

```
#=====
=
```

```
# QUESTION 1
```

```
# Scatterplot Matrix
```

```
#=====
=
```

```
pairs(patient[,2:5],
      main="Scatterplot Matrix of Health Indicators",
      col="blue",
      pch=19)
```

```
#=====
=
```

```
# QUESTION 2
```

```
# Q-Q Plot
```

```
#=====
=
```

```
qqnorm(patient$Cholesterol,
      main="Q-Q Plot of Cholesterol")
```

```
qqline(patient$Cholesterol,
      col="red",
      lwd=2)
```

```
#=====
=
```


R CODE LAB EXPERIMENT

```
# ECDF Plot
```

```
#=====
```

```
plot(ecdf(patient$Cholesterol),  
     main="ECDF of Cholesterol Levels",  
     xlab="Cholesterol",  
     ylab="ECDF",  
     col="blue",  
     lwd=2)
```

```
#=====
```

```
# QUESTION 3
```

```
# Average Health Indicator Bar Chart
```

```
#=====
```

```
average_values <- c(  
  mean(patient$Age),  
  mean(patient$BMI),  
  mean(patient$BP),  
  mean(patient$Cholesterol)  
)
```

```
indicator <- c("Age",  
              "BMI",  
              "BP",
```

R CODE LAB EXPERIMENT

```
"Cholesterol")
```

```
barplot(average_values,  
        names.arg=indicator,  
        col=c("skyblue",  
              "orange",  
              "lightgreen",  
              "pink"),  
        main="Average Health Indicators",  
        xlab="Health Indicator",  
        ylab="Average Value")
```

```
text(x=1:4,  
     y=average_values,  
     labels=round(average_values,1),  
     pos=3)
```

```
#=====
```

```
# QUESTION 4
```

```
# Correlation Heatmap
```

```
# (Equivalent analysis for Tableau Dashboard)
```

```
#=====
```

```
correlation <- cor(patient[,2:5])
```

```
print(correlation)
```

R CODE LAB EXPERIMENT

```
corrplot(correlation,  
          method="color",  
          addCoef.col="black",  
          tl.col="black",  
          number.cex=0.8)
```

```
#=====
```

```
# SUMMARY
```

```
#=====
```

```
cat("\n===== PATIENT HEALTH SUMMARY =====\n")
```

```
cat("\nAverage Age :",mean(patient$Age))
```

```
cat("\nAverage BMI :",mean(patient$BMI))
```


```
cat("\nAverage BP :",mean(patient$BP))
```

```
cat("\nAverage Cholesterol :",mean(patient$Cholesterol))
```


```
cat("\nHighest Cholesterol :",max(patient$Cholesterol))
```

```
cat("\nLowest Cholesterol :",min(patient$Cholesterol))
```


R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT




R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



SET 28 – Vehicle Performance Analysis

R Code

```
#=====
#
# SET 28 - VEHICLE PERFORMANCE ANALYSIS
#=====
#
# Load Libraries
library(ggplot2)
```


R CODE LAB EXPERIMENT

```
#=====
=

# DATASET

#=====
=


vehicle <- data.frame(
  Vehicle_ID = c("V1","V2","V3","V4","V5"),
  Engine_Size = c(1.5,2.0,3.0,2.5,1.8),
  Horsepower = c(110,150,250,200,130),
  Fuel_Efficiency = c(18,15,12,14,17),
  Top_Speed = c(180,200,250,220,190),
  Safety_Rating = factor(c(4,5,5,4,3))
)

print(vehicle)

#=====
=

# QUESTION 1

# Violin Plot

#=====
=


ggplot(vehicle,
  aes(x=Safety_Rating,
      y=Fuel_Efficiency,
      fill=Safety_Rating))+
```

R CODE LAB EXPERIMENT

```
geom_violin(trim=FALSE)+
```

```
geom_boxplot(width=0.1,  
             fill="white")+
```

```
labs(title="Fuel Efficiency by Safety Rating",  
      x="Safety Rating",  
      y="Fuel Efficiency (km/l)")+
```

```
theme_minimal()
```

```
#=====
```

```
# QUESTION 2
```

```
# Scatter Plot
```

```
#=====
```

```
ggplot(vehicle,  
        aes(x=Horsepower,  
            y=Top_Speed,  
            color=Engine_Size))+
```

```
geom_point(size=4)+
```

```
geom_smooth(method="lm",  
            se=FALSE,
```

R CODE LAB EXPERIMENT

```
color="black")+

labs(title="Horsepower vs Top Speed",
      x="Horsepower",
      y="Top Speed (km/h)")+

theme_minimal()

#=====
#
# QUESTION 3
# Correlation Heatmap
#=====
#

cor_matrix <- cor(vehicle[,2:5])

corr_df <- as.data.frame(as.table(cor_matrix))

ggplot(corr_df,
       aes(x=Var1,
           y=Var2,
           fill=Freq))+

geom_tile(color="white")+

geom_text(aes(label=round(Freq,2)),
          size=5)+
```

R CODE LAB EXPERIMENT

```
scale_fill_gradient(low="white",  
                    high="steelblue")+
```

```
labs(title="Correlation Heatmap",  
     x="Variables",  
     y="Variables")+
```

```
theme_minimal()
```

```
#=====
```

```
# QUESTION 4
```

```
# Vehicle Performance Bar Chart
```

```
# (Equivalent chart used in Tableau Dashboard)
```

```
#=====
```

```
ggplot(vehicle,  
       aes(x=Vehicle_ID,  
          y=Fuel_Efficiency,  
          fill=Vehicle_ID))+
```

```
geom_bar(stat="identity")+
```

```
geom_text(aes(label=Fuel_Efficiency),  
         vjust=-0.4,  
         size=5)+
```

R CODE LAB EXPERIMENT

```
labs(title="Fuel Efficiency of Vehicles",  
      x="Vehicle ID",  
      y="Fuel Efficiency (km/l)"+
```

```
theme_minimal()
```

```
#=====
```

```
# SUMMARY
```

```
#=====
```

```
cat("\n===== VEHICLE PERFORMANCE SUMMARY  
=====\\n")
```

```
cat("\nAverage Engine Size :",mean(vehicle$Engine_Size))
```

```
cat("\nAverage Horsepower :",mean(vehicle$Horsepower))
```


```
cat("\nAverage Fuel Efficiency :",mean(vehicle$Fuel_Efficiency))
```

```
cat("\nAverage Top Speed :",mean(vehicle$Top_Speed))
```


```
cat("\nHighest Top Speed :",max(vehicle$Top_Speed))
```

```
cat("\nHighest Fuel Efficiency :",max(vehicle$Fuel_Efficiency))
```


R CODE LAB EXPERIMENT




R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



SET 29 – Student Academic Performance

R Code

```
#=====
=  
# SET 29 - STUDENT ACADEMIC PERFORMANCE  
#=====
=
```

```
# Load Libraries
```

```
library(ggplot2)
```

R CODE LAB EXPERIMENT

```
library(tidyr)
```

```
#=====
=
```

```
# DATASET
```

```
#=====
=
```

```
student <- data.frame(
  Student_ID = c("S1","S2","S3","S4","S5"),
  Age = c(19,21,20,22,23),
  Study_Hours = c(12,8,15,10,7),
  Attendance = c(90,70,95,85,60),
  Test_Score = c(85,70,92,80,65),
  Participation_Score = c(8,7,9,8,6)
)
```

```
print(student)
```

```
#=====
=
```

```
# QUESTION 1
```

```
# Stacked Area Chart
```

```
#=====
=
```

```
area_data <- data.frame(
  Student_ID = student$Student_ID,
```

R CODE LAB EXPERIMENT

```
Test_Score = student$Test_Score,  
Participation_Score = student$Participation_Score  
)
```

```
area_long <- pivot_longer(  
  area_data,  
  cols = c(Test_Score, Participation_Score),  
  names_to = "Score_Type",  
  values_to = "Score"  
)
```

```
ggplot(area_long,  
  aes(x = Student_ID,  
    y = Score,  
    fill = Score_Type,  
    group = Score_Type)) +  
geom_area(alpha = 0.7) +  
labs(title = "Stacked Area Chart of Student Scores",  
  x = "Student ID",  
  y = "Score") +  
theme_minimal()
```

```
#=====
```

```
# QUESTION 2
```

```
# Boxplot by Attendance Quartiles
```

```
#=====
```

R CODE LAB EXPERIMENT

```
student$Attendance_Group <- cut(
  student$Attendance,
  breaks = quantile(student$Attendance,
    probs = seq(0,1,0.25)),
  include.lowest = TRUE,
  labels = c("Q1","Q2","Q3","Q4")
)
```

```
ggplot(student,
  aes(x = Attendance_Group,
    y = Study_Hours,
    fill = Attendance_Group)) +
  geom_boxplot() +
  labs(title = "Study Hours by Attendance Quartiles",
    x = "Attendance Quartile",
    y = "Study Hours") +
  theme_minimal()
```

```
#=====
=
```

```
# QUESTION 3
```

```
# Density Plot
```

```
#=====
=
```

```
ggplot(student,
  aes(x = Test_Score)) +
```

R CODE LAB EXPERIMENT

```
geom_density(fill = "skyblue",
              alpha = 0.6) +
labs(title = "Density Plot of Test Scores",
      x = "Test Score",
      y = "Density") +
theme_minimal()
```

```
#=====
=
```

```
# QUESTION 4
```

```
# Scatter Plot
```

```
# (Equivalent to Tableau Scatter Plot)
```

```
#=====
=
```

```
ggplot(student,
        aes(x = Study_Hours,
            y = Test_Score,
            color = Participation_Score,
            size = Participation_Score)) +
geom_point() +
labs(title = "Study Hours vs Test Score",
      x = "Study Hours",
      y = "Test Score") +
theme_minimal()
```

```
#=====
=
```

R CODE LAB EXPERIMENT

```
# SUMMARY
```

```
#=====
```

```
cat("\n===== STUDENT PERFORMANCE SUMMARY\n")
```

```
cat("\nAverage Study Hours :", mean(student$Study_Hours))
```

```
cat("\nAverage Attendance :", mean(student$Attendance))
```


```
cat("\nAverage Test Score :", mean(student$Test_Score))
```

```
cat("\nAverage Participation Score :", mean(student$Participation_Score))
```

```
cat("\nHighest Test Score :", max(student$Test_Score))
```

```
cat("\nLowest Test Score :", min(student$Test_Score))
```


R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



SET 30 – Mobile App Usage Analysis

R Code

```
#=====
=
# SET 30 - MOBILE APP USAGE ANALYSIS
#=====
=

# Load Library
library(ggplot2)
```

R CODE LAB EXPERIMENT

```
#=====
=
```

```
# DATASET
```

```
#=====
=
```

```
app <- data.frame(
  User_ID = c("U01","U02","U03","U04","U05","U06"),
  Gender = c("Male","Female","Male","Female","Male","Female"),
  Age = c(20,22,19,21,23,20),
  Screen_Time = c(4.5,6.0,3.2,7.1,2.8,5.4),
  App_Usage_Count = c(18,25,12,30,10,22),
  Data_Used = c(2.4,3.8,1.6,4.5,1.2,3.1),
  Satisfaction = c(3,5,3,5,2,4),
  Usage_Date = as.Date(c("2025-01-08",
                          "2025-01-08",
                          "2025-02-11",
                          "2025-02-11",
                          "2025-03-14",
                          "2025-03-14"))
)
```

```
print(app)
```

```
#=====
=
```

```
# QUESTION 1
```

```
# Histogram and Density Plot
```

R CODE LAB EXPERIMENT

```
#=====
=
```

```
ggplot(app, aes(x = Screen_Time)) +
  geom_histogram(aes(y = ..density..),
    binwidth = 0.8,
    fill = "skyblue",
    color = "black") +
  geom_density(color = "red",
    linewidth = 1.2) +
  labs(title = "Histogram and Density Plot of Screen Time",
    x = "Screen Time (Hours)",
    y = "Density") +
  theme_minimal()
```

```
#=====
=
```

```
# QUESTION 2
```

```
# Scatter Plot with Trend Line
```

```
#=====
=
```

```
ggplot(app,
  aes(x = Data_Used,
    y = Screen_Time)) +
  geom_point(size = 4,
    color = "blue") +
  geom_smooth(method = "lm",
```

R CODE LAB EXPERIMENT

```
se = FALSE,
color = "red") +
labs(title = "Data Used vs Screen Time",
x = "Data Used (GB)",
y = "Screen Time (Hours)") +
theme_minimal()
```

Correlation

```
correlation <- cor(app$Data_Used,
  app$Screen_Time)
```

```
cat("\nCorrelation :", correlation)
```

#=====

=

QUESTION 3

Average Satisfaction by Gender

#=====

=

```
avg_sat <- aggregate(Satisfaction ~ Gender,
                     data = app,
                     mean)
```

```
print(avg_sat)
```

```
ggplot(avg_sat,
```

R CODE LAB EXPERIMENT

```
    aes(x = Gender,  
        y = Satisfaction,  
        fill = Gender)) +  
geom_bar(stat = "identity") +  
geom_text(aes(label = round(Satisfaction,1)),  
          vjust = -0.4,  
          size = 5) +  
labs(title = "Average Satisfaction by Gender",  
      x = "Gender",  
      y = "Average Satisfaction") +  
theme_minimal()
```

```
#=====
```

```
# QUESTION 4
```

```
# Bubble Chart
```

```
# (Equivalent to Tableau Bubble Chart)
```

```
#=====
```

```
ggplot(app,  
        aes(x = Screen_Time,  
            y = Data_Used,  
            size = App_Usage_Count,  
            color = Gender)) +  
geom_point(alpha = 0.7) +  
labs(title = "Screen Time vs Data Used",  
      x = "Screen Time (Hours)",
```

R CODE LAB EXPERIMENT

```
y = "Data Used (GB)" +  
theme_minimal()
```

```
#=====
```

```
# Usage Trend Line Chart
```

```
#=====
```

```
ggplot(app,  
  aes(x = Usage_Date,  
       y = App_Usage_Count,  
       group = 1)) +  
  geom_line(color = "darkgreen",  
            linewidth = 1.2) +  
  geom_point(size = 3,  
             color = "red") +  
  labs(title = "App Usage Trend",  
        x = "Usage Date",  
        y = "App Usage Count") +  
  theme_minimal()
```

```
#=====
```

```
# SUMMARY
```

```
#=====
```

R CODE LAB EXPERIMENT

```
cat("\n===== MOBILE APP USAGE SUMMARY =====\n")
```

```
cat("\nAverage Screen Time :", mean(app$Screen_Time))
```

```
cat("\nAverage Data Used :", mean(app$Data_Used))
```


```
cat("\nAverage Satisfaction :", mean(app$Satisfaction))
```

```
cat("\nHighest Screen Time :", max(app$Screen_Time))
```


```
cat("\nHighest Data Used :", max(app$Data_Used))
```

```
cat("\nCorrelation :", correlation)
```



R CODE LAB EXPERIMENT




R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT



R CODE LAB EXPERIMENT

