

1 level0-bandit0  
2 level1-boJ9jbbUNNfktd7800psq0ltutMc3MY1  
3 level2-CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9  
4 level3-UmHadQcLWmgdLOKQ3YNggjWxGoRmb5luK  
5 level4-pIwrPrtpN36QITSp3EQaw936yaFoFgAB  
6 level5-koReB0KuIDDepwhWk7jZC0RTdopnAYKh  
7 level6-DXjZPULLxYr17uwoI01bNLQbtFemEgo7  
8 level7-HKBPTKQnIay4Fw76bEy8PVxKEDQRKTzs  
9 level8-cvX2JJJa4CFALtqS87jk27qwqGhBM9plV  
10 level9-UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUhr  
11 level10-truKldjsbJ5g7yyJ2X2R0o3a5HQJFuLk  
12 level11-IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR  
13 level12-5Te8Y4drgCRfCx8ugdwuEX8KFC6k2EUu  
14 level13-8ZjyCRiBWFYkneahHwxCv3wb2a10RpYL  
15 level14-4wcYUJFw0k0XLShlDzztnTBHiqxU3b3e  
16 level15-BfMYroe26WYalil77FoDi9qh59eK5xNr  
17 level16-cluFn7wTiGryunymY0u4RcfffSxQluehd|

```
bandit0@bandit:~$ ls
```

```
readme
```

```
bandit0@bandit:~$ cat readme
```

```
boJ9jbbUNNfktd7800psq0ltutMc3MY1
```

```
bandit0@bandit:~$
```

```
bandit1@bandit:~$ ls
```

```
-
```

```
bandit1@bandit:~$ cat ./-
```

```
CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9
```

```
bandit1@bandit:~$
```

```
bandit2@bandit:~$ ls
```

```
spaces in this filename
```

```
bandit2@bandit:~$ cat 'spaces in this filename'
```

```
UmHadQcLWmgdLOKQ3YNggjWxGoRmb5LuK
```

```
bandit2@bandit:~$
```

Enjoy your stay!

```
bandit3@bandit:~$ ls
```

```
inhere
```

```
bandit3@bandit:~$ cd inhere
```

```
bandit3@bandit:~/inhere$ ls -a
```

```
.  ..  .hidden
```

```
bandit3@bandit:~/inhere$ cat .hidden
```

```
pIwrPrtpN36QITSp3EQaw936yaFoFgAB
```

```
bandit3@bandit:~/inhere$
```

```
bandit4@bandit:~$ ls
```

```
inhere
```

```
bandit4@bandit:~$ cd inhere
```

```
bandit4@bandit:~/inhere$ ls
```

```
-file00 -file02 -file04 -file06 -file08
```

```
-file01 -file03 -file05 -file07 -file09
```

```
bandit4@bandit:~/inhere$ file ./*
```

```
./-file00: data
```

```
./-file01: data
```

```
./-file02: data
```

```
./-file03: data
```

```
./-file04: data
```

```
./-file05: data
```

```
./-file06: data
```

```
./-file07: ASCII text
```

```
./-file08: data
```

```
./-file09: data
```

```
bandit4@bandit:~/inhere$ cat ./-file07
```

```
koReBOKuIDDepwhWk7jZC0RTdopnAYKh
```

```
bandit4@bandit:~/inhere$
```

```
bandit5@bandit:~/inhere$ find -size 1033c  
./maybehere07/.file2  
bandit5@bandit:~/inhere$ cd maybehere07  
bandit5@bandit:~/inhere/maybehere07$ cat .file2  
DXjZPULLxYr17uwoI01bNLQbtFemEgo7
```



```
find: '/run/screen/S-bandit3': Permission denied
find: '/run/screen/S-bandit19': Permission denied
find: '/run/screen/S-bandit31': Permission denied
find: '/run/screen/S-bandit17': Permission denied
find: '/run/screen/S-bandit2': Permission denied
find: '/run/screen/S-bandit22': Permission denied
find: '/run/screen/S-bandit21': Permission denied
find: '/run/screen/S-bandit14': Permission denied
find: '/run/screen/S-bandit13': Permission denied
find: '/run/screen/S-bandit24': Permission denied
find: '/run/screen/S-bandit23': Permission denied
find: '/run/shm': Permission denied
find: '/run/lock/lvm': Permission denied
find: '/var/spool/bandit24': Permission denied
find: '/var/spool/cron/crontabs': Permission denied
find: '/var/spool/rsyslog': Permission denied
find: '/var/tmp': Permission denied
find: '/var/lib/apt/lists/partial': Permission denied
find: '/var/lib/polkit-1': Permission denied
/var/lib/dpkg/info/bandit7.password
find: '/var/log': Permission denied
find: '/var/cache/apt/archives/partial': Permission denied
find: '/var/cache/ldconfig': Permission denied
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
HKBPTKQnIay4Fw76bEy8PVxKEDQRKTzs
```



^C

```
bandit7@bandit:~$ grep 'millionth' data.txt
```

```
millionth      cvX2JJJa4CFALtqS87jK27qwqGhBM9pLV
```

```
bandit7@bandit:~$ █
```

```
bandit8@bandit:~$ sort data.txt | uniq -u  
UsvVyFSfZZWbi6wgC7dAFyFuR6jqQUhR
```

Binary file (standard input) matches

```
bandit9@bandit:~$ strings data.txt | grep '='
```

===== the\*2i"4

=:G e

===== password

<I=zsGi

Z)===== is

A=|t&E

Zdb=

c^ LAh=3G

\*SF=s

&===== truKLdjsbJ5g7yyJ2X2R0o3a5HqJFuLk

S=A.H&^

```
bandit10@bandit:~$ base64 -d data.txt
```

The password is IFukwKGSFW8MOq3IRFqrxE1hXTNEbUPR

```
bandit11@bandit:~$ cat data.txt | tr 'A-Za-z' 'N-ZA-Mn-za-m'
```

The password is 5Te8Y4drGCRfCx8ugdwuEX8KFC6k2EUu

```
bandit12@bandit:/tmp/sai$ ls
```

```
dat6  data5.bin  data8  data.txt  password
```

```
bandit12@bandit:/tmp/sai$ file data8
```

```
data8: ASCII text
```

```
bandit12@bandit:/tmp/sai$ cat data8
```

```
The password is 8ZjyCRiBWFYkneahHwx Cv3wb2a10RpYL
```



bandit14@bandit:~\$

bandit14@bandit:~\$ cd /etc/bandit\_pass/bandit14

-bash: cd: /etc/bandit\_pass/bandit14: Not a directory

bandit14@bandit:~\$ cd /etc/bandit\_pass/

bandit14@bandit:/etc/bandit\_pass\$ ls

bandit0	bandit13	bandit18	bandit22	bandit27	bandit31	bandit6
bandit1	bandit14	bandit19	bandit23	bandit28	bandit32	bandit7
bandit10	bandit15	bandit2	bandit24	bandit29	bandit33	bandit8
bandit11	bandit16	bandit20	bandit25	bandit3	bandit4	bandit9
bandit12	bandit17	bandit21	bandit26	bandit30	bandit5	

bandit14@bandit:/etc/bandit\_pass\$ cat bandit14

4wcYUJFw0k0XLShlDzztnTBHiqxU3b3e

```
bandit14@bandit:~$ nmap localhost -p 30000
```

```
Starting Nmap 7.40 ( https://nmap.org ) at 2022-03-06 15:21 CET
```

```
Nmap scan report for localhost (127.0.0.1)
```

```
Host is up (0.00017s latency).
```

```
PORT      STATE SERVICE
```

```
30000/tcp open  ndmps
```

```
Nmap done: 1 IP address (1 host up) scanned in 0.04 seconds
```

```
bandit14@bandit:~$ nc localhost 30000
```

```
4wcYUJFw0k0XLShlDzztnTBHiqxU3b3e
```

```
Correct!
```

```
BfMYroe26WYalil77FoDi9qh59eK5xNr
```

Timeout : 7200 (sec)

Verify return code: 18 (self signed certificate)

Extended master secret: yes

---

BfMYroe26WYali177FoDi9qh59eK5xNr

Correct!

cluFn7wTiGryunymY0u4RcfftSxQluehd

closed