S3 Command Prompt

```
Command Prompt                                                              —   □   >
Microsoft Windows [Version 10.0.19045.5487]
(c) Microsoft Corporation. All rights reserved.

C:\Users\DELL>aws
usage: aws [options] <command> <subcommand> [<subcommand> ...] [parameters]
To see help text, you can run:

  aws help
  aws <command> help
  aws <command> <subcommand> help
aws: error: the following arguments are required: command

C:\Users\DELL>aws configure
AWS Access Key ID [****************ZUUW]: AKIAS74TMAZM7ZTJZUUW
AWS Secret Access Key [****************SWDL]: 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
Default region name [US East (Ohio) us-east-2]: us-east-1
Default output format [None]:
```

```
Command Prompt                                                                              —  □  ×

C:\Users\DELL>aws s3 ls
usage: aws [options] <command> <subcommand> [<subcommand> ...] [parameters]
To see help text, you can run:

  aws help
  aws <command> help
  aws <command> <subcommand> help
aws: error: argument subcommand: Invalid choice, valid choices are:

ls                                       | website
cp                                       | mv
rm                                       | sync
mb                                       | rb
presign

C:\Users\DELL>aws s3 aws s3 ls
usage: aws [options] <command> <subcommand> [<subcommand> ...] [parameters]
To see help text, you can run:

  aws help
  aws <command> help
  aws <command> <subcommand> help
aws: error: argument subcommand: Invalid choice, valid choices are:

ls                                       | website
cp                                       | mv
rm                                       | sync
mb                                       | rb
presign

C:\Users\DELL>
```