

PEDIATRIC REHABILITATION & DEVELOPMENTAL SERVICES

Occupational Therapy Assessment Report

Sensory-Motor, Fine & Gross Motor, and Functional Performance Evaluation

Confidentiality Statement: This report contains sensitive clinical information intended solely for the qualified professionals, caregivers, and educators directly involved in the child's care. Any disclosure, sharing, or duplication of this report requires prior written consent from the child's legal guardians.

CHILD INFORMATION

FULL NAME

Ali Hadithi

GENDER

Male

ID NUMBER

32384000499

DATE OF BIRTH

30 / 05 / 2023

CHRONOLOGICAL AGE

3 Years, 2 Months

ASSESSING DISCIPLINE

Occupational Therapy

CONTENTS

01 Reason for Referral	11 Balance & Postural Control
02 Assessment Methods	12 Upper Limb Function
03 Behavioural Observation	13 Attention & Participation
04 Interactive Skills	14 Clinical Impression
05 Relationship to Objects	15 Summary of Findings
06 Body Awareness	16 OT Goals
07 Sensory Processing	17 Therapy Recommendations
08 Muscle Strength & Tone	18 Home Program
09 Gross Motor Skills	19 Nursery / School Recommendations
10 Fine Motor Skills	20 Prognosis

Section 01



Reason for Referral

Ali Hadithi, a 3-year-2-month-old male, was referred for a comprehensive Occupational Therapy assessment following caregiver concerns regarding sensory sensitivities, reduced attention span, motor coordination difficulties, and inconsistent eye contact during daily and play-based interactions.

The purpose of this assessment is to:

- Evaluate Ali's current sensory-motor, fine motor, gross motor, and functional performance abilities.
- Identify strengths and areas of difficulty affecting participation in play, self-care, and early learning activities.
- Determine the influence of sensory processing on attention, regulation, and engagement.
- Establish individualized therapeutic priorities and measurable intervention goals.
- Guide caregivers and, where applicable, nursery staff in supporting Ali's development at home and in structured settings.



Section 02

Assessment Methods

Assessment findings are based on structured clinical observation, standardized and informal assessment tools, and caregiver interview across multiple sessions.

- Clinical Observation of Sensory-Motor Performance
- Structured Play-Based Assessment
- Sensory Processing Clinical Observation (proprioceptive, vestibular, visual, tactile, and auditory domains)
- Fine Motor and Gross Motor Skills Observation
- Muscle Tone and Strength Assessment
- Balance and Postural Control Assessment
- Activities of Daily Living (ADL) Observation
- Caregiver Interview and Developmental History Review



Section 03

Behavioural Observation

Ali presented as an active, energetic child throughout the assessment sessions. He moved frequently between activities and demonstrated a strong drive to explore his environment.

- Attention span was reduced, particularly during less preferred or structured table-top tasks.
- Engagement and cooperation increased notably when activities were motivating or preferred.
- He required intermittent redirection to remain within a task, especially across longer activities.
- He tolerated therapist interaction and physical guidance without notable distress.

OBSERVED STRENGTH

Ali is an active child who demonstrates good participation and cooperation when tasks are motivating, indicating strong potential to build attention and engagement through preferred, play-based intervention.



Section 04

Interactive Skills

Ali demonstrated emerging but inconsistent interactive and social engagement skills during structured and unstructured play.

- Eye contact was notably weak and inconsistently maintained during interaction with the therapist and caregivers.
- He engaged more readily during highly preferred or sensory-based activities.
- Joint attention and reciprocal interaction were present but brief in duration.
- He responded to his name inconsistently, particularly during self-directed play.

These findings suggest that interactive engagement is present but requires structured facilitation to increase consistency, particularly around eye contact and sustained joint attention.



Section 05

Relationship to Objects

Ali demonstrated functional exploration of toys and familiar objects, showing curiosity and interest across a range of play materials.

- He explores objects through both visual and tactile means, though exploration is at times brief and sensory-driven rather than purposeful.
- Purposeful manipulation during constructional and fine motor play (stacking, building, sorting) is emerging but inconsistent.
- He shows a preference for objects offering strong sensory feedback (textured, moving, or noise-producing toys).
- Object use is influenced by reduced upper limb strength and attentional endurance during more demanding manipulative tasks.



Section 06

Body Awareness

Body scheme and body awareness are developing but remain inconsistent, consistent with Ali's combined sensory and motor profile.

- Reduced awareness of body position during movement-based and floor-to-stand transitions.
- Difficulty imitating simple body movements and postures on request.
- Motor planning challenges observed when sequencing novel movement patterns.
- Relies on visual and tactile feedback from the environment to orient his body during play.



Sensory Processing

Ali presents with sensory processing difficulties across multiple domains, significantly influencing his attention, regulation, and participation in daily and play-based activities.

Proprioceptive Processing

Reduced awareness of body position and force grading; seeks intense movement and pressure input to support regulation and body awareness.

Vestibular Processing

Difficulty modulating responses to movement; presents with under-responsivity requiring increased movement input, contributing to reduced balance and postural stability.

Visual Processing

Reduced sustained visual attention to tasks and difficulty visually tracking and discriminating relevant details during structured activities.

Tactile Processing

Variable responses to touch; shows both seeking and avoidance behaviors depending on texture, affecting willingness to engage with certain play materials.

Auditory Processing

Inconsistent response to verbal input and environmental sounds, with attention to auditory information affected by competing sensory or environmental stimuli.

Functional Impact

Combined sensory difficulties reduce sustained attention, regulation, and consistency of engagement, particularly in unstructured or highly stimulating environments.

CLINICAL NOTE

Across all five domains, Ali benefits from structured sensory input (proprioceptive and vestibular activities in particular) to support regulation, attention, and readiness for learning.



Section 08

Muscle Strength and Tone

Clinical observation identified reduced muscle strength, most notably affecting the upper limbs, alongside functionally adequate but inconsistently graded muscle tone.

- Weakness in upper limb strength observed during weight-bearing, pushing, and resisted movement tasks.
- Reduced core and postural muscle engagement contributing to fatigue during prolonged floor and seated play.
- Grasp strength is reduced, affecting sustained fine motor manipulation.
- Muscle tone is functional but does not yet fully support consistent postural stability during dynamic movement.



Section 09

Gross Motor Skills

Ali demonstrates functional but immature gross motor coordination, consistent with his combined sensory-motor profile.

- Able to follow 1–2 step gross motor instructions (e.g., "jump then clap," "run to the mat") with visual or verbal cueing.
- Coordination during running, jumping, and climbing is present but lacks refinement and control.
- Difficulty with more complex movement sequencing and bilateral coordination tasks.
- Reduced endurance noted during sustained gross motor activity.

OBSERVED STRENGTH

Ali's ability to follow 1–2 step gross motor instructions reflects a meaningful foundation for building more complex motor sequencing skills through structured practice.



Section 10

Fine Motor Skills

Fine motor development is emerging with some functional skills, though reduced hand strength and attention affect precision and endurance.

- Able to follow 1–2 step fine motor instructions (e.g., "put the block in the box, then close it") with support.
- Grasp patterns during drawing and manipulation tasks remain immature for age.
- Reduced sustained grip and manipulation endurance during table-top tasks.
- Bilateral hand use during constructional play is inconsistent.



Section 11

Balance and Postural Control

Balance and postural control are reduced, consistent with observed vestibular and proprioceptive processing difficulties.

- Weak balance observed during single-leg standing, dynamic movement, and transitional tasks.
- Reduced postural stability when reaching outside his base of support.
- Difficulty maintaining balance on uneven or unstable surfaces.
- Compensates with a wider base of support during standing and walking-based activities.



Section 12

Upper Limb Function

Upper limb function is affected by reduced strength, impacting weight-bearing, reaching, and sustained manipulative tasks.

- Reduced strength during weight-bearing activities (e.g., crawling patterns, wheelbarrow walk, push-based play).
- Fatigue noted during sustained reaching and overhead activities.
- Grip and carrying endurance reduced compared to age expectations.
- Functional use of both arms together during play is present but tires quickly.



Section 13

Attention and Participation

Attention span is reduced overall; however, participation is strongly influenced by motivation and activity type.

- Sustained attention to non-preferred or structured tasks is brief, typically requiring redirection.
- Attention and participation increase markedly when activities are motivating or sensory-rich.
- Follows 1–2 step instructions across both gross and fine motor tasks, supporting structured participation.
- Benefits from short task duration, movement breaks, and preferred reinforcement to sustain engagement.

OBSERVED STRENGTH

Motivation is a powerful lever for Ali's participation — when activities align with his interests, engagement, cooperation, and instruction-following improve considerably.





Section 14

Clinical Impression

Ali Hadithi presents with a sensory-motor developmental profile characterized by multi-domain sensory processing difficulties (proprioceptive, vestibular, visual, tactile, and auditory), reduced upper limb strength, weak balance and postural control, and a reduced attention span affecting sustained participation.

These difficulties collectively impact his engagement in structured tasks, fine and gross motor precision, and consistency of social-interactive behaviors such as eye contact. Despite these challenges, Ali demonstrates important developmental strengths: he is an active and motivated child who follows 1–2 step gross and fine motor instructions and participates well when tasks are engaging and motivating.

This combination of challenges and strengths indicates good rehabilitation potential through a structured, sensory-informed, and motivation-driven Occupational Therapy program.



Section 15

Summary of Findings

Ali is a 3-year-2-month-old male presenting with the following key findings across the Occupational Therapy assessment:

- Weak and inconsistent eye contact during interaction.
- Sensory processing difficulties across proprioceptive, vestibular, visual, tactile, and auditory domains.
- Weakness in upper limb strength affecting weight-bearing and manipulative tasks.
- Weak balance and reduced postural control during static and dynamic activities.
- Reduced attention span, particularly during non-preferred structured tasks.
- Able to follow 1–2 step gross motor and fine motor instructions.
- Active child who demonstrates good participation and cooperation when activities are motivating.

Overall, Ali's profile reflects a child with clear areas of need alongside meaningful strengths in motivation, instruction-following, and activity engagement, supporting a positive outlook with consistent multidisciplinary support.





Occupational Therapy Goals

Short-Term Goals (3–6 Months)

DOMAIN	GOAL
Sensory Regulation	Within 3 months, Ali will tolerate structured proprioceptive and vestibular input (e.g., swinging, deep pressure, joint compression) for 5 consecutive minutes with reduced signs of distress, in 4 out of 5 sessions.
Tactile Tolerance	Within 4 months, Ali will engage with varied tactile play materials (sand, playdough, textured objects) for at least 5 minutes without avoidance behaviors, in 4 out of 5 opportunities.
Visual & Auditory Attention	Within 4 months, Ali will attend to a visually or auditorily presented task (matching, sound-source location) for 3–5 minutes with no more than one redirection.
Upper Limb Strength	Within 4 months, Ali will demonstrate improved upper limb strength sufficient to sustain a weight-bearing activity (wheelbarrow walk, animal walk) for 20–30 seconds with minimal support.
Balance	Within 6 months, Ali will maintain single-limb standing balance for 3–5 seconds with supervision, in 4 out of 5 trials.
Fine Motor	Within 6 months, Ali will grasp and release small objects (pegs, blocks, beads) using a refined grasp pattern in 4 out of 5 opportunities.
Instruction Following	Within 6 months, Ali will follow 2-step motor instructions with visual or gestural support with 80% accuracy across 3 consecutive sessions.
Attention	Within 6 months, Ali will sustain attention to a preferred structured task for 5 consecutive minutes with no more than one redirection.

Long-Term Goals (6–12 Months)

DOMAIN	GOAL
Sensory Integration	Within 12 months, Ali will demonstrate improved regulation across sensory domains (proprioceptive, vestibular, tactile, visual, auditory) sufficient to participate in group or nursery activities with minimal adult support.
Gross Motor & Balance	Within 12 months, Ali will demonstrate improved balance and postural control sufficient to navigate playground equipment (stairs, ramps, uneven surfaces) with standby supervision only.
Upper Limb & Fine Motor	Within 12 months, Ali will demonstrate functional upper limb strength and fine motor precision sufficient for age-appropriate self-care and pre-academic tasks with minimal assistance.

Attention & Participation	Within 12 months, Ali will sustain attention across both preferred and non-preferred tasks for 10 consecutive minutes in structured settings.
Interactive Skills	Within 12 months, Ali will demonstrate improved eye contact and joint engagement during interactive play for at least 3 consecutive exchanges.



Section 17

Therapy Recommendations

Occupational Therapy is recommended at a frequency of **2–3 sessions weekly**, focusing on:

- Sensory integration therapy targeting proprioceptive, vestibular, visual, tactile, and auditory regulation.
- Upper limb strengthening through weight-bearing and resisted play-based activities.
- Balance and postural control training using dynamic and static positioning tasks.
- Gross and fine motor skill development, building on Ali's ability to follow 1–2 step instructions.
- Attention-building strategies embedded within motivating, sensory-rich activities.
- Structured social-interactive play to support eye contact and joint engagement.



Home Program Recommendations for Parents

- Provide daily "sensory diet" activities: swinging, trampoline/jumping, deep pressure hugs, and joint compression ("heavy work").

- Offer varied tactile play (sand, rice bins, playdough, textured toys) in short, low-pressure sessions to build tolerance.

- Include balance-building activities: balance beam walking, animal walks, and simple obstacle courses.

- Encourage upper limb strengthening through wheelbarrow walks, climbing, and pushing/pulling games.

- Use short, clear 1–2 step instructions paired with gestures to support success and follow-through.

- Keep structured tasks brief, and use preferred/motivating activities to build attention and cooperation.

- Encourage eye contact through preferred interactive games (peekaboo, songs, turn-taking play) rather than direct demands.

- Maintain consistent routines between home and therapy to reinforce skill generalization.



Section 19

School / Nursery Recommendations (if applicable)

- Allow regular movement breaks to support attention and sensory regulation between structured activities.
- Use simple, 1–2 step instructions paired with visual or gestural cues.
- Provide access to sensory-friendly resources (a quiet corner, therapy putty, weighted lap items) where available.
- Incorporate motivating, play-based learning to support engagement and participation.
- Seat Ali in a low-distraction area to support sustained attention.
- Encourage teacher awareness of Ali's sensory sensitivities and reduced balance to support safe participation in group and outdoor play.
- Maintain ongoing communication between nursery staff, caregivers, and the therapy team.



Section 20

Prognosis

Ali demonstrates meaningful developmental strengths, including his active and engaged nature, his ability to follow 1–2 step instructions, and his strong participation when activities are motivating. These qualities represent valuable foundations for therapeutic progress.

With consistent Occupational Therapy intervention, a structured sensory-motor program, and active caregiver participation at home, gradual and steady improvement is expected across sensory regulation, upper limb strength, balance, attention, and interactive engagement. Progress is expected to be incremental and will benefit from consistency of strategies across home and therapy environments, along with regular reassessment to adjust goals as Ali develops.

Prepared By

Pediatric Occupational / Psychomotor Therapist

Date