

ResQ.AI — Installation Guide

Complete setup guide to run the ResQ.AI platform locally on any machine.

Prerequisites

Make sure these are installed before starting:

Tool	Version	Download
Git	Any	https://git-scm.com/downloads
Node.js	18+	https://nodejs.org
Python	3.11+	https://www.python.org/downloads

Verify your installs:

```
git --version
node --version
python --version
```

Step 1 — Clone Both Repositories

```
# Clone the frontend
git clone https://github.com/Sajal-Srivastava/resqai-frontend.git

# Clone the backend
git clone https://github.com/Sajal-Srivastava/resqai-backend.git
```

Step 2 — Set Up the Backend (Python / Flask)

```
# Navigate into the backend folder
cd resqai-backend

# Create a virtual environment
python -m venv venv

# Activate it
# On Windows:
venv\Scripts\activate
# On Mac/Linux:
source venv/bin/activate

# Install dependencies
pip install -r requirements.txt
```

```
# Copy the example env file and fill in your keys
cp .env.example .env
```

Open `.env` and set your Gemini API key (free at <https://aistudio.google.com/app/apikey>):

```
GEMINI_API_KEY=your_gemini_api_key_here
FLASK_ENV=development
FLASK_DEBUG=true
ALLOWED_ORIGINS=http://localhost:3000
```

Start the backend:

```
python app.py
```

Backend runs at: <http://localhost:5000>

Health check: <http://localhost:5000/api/health>

Step 3 — Set Up the Frontend (React)

Open a **new terminal** and:

```
# Navigate into the frontend folder
cd resqai-frontend

# Install dependencies
npm install

# The .env.development already points to localhost:5000 by default
# No changes needed for local development
```

Start the frontend:

```
npm start
```

Frontend opens at: <http://localhost:3000>

Step 4 — Verify Everything Works

With both servers running, open <http://localhost:3000> in your browser.

Test the API directly:

```
# Health check
curl http://localhost:5000/api/health

# Test classification
curl -X POST http://localhost:5000/api/classify \
```

```
-H "Content-Type: application/json" \  
-d "{\"text\": \"heart attack chest pain\"}"
```

Expected classify response:

```
{  
  "emergencyType": "Medical",  
  "severity": "High",  
  "confidence": 81.0,  
  "guidance": "..."  
}
```

Quick Reference — All Commands

```
# — BACKEND —  
git clone https://github.com/Sajal-Srivastava/resqai-backend.git  
cd resqai-backend  
python -m venv venv  
venv\Scripts\activate          # Windows  
source venv/bin/activate       # Mac/Linux  
pip install -r requirements.txt  
cp .env.example .env           # then edit .env with your API key  
python app.py  
  
# — FRONTEND —  
git clone https://github.com/Sajal-Srivastava/resqai-frontend.git  
cd resqai-frontend  
npm install  
npm start
```

Running Tests (Backend)

```
cd resqai-backend  
python test_app.py
```

Expected: **41 tests pass**

Environment Variables Reference

Backend (.env)

Variable	Required	Description
GEMINI_API_KEY	Optional	Google Gemini AI key — enables real AI guidance
FLASK_ENV	No	development OR production

FLASK_DEBUG	No	true OR false
ALLOWED_ORIGINS	No	CORS origins, comma-separated
PORT	No	Auto-set by cloud platforms

Frontend

Variable	Default	Description
REACT_APP_BACKEND_URL	http://localhost:5000	Points to the Flask backend

Troubleshooting

python not found on Windows — try `py` or `python3` instead:

```
py -m venv venv
py app.py
```

Port 5000 already in use:

```
# Windows — find and kill the process
netstat -ano | findstr :5000
taskkill /PID <pid> /F
```

npm install fails — clear cache and retry:

```
npm cache clean --force
npm install
```

CORS errors in browser — make sure `ALLOWED_ORIGINS` in your `.env` includes `http://localhost:3000`

Live Production URLs

Service	URL
Frontend	https://resqai-frontend.vercel.app
Backend API	https://resqai-backend-production.up.railway.app
Health Check	https://resqai-backend-production.up.railway.app/api/health

GitHub Repositories

- **Frontend:** <https://github.com/Sajal-Srivastava/resqai-frontend>
- **Backend:** <https://github.com/Sajal-Srivastava/resqai-backend>