

GD110S**Price: 352,000**

GD110S	
SPECIFICATIONS	
Overall length (mm)	1,900
Overall width (mm)	750
Overall height (mm)	1,050
Wheelbase (mm)	1,215
Minimum ground clearance (mm)	140
Dry weight (kg)	108
Wheel Type	Alloy
ENGINE	
Engine type	4-Stroke, Air-Cooled, SOHC
Number of Cylinder	1
Displacement (cc)	113
Compression ratio	9.5:1
Bore x stroke (mm)	51.0 X 55.2
Starter System	Electric + Kick
Ignition Type	CDI
CAPACITY	
Fuel tank capacity	9.0 L
Seating capacity	2 Persons
TRANSMISSION	
Transmission	4-Speed Constant Mesh
SUSPENSION	
Front brake	Drum
Rear brake	Drum
Suspension front	Telescopic, Coil Spring, Oil Damped
Suspension rear	Swing-Arm, Coil Spring, Oil Damped Spring Preloaded 5-Way Adjustable
Tyres	Front: 2.5-17 4 PR Rear: 2.75-17 4 PR

GR150**Price: 547,000**

GR150	
SPECIFICATIONS	
Overall length (mm)	2,055
Overall width (mm)	750
Overall height (mm)	1,075
Wheelbase (mm)	1,310
Minimum ground clearance (mm)	165
Dry weight (kg)	133
Wheel Type	Alloy
ENGINE	
Engine type	4-Stroke, Air-Cooled, OHC
Number of Cylinder	1
Displacement (cc)	149
Compression ratio	-
Bore x stroke (mm)	57.0 X 58.6
Starter System	Electric + Kick
Ignition Type	CDI
CAPACITY	
Fuel tank capacity	12.5 L
Seating capacity	2 Persons
TRANSMISSION	
Transmission	5-Speed Constant Mesh
SUSPENSION	
Front brake	Disk
Rear brake	Drum
Suspension front	Telescopic, Coil Spring, Oil Damped
Suspension rear	Swing-Arm, Coil Spring, Oil Damped
Tyres	Front: 2.75-18 Rear: 90/90-18 M/C

GSX-125**Price: 499,000****GSX-125**

Dimension/ Weight	Wheels	Cast
	Overall Length	1990MM
	Overall Width	755MM
	Overall Height	1075MM
	Wheel Base	1270MM
	Ground Clearance	167MM
	Seat Height	770MM
	Kerb Mass	126KG
	Fuel Tank	14.2
Engine	Engine Type	Single cylinder, 4 Stroke, Air Cooled
	Starting System	Self Start
	Displacement	125CM3
	Bore X Stroke	57MM x 48.8MM
	Max Power	7.8KW/9000RPM
	Max Torque	9.2NM/7000RPM
	Fuel System	Carburator
	Transmission Type	5 Speed, Constant Mesh
Suspension	Front	Spring Hydraulic Damping
	Rear	Spring Hydraulic Damping
Tyre Size	Front	2.75-18-Tubeless
	Rear	90/90-18-Tubeless
Brake	Front	Hydraulic Disc
	Rear	Internal Expanding Drum
Electrical Equipment	Battery	Front Wheel
	Headlight & Tail light	Rear Wheel

GS150

Price: 382,000



GS150	
SPECIFICATIONS	
Overall length (mm)	2,005
Overall width (mm)	785
Overall height (mm)	1,065
Wheelbase (mm)	1,280
Minimum ground clearance (mm)	155
Dry weight (kg)	119
Wheel Type	Spoke
ENGINE	
Engine type	4-Stroke, Air-Cooled, OHC
Number of Cylinder	1
Displacement (cc)	145
Compression ratio	9.2:1
Bore x stroke (mm)	57.0 X 56.8
Starter System	Electric + Kick
Ignition Type	CDI
CAPACITY	
Fuel tank capacity	12.0 L
Seating capacity	2 Persons
TRANSMISSION	
Transmission	5-Speed Constant Mesh
SUSPENSION	
Front brake	Drum
Rear brake	Drum
Suspension front	Telescopic, Coil Spring, Oil Damped
Suspension rear	Swing-Arm, Coil Spring, Oil Damped
Tyres	Front: 2.75-18 (6 Ply)
	Rear: 90/90-18 (6 Ply)