

```
import 'package:flutter/material.dart';

void main() {
  runApp(TravelGuideApp());
}

class TravelGuideApp extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      title: "Travel Guide",
      debugShowCheckedModeBanner: false,
      theme: ThemeData(
        primarySwatch: Colors.blue,
      ),
      home: HomeScreen(),
    );
  }
}

class HomeScreen extends StatefulWidget {
  @override
  _HomeScreenState createState() => _HomeScreenState();
}

class _HomeScreenState extends State<HomeScreen> {
  int currentIndex = 0;
  final List<Widget> pages = [
    Center(
      child: Text(
        "Welcome to Travel Guide",
        style: TextStyle(fontSize: 22),
      ),
    ),
    Center(
```

```
        child: Text(
          "Popular Destinations",
          style: TextStyle(fontSize: 22),
        ),
      ),
    Center(
      child: Text(
        "User Profile",
        style: TextStyle(fontSize: 22),
      ),
    ),
  ];

  @override
  Widget build(BuildContext context) {
    return Scaffold(
      appBar: AppBar(
        title: Text("Travel Guide App"),
        centerTitle: true,
        actions: [
          IconButton(
            icon: Icon(Icons.search),
            onPressed: () {},
          )
        ],
      ),
      drawer: Drawer(
        child: ListView(
          children: [
            DrawerHeader(
              decoration: BoxDecoration(
                color: Colors.blue,
```

```
    ),  
    child: Text(  
      "Travel Menu",  
      style: TextStyle(  
        color: Colors.white,  
        fontSize: 24,  
      ),  
    ),  
  ),  
),  
ListTile(  
  leading: Icon(Icons.home),  
  title: Text("Home"),  
  onTap: () {},  
),  
ListTile(  
  leading: Icon(Icons.place),  
  title: Text("Destinations"),  
  onTap: () {},  
),  
ListTile(  
  leading: Icon(Icons.map),  
  title: Text("Map"),  
  onTap: () {},  
),  
ListTile(  
  leading: Icon(Icons.info),  
  title: Text("About"),  
  onTap: () {},  
),  
],  
),
```

```

    ),
    body: pages[currentIndex],
    bottomNavigationBar: BottomNavigationBar(
      currentIndex: currentIndex,
      onTap: (index) {
        setState(() {
          currentIndex = index;
        });
      },
      items: const [
        BottomNavigationBarItem(
          icon: Icon(Icons.home),
          label: "Home",
        ),
        BottomNavigationBarItem(
          icon: Icon(Icons.location_on),
          label: "Places",
        ),
        BottomNavigationBarItem(
          icon: Icon(Icons.person),
          label: "Profile",
        ),
      ],
    ),
  );
}
}

```

