

Section 1: 30 Multiple Choice Questions (MCQs)

Choose the correct option (a, b, c, or d).

What does HTML stand for?

- a) Hyper Text Markup Language
- b) High Transfer Machine Language
- c) Hyperlink and Text Markup Language
- d) Home Tool Markup Language

Which tag is the root element of an HTML document?

- a) <body>
- b) <head>
- c) <html>
- d) <doctype>

What is the purpose of the <head> section in HTML?

- a) Contains visible content
- b) Contains meta-information, title, links to stylesheets
- c) Defines the main layout
- d) Adds JavaScript only

Which of the following is used to link an external CSS file?

- a) <style>
- b) <link rel="stylesheet" href="style.css">
- c) <css>
- d) <script>

What does CSS stand for?

- a) Computer Style Sheets
- b) Cascading Style Sheets
- c) Creative Style System
- d) Colorful Style Sheets

Which CSS selector has the highest specificity?

- a) Element selector
- b) Class selector
- c) ID selector
- d) Universal selector (*)

In the CSS Box Model, what includes content, padding, border, and margin?

- a) Layout

- b) The full element box
- c) Only padding
- d) Flexbox

What is Bootstrap primarily used for?

- a) Server-side scripting
- b) Responsive front-end framework with grid system and components
- c) Image editing
- d) Database management

Which JavaScript keyword is used to declare a variable?

- a) var, let, or const
- b) function
- c) if
- d) for

What is the purpose of document.getElementById()?

- a) To create a new element
- b) To select an HTML element by its ID
- c) To add CSS styles
- d) To loop through arrays

Which tool is commonly used as a code editor for web development?

- a) Microsoft Word
- b) Visual Studio Code
- c) Photoshop
- d) Excel

What is Adobe Photoshop mainly used for in web design?

- a) Writing HTML code
- b) Image editing, optimization, and creating web assets
- c) Running JavaScript
- d) Database design

Which HTML tag is used for creating a hyperlink?

- a) <link>
- b) <a>
- c) <href>
- d) <url>

What is a media query in CSS used for?

- a) Playing audio
- b) Making designs responsive to different screen sizes
- c) Adding animations only
- d) Validating forms

In JavaScript, what does === operator check?

- a) Only value
- b) Value and type (strict equality)
- c) Only type
- d) Assignment

Which layout type in CSS is best for complex 2D arrangements?

- a) Float
- b) CSS Grid
- c) Inline
- d) Position absolute only

What is the correct way to comment in HTML?

- a) // comment
- b) <!-- comment -->
- c) /* comment */
- d) # comment

Which JavaScript structure is used for repeating code?

- a) if-else
- b) Loops (for, while)
- c) switch
- d) function only

What is the function of alt attribute in tag?

- a) Styling the image
- b) Providing alternative text for accessibility
- c) Setting image size
- d) Linking the image

Which CSS property controls the space outside an element?

- a) padding
- b) margin
- c) border
- d) display

What is a common use of JavaScript in websites?

- a) Only static content
- b) Adding interactivity and dynamic behavior
- c) Compiling code
- d) Server hosting

In Bootstrap, the grid system is based on how many columns?

- a) 10
- b) 12
- c) 16
- d) 24

Which file extension is used for external CSS?

- a) .html
- b) .css
- c) .js
- d) .jpg

What does DOM stand for in web development?

- a) Document Object Model
- b) Data Object Management
- c) Dynamic Object Markup
- d) Design Object Module

Which tool is best for creating prototypes and wireframes?

- a) Notepad
- b) Adobe XD or Figma
- c) Terminal
- d) Excel

How do you apply inline CSS?

- a) In a separate .css file
- b) Using style attribute in HTML tag
- c) In <head> with <style>
- d) In JavaScript only

What is the purpose of semantic HTML elements like <header>, <article>?

- a) Only for styling
- b) Improve SEO and accessibility
- c) Add animations

d) Store data

In JavaScript, arrays are declared using?

a) {}

b) []

c) ()

d) <>

What should you do after editing images for web use?

a) Keep original large size

b) Optimize (resize, compress) for faster loading

c) Use only PNG

d) Ignore resolution

Which is a best practice for web development environment setup?

a) Use any basic text editor without extensions

b) Install VS Code, browser dev tools, live server extension

c) Only use mobile apps

d) Avoid version control

Section 2: 30 True/False Questions

Write True or False.

HTML is used for styling web pages.

External CSS is the most maintainable way to style multiple pages.

JavaScript runs only on the server side.

`<doctype html>` is case-sensitive.

CSS Grid is better than Flexbox for one-dimensional layouts.

Photoshop can be used to optimize images for the web.

The id attribute should be unique on a page.

Media queries make websites responsive.

let and const are block-scoped in JavaScript.

Bootstrap components require no custom CSS.

Semantic elements have no impact on search engines.

innerHTML can be used to change content dynamically.

All images on a website must be in SVG format.

position: absolute removes an element from normal document flow.

Comments in CSS use `//`.

VS Code is a popular IDE for web development.

JavaScript functions must always return a value.

The CSS Box Model includes margin, border, padding, and content.

`<script>` tag should always be placed in the `<head>`.

Figma and Adobe XD are used for web layout design.

`console.log()` is used for debugging JavaScript.

Inline styles have lower priority than external CSS.

HTML forms can be validated using JavaScript.

`max-width: 100%` helps make images responsive.

Arrays in JavaScript are zero-indexed.

CSS frameworks like Bootstrap speed up development.

You need internet to test a local HTML file.

`break` statement exits a loop in JavaScript.

PSD files are directly usable as web layouts without conversion.

Accessibility (alt text, semantic HTML) is optional for freelancing projects.

Section 3: 30 Fill in the Blanks

HTML stands for Hypertext _____ Language.

The root tag in HTML5 is _____.

To link external CSS, use the _____ tag.

CSS stands for Cascading _____ Sheets.

The property used for space inside an element is _____.

In JavaScript, a reusable block of code is called a _____.

Bootstrap uses a _____-column grid system.

The selector for unique identification in CSS is _____.

document.getElementById is part of the _____ Object Model.

Adobe _____ is commonly used for image editing in web design.

The attribute for alternative text in images is _____.

To make a website responsive, use CSS _____ queries.

In JavaScript, === is called strict _____.

The tag for creating ordered lists is _____.

External JavaScript files use the _____ extension.

The CSS property for flex container is display: _____;

let and const were introduced in _____.

The head section often includes a _____ tag for the page title.

To center a block element, use margin: _____ auto;

Photoshop files are saved with _____ extension.

JavaScript comments use // for _____ line.

The box model components are content, padding, border, and _____.

Semantic element for navigation is _____.

In Bootstrap, rows are placed inside _____.

for loop is used for _____ in JavaScript.

VS Code extension for live preview is often called Live _____.

The alt attribute improves _____.

CSS transition property creates smooth _____ effects.

HTML forms use action and _____ attributes.

Optimizing images reduces _____ time of a website.

Section 4: 30 Short Answer Questions

- What is the basic structure of an HTML document?
- Explain the difference between class and id selectors in CSS.
- List three advantages of using external CSS.
- What are the main steps to convert a web layout design to HTML?
- Explain the CSS Box Model with a diagram description.
- What is the purpose of JavaScript in web development? Give two examples.
- Describe how to make a website responsive using media queries.
- What tools would you install for a web design development environment?
- Explain the difference between inline, internal, and external CSS.
- How do you select and optimize an image in Photoshop for web use?
- What are semantic HTML elements and why are they important?
- Write a simple JavaScript function to validate a form input.
- Explain Bootstrap grid system.
- What is the role of document object in JavaScript?
- How does one integrate a CSS framework like Bootstrap?
- List important HTML5 semantic tags.
- What is event handling in JavaScript? Give an example.
- Differentiate between Flexbox and Grid in CSS.
- Why is testing across browsers important?
- How do you add comments in HTML, CSS, and JavaScript?
- Explain client requirements gathering for a website project.
- What are common image formats for web and when to use each?
- Write a basic CSS rule to style a paragraph.
- What is DOM manipulation? Provide one example.
- Describe the steps to create and link an external JavaScript file.
- What are the benefits of using an IDE like VS Code?
- Explain CSS positioning (static, relative, absolute, fixed).
- How do you debug JavaScript code?
- What is the importance of accessibility in web design?