

Instances | EC2 | ap-south-1

New repository

github.com/new

New repository

Type  to search

+ 🔍 📧 ⚙️ 🏠 👤

## Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).  
Required fields are marked with an asterisk (\*).

1

### General

Owner \*

SajinFarook

Repository name \*

firstserver

✔ firstserver is available.

Great repository names are short and memorable. How about [legendary-barnacle](#)?

Description

0 / 350 characters

2

### Configuration

Choose visibility \*


Choose who can see and commit to this repository

Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off



Instances | EC2 | ap-south-1

SajinFarook/firstserver

+

github.com/SajinFarook/firstserver

SajinFarook / firstserver


Type / to search

+ 🔔 🏠

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

firstserver Public


Pin Watch 0 Fork 0 Star 0



### Start coding with Codespaces

Add a README file and start coding in a secure, configurable, and dedicated development environment.

[Create a codespace](#)




### Add collaborators to this repository

Search for people using their GitHub username or email address.

[Invite collaborators](#)


### Quick setup — if you've done this kind of thing before

[Set up in Desktop](#) or [HTTPS](#) [SSH](#) `https://github.com/SajinFarook/firstserver.git` 

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

### ...or create a new repository on the command line

```
echo "# firstserver" >> README.md
git init
```



Launch an instance | EC2 | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

EC2

Instances

Launch an instance

It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices

Take a walkthrough

Do not show me this message again.

Launch an instance

Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Info

Name

firstserver

Add additional tags

Application and OS Images (Amazon Machine Image)

Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Summary

Number of instances

Info

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.9.2...[read more](#)

ami-0f9708d1cd2cfee41

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

EC2 > Instances > Launch an instance

1 ⓘ ⌵ ⌵

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Q Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Amazon Linux

aws

macOS

Mac

Ubuntu

ubuntu

Windows

Microsoft

Red Hat

Red Hat

SUSE Linux

SUSE

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 24.04 LTS (HVM), SSD Volume Type  
ami-02d26659fd82cf299 (64-bit (x86)) / ami-0b9093ea00a0fed92 (64-bit (Arm))  
Virtualization: hvm   ENA enabled: true   Root device type: ebs

Free tier eligible

Description

Ubuntu Server 24.04 LTS (HVM),EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).

▼ Summary

Number of instances [Info](#)  
1

Software Image (AMI)  
Canonical, Ubuntu, 24.04, amd64...[read more](#)  
ami-02d26659fd82cf299

Virtual server type (instance type)  
t3.micro

Firewall (security group)  
New security group

Storage (volumes)  
1 volume(s) - 8 GiB

Cancel

Launch instance

[Preview code](#)

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.   [Privacy](#)   [Terms](#)   [Cookie preferences](#)

Launch an instance | EC2 | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

Account ID: 3546-3028-6735

Sajin%20Farook

EC2 > Instances > Launch an instance

Key pair (login)

You can use a key pair to securely connect to your instance when you launch the instance.

Key pair name - required

Select

Network settings

Network

vpc-0ea281776c0f47e34

Subnet

No preference (Default subnet in any available region)

Auto-assign public IP

Enable

Firewall (security groups)

Create key pair

Key pair name

Key pairs allow you to connect to your instance securely.

first

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ RSA

RSA encrypted private and public key pair

☐ ED25519

ED25519 encrypted private and public key pair

Private key file format

☒ .pem

For use with OpenSSH

☐ .ppk

For use with PuTTY

When prompted, store the private key in a secure and accessible location on your computer.

Cancel

Create key pair

Summary

of instances

Image (AMI)

Ubuntu, 24.04, amd64...read more

server type (instance type)

security group

volumes

8 GiB

Launch instance

Preview code

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

EC2 > Instances > Launch an instance

Launch an instance

▼ Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

first

Create new key pair

▼ Network settings Info

Network Info

vpc-0ea281776c0f47e34

Subnet Info

No preference (Default subnet in any availability zone)

Auto-assign public IP Info

Enable

Firewall (security groups) Info

▼ Summary

Number of instances Info

1

Software Image (AMI)

Canonical, Ubuntu, 24.04, amd64...read more

ami-02d26659fd82cf299

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Launch an instance | EC2 | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

EC2

Instances

Launch an instance

Launching instance

Launch initiation

80%

Details

Please wait while we launch your instance.

Do not close your browser while this is loading.

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences



Launch an instance | EC2 | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

EC2

Instances

Launch an instance

Success

Successfully initiated launch of instance [\(i-0df9a27d43f0aee2a\)](#)

Launch log

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

1

2

3

4

5

6

Create billing usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.

Create billing alerts

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect to instance

Learn more

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Connect an RDS database

Create a new RDS database

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

Create EBS snapshot policy

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Connect to instance | EC2 | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ConnectToInstance:instanceId=i-0df9a27d43f0aee2a

Account ID: 3546-3028-6735

Sajin%20Farook

EC2 > Instances > i-0df9a27d43f0aee2a > Connect to instance

Connect

Info

Connect to an instance using the browser-based client.

EC2 Instance Connect

Session Manager

SSH client

EC2 serial console

Instance ID

i-0df9a27d43f0aee2a (firstserver)

Connection type

☒ Connect using a Public IP

Connect using a public IPv4 or IPv6 address

☐ Connect using a Private IP

Connect using a private IP address and a VPC endpoint

☒ Public IPv4 address

13.233.82.211

☐ IPv6 address

Username

Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ubuntu.

ubuntu

Note: In most cases, the default username, ubuntu, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Instances | EC2 | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#instances:

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

EC2 > Instances

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

AMIs

AMI Catalog

Instances (1/2) Info

Last updated 2 minutes ago

Connect

Instance state

Actions

Launch instances

Find Instance by attribute or tag (case-sensitive)

All states

< 1 >

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status
<input type="checkbox"/>	newserver	i-01aaa3506128fbf8f	Terminated	t3.micro	-	<a href="#">View alarms +</a>
<input checked="" type="checkbox"/>	firstserver	i-0df9a27d43f0aee2a	Running	t3.micro	3/3 checks passed	<a href="#">View alarms +</a>

i-0df9a27d43f0aee2a (firstserver)

Details | Status and alarms | Monitoring | Security | Networking | Storage | Tags

▼ Instance summary Info

Instance ID

i-0df9a27d43f0aee2a

Public IPv4 address

13.233.82.211 | [open address](#)

Private IPv4 addresses

172.31.6.187

IPv6 address

Instance state

Running

Public DNS

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
Expanded Security Maintenance for Applications is not enabled.
0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-6-187:~$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

ubuntu@ip-172-31-6-187:~\$ sudo apt update

Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease

Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]

Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]

Get:4 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]

Get:5 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]

Get:6 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe Translation-en [5982 kB]

Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Components [3871 kB]

Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 c-n-f Metadata [301 kB]

Get:9 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [269 kB]

Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse Translation-en [118 kB]

Get:11 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Components [35.0 kB]

Get:12 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 c-n-f Metadata [8328 B]

Get:13 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1482 kB]

Get:14 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [286 kB]

Get:15 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [175 kB]

Get:16 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [15.3 kB]

Get:17 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1486 kB]

Get:18 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [300 kB]

Get:19 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [377 kB]

Get:20 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [31.1 kB]

Get:21 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [2048 kB]

Get:22 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en [460 kB]

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences



Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

+

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

Get:40 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f Metadata [116 B]  
Get:41 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1201 kB]  
Get:42 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [201 kB]  
Get:43 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.5 kB]  
Get:44 http://security.ubuntu.com/ubuntu noble-security/main amd64 c-n-f Metadata [8744 B]  
Get:45 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [881 kB]  
Get:46 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [196 kB]  
Get:47 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.2 kB]  
Get:48 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [18.0 kB]  
Get:49 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [1938 kB]  
Get:50 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [439 kB]  
Get:51 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]  
Get:52 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 c-n-f Metadata [520 B]  
Get:53 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [28.0 kB]  
Get:54 http://security.ubuntu.com/ubuntu noble-security/multiverse Translation-en [5844 B]  
Get:55 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]  
Get:56 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f Metadata [384 B]  
Fetched 37.8 MB in 6s (6363 kB/s)  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
41 packages can be upgraded. Run 'apt list --upgradable' to see them.  
ubuntu@ip-172-31-6-187:~\$

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~$ sudo apt install git -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
git is already the newest version (1:2.43.0-lubuntu7.3).
git set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 41 not upgraded.
ubuntu@ip-172-31-6-187:~$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~$ git --version
git version 2.43.0
ubuntu@ip-172-31-6-187:~$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187



Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

ubuntu@ip-172-31-6-187:~\$ mkdir demofile

ubuntu@ip-172-31-6-187:~\$

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

ubuntu@ip-172-31-6-187:~\$ mkdir demofile  
ubuntu@ip-172-31-6-187:~\$ cd demofile  
ubuntu@ip-172-31-6-187:~/demofile\$

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~/demofile$ touch file1.txt
ubuntu@ip-172-31-6-187:~/demofile$ touch file2.txt
ubuntu@ip-172-31-6-187:~/demofile$ ls
file1.txt  file2.txt
ubuntu@ip-172-31-6-187:~/demofile$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~/demofile$ git add .
ubuntu@ip-172-31-6-187:~/demofile$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   file1.txt
        new file:   file2.txt

ubuntu@ip-172-31-6-187:~/demofile$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~/demofile$ git commit -m "First Commit"
[master (root-commit) c83e893] First Commit
Committer: Ubuntu <ubuntu@ip-172-31-6-187.ap-south-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1.txt
create mode 100644 file2.txt
ubuntu@ip-172-31-6-187:~/demofile$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback


© 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver


github.com/SajinFarook/firstserver



### Start coding with Codespaces

Add a README file and start coding in a secure, configurable, and dedicated development environment.

Create a codespace



### Add collaborators to this repository

Search for people using their GitHub username or email address.

Invite collaborators

### Quick setup — if you've done this kind of thing before

Set up in Desktop

 or 

HTTPS

SSH

<https://github.com/SajinFarook/firstserver.git>

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

### ...or create a new repository on the command line

```
echo "# firstserver" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/SajinFarook/firstserver.git
git push -u origin main
```

### ...or push an existing repository from the command line

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

ubuntu@ip-172-31-6-187:~/demofile\$ git remote add origin https://github.com/SajinFarook/firstserver.git

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1


EC2 Instance Connect | ap-south-1

Your profile

github.com/settings/profile

Settings

Type  to search



Settings

Public profile

Account

Appearance

Accessibility

Notifications

Access

Billing and licensing

Emails


Password and authentication

Sessions

SSH and GPG keys

Organizations

Enterprises



Sajin Farook (SajinFarook)

Your personal account

Go to your personal profile

Public profile

Name

Sajin Farook

Your name may appear around GitHub where you contribute or are mentioned. You can remove it at any time.

Public email

sajinfarook123@gmail.com

Remove

You can manage verified email addresses in your [email settings](#)

Bio


Tell us a little bit about yourself

You can @mention other users and organizations to link to them.

Pronouns

he/him

Profile picture



Edit

https://github.com/settings/accessibility



Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

GitHub Apps

github.com/settings/apps

Settings / Developer Settings

Type  to search

GitHub Apps


OAuth Apps

Personal access tokens

Fine-grained tokens

Tokens (classic)

## GitHub Apps




### No GitHub Apps

Want to build something that integrates with and extends GitHub? Register a new GitHub App to get started developing on the GitHub API.

New GitHub App

[View documentation](#)



© 2025 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Community](#) [Docs](#) [Contact](#) [Manage cookies](#) [Do not share my personal information](#)

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

New Personal Access Token (Classic)

github.com/settings/tokens/new

Settings / Developer Settings

Type / to search

GitHub Apps

OAuth Apps

Personal access tokens

Fine-grained tokens

Tokens (classic)

## New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

**Note**

demo

What's this token for?

**Expiration**

30 days (Nov 01, 2025)

The token will expire on the selected date.

**Select scopes**

Scopes define the access for personal tokens. [Read more about OAuth scopes](#).

<input checked="" type="checkbox"/> repo	Full control of private repositories
<input checked="" type="checkbox"/> repo:status	Access commit status
<input checked="" type="checkbox"/> repo_deployment	Access deployment status
<input checked="" type="checkbox"/> public_repo	Access public repositories
<input checked="" type="checkbox"/> repo:invite	Access repository invitations
<input checked="" type="checkbox"/> security_events	Read and write security events

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

New Personal Access Token (CLI)

github.com/settings/tokens/new

☐ codespace

Full control of codespaces

☐ codespace:secrets

Ability to create, read, update, and delete codespace secrets

☐ copilot

Full control of GitHub Copilot settings and seat assignments

☐ manage\_billing:copilot

View and edit Copilot Business seat assignments

☐ write:network\_configurations

Write org hosted compute network configurations

☐ read:network\_configurations

Read org hosted compute network configurations

☐ project

Full control of projects

☐ read:project

Read access of projects

☐ admin:gpg\_key

Full control of public user GPG keys

☐ write:gpg\_key

Write public user GPG keys

☐ read:gpg\_key

Read public user GPG keys

☐ admin:ssh\_signing\_key

Full control of public user SSH signing keys

☐ write:ssh\_signing\_key

Write public user SSH signing keys

☐ read:ssh\_signing\_key

Read public user SSH signing keys

Generate token

Cancel



© 2025 GitHub, Inc.

[Terms](#)

[Privacy](#)

[Security](#)

[Status](#)

[Community](#)

[Docs](#)

[Contact](#)

[Manage cookies](#)

[Do not share my personal information](#)

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

Personal Access Tokens (Classic)

github.com/settings/tokens

Settings / Developer Settings

Type / to search

Some of the scopes you've selected are included in other scopes. Only the minimum set of necessary scopes has been saved.

GitHub Apps

OAuth Apps

Personal access tokens

Fine-grained tokens

Tokens (classic)

Personal access tokens (classic)

Generate new token

Tokens you have generated that can be used to access the [GitHub API](#).

Make sure to copy your personal access token now. You won't be able to see it again!

ghp\_GYcFVN1I45RiRRKmFbc00CZ0QsfyXU31RseY

Delete

sfubuntu — repo

Last used within the last 2 months

Delete

Expired on **Fri, Sep 19 2025**.

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

© 2025 GitHub, Inc.

Terms

Privacy

Security

Status

Community

Docs

Contact

Manage cookies

Do not share my personal information

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

Personal Access Tokens (Classic)

+

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU... ☆ ⬇ 👤 ⋮

aws

⋮

Q Search [Alt+S]

📧 🔔 ⓘ ⚙️

Asia Pacific (Mumbai) ▾

Account ID: 3546-3028-6735 ▾

Sajin%20Farook

ubuntu@ip-172-31-6-187:~/demofile\$ git push origin master  
Username for 'https://github.com': SajinFarook  
Password for 'https://SajinFarook@github.com':  
Enumerating objects: 3, done.  
Counting objects: 100% (3/3), done.  
Delta compression using up to 2 threads  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (3/3), 238 bytes | 238.00 KiB/s, done.  
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0  
To https://github.com/SajinFarook/firstserver.git  
 \* [new branch] master -> master  
ubuntu@ip-172-31-6-187:~/demofile\$

i-0df9a27d43f0aee2a (firstserver)

Public IPs: 13.233.82.211 Private IPs: 172.31.6.187

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

+

github.com/SajinFarook/firstserver

SajinFarook / firstserver

Type / to search

+

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

firstserverPublic

Pin

Watch0

Fork0

Star0

master1 Branch0 Tags

Go to file

Add file

<> Code

About

UbuntuFirst Commitc83e893 · 10 minutes ago1 Commit

file1.txtFirst Commit10 minutes ago

file2.txtFirst Commit10 minutes ago

README

Add a README

Help people interested in this repository understand your project by adding a README.

No description, website, or topics provided.

Activity

0 stars

0 watching

0 forks

Releases

No releases published  
[Create a new release](#)

Packages

No packages published  
[Publish your first package](#)

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~/demofile$ git clone https://github.com/SajinFarook/firstserver
Cloning into 'firstserver'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-6-187:~/demofile$ ls
file1.txt  file2.txt  firstserver
ubuntu@ip-172-31-6-187:~/demofile$ cd firstserver
ubuntu@ip-172-31-6-187:~/demofile/firstserver$ ls
file1.txt  file2.txt
ubuntu@ip-172-31-6-187:~/demofile/firstserver$
```

### i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~/demofile/firstserver$ git pull https://github.com/SajinFarook/firstserver
From https://github.com/SajinFarook/firstserver
* branch            HEAD              -> FETCH_HEAD
Already up to date.
ubuntu@ip-172-31-6-187:~/demofile/firstserver$
ubuntu@ip-172-31-6-187:~/demofile/firstserver$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187



Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~$ mkdir clonerepo
ubuntu@ip-172-31-6-187:~$ cd clonerepo
ubuntu@ip-172-31-6-187:~/clonerepo$ git clone https://github.com/SajinFarook/firstserver
Cloning into 'firstserver'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-6-187:~/clonerepo$ ls -ltr
total 4
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  2 15:08 firstserver
ubuntu@ip-172-31-6-187:~/clonerepo$ cd firstserver
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ ls -ltr
total 0
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  2 15:08 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  2 15:08 file1.txt
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ ls -ltrn
total 0
-rw-rw-r-- 1 1000 1000 0 Oct  2 15:08 file2.txt
-rw-rw-r-- 1 1000 1000 0 Oct  2 15:08 file1.txt
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$
```

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

what's the difference between ls

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

remote: Compressing objects: 100% (2/2), done.  
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)  
Receiving objects: 100% (3/3), done.  
ubuntu@ip-172-31-6-187:~/clonerepo\$ ls -ltr  
total 4  
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct 2 15:08 firstserver  
ubuntu@ip-172-31-6-187:~/clonerepo\$ cd firstserver  
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver\$ ls -ltr  
total 0  
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 2 15:08 file2.txt  
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 2 15:08 file1.txt  
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver\$ ls -ltrn  
total 0  
-rw-rw-r-- 1 1000 1000 0 Oct 2 15:08 file2.txt  
-rw-rw-r-- 1 1000 1000 0 Oct 2 15:08 file1.txt  
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver\$ ls -ltra  
total 12  
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct 2 15:08 ..  
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 2 15:08 file2.txt  
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 2 15:08 file1.txt  
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct 2 15:08 .  
drwxrwxr-x 8 ubuntu ubuntu 4096 Oct 2 15:08 .git  
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver\$

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  2 15:08 firstserver
ubuntu@ip-172-31-6-187:~/clonerepo$ cd firstserver
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ ls -ltr
total 0
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  2 15:08 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  2 15:08 file1.txt
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ ls -ltrn
total 0
-rw-rw-r-- 1 1000 1000 0 Oct  2 15:08 file2.txt
-rw-rw-r-- 1 1000 1000 0 Oct  2 15:08 file1.txt
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ ls -ltra
total 12
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  2 15:08 ..
-rw-rw-r-- 1 ubuntu ubuntu  0 Oct  2 15:08 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu  0 Oct  2 15:08 file1.txt
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  2 15:08 .
drwxrwxr-x 8 ubuntu ubuntu 4096 Oct  2 15:08 .git
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
total 0
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  2 15:08 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  2 15:08 file1.txt
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ ls -ltrn
total 0
-rw-rw-r-- 1 1000 1000 0 Oct  2 15:08 file2.txt
-rw-rw-r-- 1 1000 1000 0 Oct  2 15:08 file1.txt
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ ls -ltra
total 12
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  2 15:08 ..
-rw-rw-r-- 1 ubuntu ubuntu  0 Oct  2 15:08 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu  0 Oct  2 15:08 file1.txt
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  2 15:08 .
drwxrwxr-x 8 ubuntu ubuntu 4096 Oct  2 15:08 .git
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ cd ../../firstserver/
-bash: cd: ../../firstserver/: No such file or directory
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ cd ../../demofile/
ubuntu@ip-172-31-6-187:~/demofile$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ cd ../../firstserver/
-bash: cd: ../../firstserver/: No such file or directory
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ cd ../../demofile/
ubuntu@ip-172-31-6-187:~/demofile$ touch file3.txt
ubuntu@ip-172-31-6-187:~/demofile$ git add .
warning: adding embedded git repository: firstserver
hint: You've added another git repository inside your current repository.
hint: Clones of the outer repository will not contain the contents of
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:   git submodule add <url> firstserver
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:   git rm --cached firstserver
hint: See "git help submodule" for more information.
ubuntu@ip-172-31-6-187:~/demofile$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osU...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
hint:
hint:   git rm --cached firstserver
hint:
hint: See "git help submodule" for more information.
ubuntu@ip-172-31-6-187:~/demofile$ git commit -m"Second Commit"
[master eadf84d] Second Commit
Committer: Ubuntu <ubuntu@ip-172-31-6-187.ap-south-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

2 files changed, 1 insertion(+)
create mode 100644 file3.txt
create mode 160000 firstserver
ubuntu@ip-172-31-6-187:~/demofile$
```

#### i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187



Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook (Sajin Farook)

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osUser=u...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

hint: index with:  
hint:  
hint:  
hint: git rm --cached firstserver  
hint:  
hint: See "git help submodule" for more information.  
ubuntu@ip-172-31-6-187:~/demofile\$ git commit -m"Second Commit"  
[master eadf84d] Second Commit  
Committer: Ubuntu <ubuntu@ip-172-31-6-187.ap-south-1.compute.internal>  
Your name and email address were configured automatically based  
on your username and hostname. Please check that they are accurate.  
You can suppress this message by setting them explicitly. Run the  
following command and follow the instructions in your editor to edit  
your configuration file:  
  
git config --global --edit  
  
After doing this, you may fix the identity used for this commit with:  
  
git commit --amend --reset-author  
  
2 files changed, 1 insertion(+)  
create mode 100644 file3.txt  
create mode 160000 firstserver

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook (Sajin Farook)

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osUser=u...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

2 files changed, 1 insertion(+)

create mode 100644 file3.txt

create mode 160000 firstserver

ubuntu@ip-172-31-6-187:~/demofile\$ git push origin master

Username for 'https://github.com': SajinFarook

Password for 'https://SajinFarook@github.com':

Enumerating objects: 3, done.

Counting objects: 100% (3/3), done.

Delta compression using up to 2 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (2/2), 300 bytes | 300.00 KiB/s, done.

Total 2 (delta 0), reused 0 (delta 0), pack-reused 0

To https://github.com/SajinFarook/firstserver.git

c83e893..eadf84d master -> master

ubuntu@ip-172-31-6-187:~/demofile\$

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences



Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook (Sajin Farook)

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osUser=u...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$ ls -ltr
total 0
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  2 15:08 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  2 15:08 file1.txt
ubuntu@ip-172-31-6-187:~/clonerepo/firstserver$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osUser=u...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

ubuntu@ip-172-31-6-187:~/clonerepo/firstserver\$ ls -ltr

total 0

-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 2 15:08 file2.txt

-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 2 15:08 file1.txt

ubuntu@ip-172-31-6-187:~/clonerepo/firstserver\$ git pull https://github.com/SajinFarook/firstserver

remote: Enumerating objects: 3, done.

remote: Counting objects: 100% (3/3), done.

remote: Compressing objects: 100% (2/2), done.

remote: Total 2 (delta 0), reused 2 (delta 0), pack-reused 0 (from 0)

Unpacking objects: 100% (2/2), 280 bytes | 280.00 KiB/s, done.

From https://github.com/SajinFarook/firstserver

\* branch HEAD -&gt; FETCH\_HEAD

Updating c83e893..eadf84d

Fast-forward

file3.txt | 0

firstserver | 1 +

2 files changed, 1 insertion(+)

create mode 100644 file3.txt

create mode 160000 firstserver

ubuntu@ip-172-31-6-187:~/clonerepo/firstserver\$

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osUser=u...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~/demofile$ git branch featureA
ubuntu@ip-172-31-6-187:~/demofile$ git branch
featureA
* master
ubuntu@ip-172-31-6-187:~/demofile$
```

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osUser=u...

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~/demofile$ git branch featureA
ubuntu@ip-172-31-6-187:~/demofile$ git branch
featureA
* master
ubuntu@ip-172-31-6-187:~/demofile$ git checkout featureA
Switched to branch 'featureA'
ubuntu@ip-172-31-6-187:~/demofile$ git branch
* featureA
master
ubuntu@ip-172-31-6-187:~/demofile$
```

**i-0df9a27d43f0aee2a (firstserver)**

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osUser=ubuntu

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

```
ubuntu@ip-172-31-6-187:~/demo$ git log
commit eadf84da81fcd336d25f96fc3d86d1bc230311db (HEAD -> featureA, origin/master, master)
Author: Ubuntu <ubuntu@ip-172-31-6-187.ap-south-1.compute.internal>
Date: Thu Oct 2 15:18:52 2025 +0000

    Second Commit

commit c83e8935937623b14f83bdc3cfb191cf3022a054
Author: Ubuntu <ubuntu@ip-172-31-6-187.ap-south-1.compute.internal>
Date: Thu Oct 2 14:35:51 2025 +0000

    First Commit

ubuntu@ip-172-31-6-187:~/demo$
```

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instances | EC2 | ap-south-1

EC2 Instance Connect | ap-south-1

SajinFarook/firstserver

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0df9a27d43f0aee2a&osUser=ubuntu

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

Account ID: 3546-3028-6735

Sajin%20Farook

ubuntu@ip-172-31-6-187:~/demofile\$ git log

commit eadf84da81fcd336d25f96fc3d86d1bc230311db (HEAD -> featureA, origin/master, master)

Author: Ubuntu <ubuntu@ip-172-31-6-187.ap-south-1.compute.internal>

Date: Thu Oct 2 15:18:52 2025 +0000

Second Commit

commit c83e8935937623b14f83bdc3cfb191cf3022a054

Author: Ubuntu <ubuntu@ip-172-31-6-187.ap-south-1.compute.internal>

Date: Thu Oct 2 14:35:51 2025 +0000

First Commit

ubuntu@ip-172-31-6-187:~/demofile\$ git merge featureA

Already up to date.

ubuntu@ip-172-31-6-187:~/demofile\$

i-0df9a27d43f0aee2a (firstserver)

PublicIPs: 13.233.82.211 PrivateIPs: 172.31.6.187

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences