

# Sukkur IBA University Department of Computer Science



# DATA STRUCTURES Lab01 - Arrays/Linkedlist

### Saif Hassan

Date: 8th January, 2020

### READ IT FIRST

Prior to start solving the problems in this assignments, please give full concentration on following points.

- 1. WORKING This is individual lab. If you are stuck in a problem contact your teacher, but, in mean time start doing next question (don't waste time).
- 2. DEADLINE One Week after assigned this.
- 3. SUBMISSION This assignment needs to be submitted in a soft copy.
- 4. WHERE TO SUBMIT Please visit your Google Classroom.
- 5. HOW TO SUBMIT rename all .java/.cpp files as task number and make .zip file, name it as 000-00-0000\_assignment.zip, and submit .java/.cpp file ONLY.

#### **KEEP IT WITH YOU!**

- 1. Indent your code inside the classes and functions. It's a good practice!
- 2. It is not bad if you keep your code indented inside the loops, if and else blocks as well.
- 3. Comment your code, where it is necessary.
- 4. Read the entire question. Don't jump to the formula directly.

Instructor: Saif Hassan

# Exercises

# Arrays

## Task01 (NLP)

Create a file named NLArray.java and design following functions:

- String [] wordTokenize (String fileName) → Read any text file and return list of words from that file. (Ignore . , : and all these types operators)
- String[] extractEmail (String fileName) → Read any text file and return all emails from and file

Note: Read about Natural Language Processing (NLP), Word Tokenizing, Stop Words, Information Extraction/Retrieval for Knowledge.

# Task02 (Image Cropping)

Design following methods in above same class NLArray.java.

- void extractBoundaries (int arr[][]) → This function should extract boundaries and print from arr (Boundaries include 1<sup>st</sup> row, 1<sup>st</sup> col, last row, last col).
- void cropCenterPart (int arr[][]) → This function should extract center part and print from arr, center part includes everything except Boundaries (Boundaries include 1<sup>st</sup> row, 1<sup>st</sup> col, last row, last col).

## Instructor: Saif Hassan

## Task03 (Determining N consecutive same values)

Design following methods in above same class NLArray.java.

boolean NConRep (int arr[][]) → This function would return True if N consecutive values are same otherwise false. Check examples:


2	1	3	5
22	22	22	22
12	41	88	53
57	8	74	4

N is 4 so matrix is 4x4 and in 4 consecutive values are same so it should return True.

## Task04 Linked Lists

In this task you will write a program that implements a variant of a linked list. This variant has a dummy node pointed to by the head link as shown in the following figure:

Linked list with a dummy first node:



This trick will allow your code to be a little simpler, not requiring a special case for add or remove operations. Your constructor method will be:

```
head = new Node(null);
size = 0;
```

public LinkedList(){

}

You need to write a class called LinkedList that implements the following List

```
interface:
// a list interface
public interface List {
 public boolean isEmpty();
     // returns true if the list is empty, false otherwise
     public int size();
     // returns the number of items in the list
      public void add(Object item);
     // adds an item to the list
     // item is added at the end of the list
      public void add(int index, Object item); //
      adds an item to the list at the given index //
      item is added at the given index; // the
      indices start from 1.
     public void remove(int index);
     // removes the item from the list that has the given index
      public void remove(Object item);
     // removes an item from the list
     // removes the first item in the list whose equal method matches
     // that of the given item
     public List duplicate();
     // creates a duplicate of the list
     // returns a copy of the linked list
     public List duplicateReversed();
     // creates a duplicate of the list with the nodes in reverse order
     // returns a copy of the linked list with the nodes in reverse order
}
In addition to the interface, your LinkedList class needs to implement a
toString() method that prints the list in the format
[ size: the_size_of_the_list - item1, item2, .... ]
Specifications, notes, and hints
Your program needs to meet the following specifications:
```

- Instructor: Saif Hassan
- Submit the file LinkedList.java and additional files if applicable. Your Node class should be an inner class within the LinkedList class. Make sure your class implements the interface as specified, i.e. your class should begin with public class LinkedList implements List.
- When commenting your code use <code>Javadoc</code> style comments at the beginning of each method.
- Put comments at the top of the file (Java File) with your name, S\_ID, S\_Name, date and course, and a short (one or two line) description of what the program does. Make sure your code runs on machine.

Submit your source code files via the classroom by the due date (remember the course syllabus for the late policy).