```
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
   <title>Document</title>
</head>
<body>
    <h2 id="heading1">Setting JQuery</h2>
   <button type="button" id="btn1">Click Me</button>
   function f1(){
       $("#heading1").fadeToggle(2000);//this function do
simple
</script>
   <!-- *** EVENTS *** -->
<script>
makes events available only after page is loaded
   $("document").ready(function(){
       $("button").click(f1);
       function f1() {
```

```
$("#heading1").fadeToggle(200);
  })
</script>
  <!-- *** EFFECTS and ANIMATE EFFECTS *** -->
   <button id="btn1">Toggle
  <button id="btn2">btn2
  <button id="btn3">btn3
  <<div id="firstdiv">
  This is 1st para in 1st Div
  This is 2nd para in 1st Div
  </div>
  <div id="seconddiv">
  This is 3rd para in 2nd div 
  </div>
  <link href="jquery.css" rel="stylesheet">
  <div class="mycube" id="cube">
  CUBE
</div>
  <!-- *** EFFECTS *** -->
  $ ("document") .ready(function() {
```

```
$("#btn1").click(f1);
       function f1()
           $("#firstdiv").fadeOut("fast");
       $("#btn3").click(f2);
       function f2()
           $("#firstdiv").fadeIn();
       $("#btn2").click(f3);
       function f3()
           $("#thirddiv").fadeToggle();
   })
</script>
  <!-- *** ANIMATION EFFETCS *** -->
  $("document").ready(function(){
       $("#btn1").click(f1);
       function f1()
           $("#cube").animate({
               left:'150px',
```

```
opacity: '1',
               width: '100px',
               height: '100px',
           },1000)
  })
</script>
   <!-- *** CALLBACK AND CHAINING *** -->
       $("document").ready(function(){
           //callBack
           $("#btn1").click(function () {
               $("#firstdiv").slideToggle(200, function () {
                   alert("Division is Toggeled")
               });
before the effect
           $("#btn1").click(function () {
```

```
$("#firstdiv").slideUp(2000).slideDown(2000).fadeOut(2000).fa
deIn(2000);
           //this calls one function after the other which
reduces or code, this is chaining
       })
       })
   </script>
</body>
<script src="JQuery.js"></script> // Need to include the
code in jquery.js which has some predefined function
</html>
```