

Multiclass test confusion matrix

	AK	BCC	BKL	DF	MEL	NV	SCC	VASC
AK	75	17	12	1	5	8	11	0
BCC	10	420	7	7	16	19	14	5
BKL	20	10	254	1	32	59	17	2
DF	0	3	0	29	0	1	2	0
MEL	5	13	19	0	511	123	6	1
NV	1	13	30	6	91	1782	5	3
SCC	3	8	7	4	9	1	63	0
VASC	0	0	0	0	1	0	0	36
	AK	BCC	BKL	DF	MEL	NV	SCC	VASC
Predicted label								

Multiclass test confusion matrix — row proportions

True label	AK	0.58	0.13	0.09	0.01	0.04	0.06	0.09	0.00
	BCC	0.02	0.84	0.01	0.01	0.03	0.04	0.03	0.01
	BKL	0.05	0.03	0.64	0.00	0.08	0.15	0.04	0.01
	DF	0.00	0.09	0.00	0.83	0.00	0.03	0.06	0.00
	MEL	0.01	0.02	0.03	0.00	0.75	0.18	0.01	0.00
	NV	0.00	0.01	0.02	0.00	0.05	0.92	0.00	0.00
	SCC	0.03	0.08	0.07	0.04	0.09	0.01	0.66	0.00
	VASC	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.97
	Predicted label								