

PRM – Oct/Nov 2020 – P21

1 **(a)** All variables, constants and other identifiers must have meaningful names.

Name **five** variables you would use to store relevant information from the driver to calculate the percentage price change in the starting price of the car insurance.

……

……

……

……

……

……

…… [3]

(b) Explain how you would carry out simultaneous checks for the age range and the years without insurance claim of the driver in **Task 2**.

Name the programming concept used to carry out these checks.

Programming concept ……

Explanation ……

……

……

……

……

…… [3]

(c) Suppose the actual price of insurance at the end of **Task 2** is $700.

State and explain the effects of adding an extra 27-year-old driver in **Task 3**. State also the new actual price.

……

……

……

……

…… [3]

(d) The insurance company requires that you use the following identifiers in your code for their specific variable(s):

`engine_size`: to store the size of the engine in litres

`car_value`: to store the value of the car per $1000

`perc_change`: to store the change in price (in percentage) from the starting price for each variable information.

Write an algorithm for **Task 1**, using **either** pseudocode **or** programming statements. Implement the use of these identifiers to their relevant corresponding data structures.

……

……

……

……

……

……

……

……

……

……



PRM – Oct/Nov 2020 – P21

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [6]

(e) Using **either** pseudocode **or** programming statements, write an algorithm for **Task 2**.

Assume that **Task 1** has been completed.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

(f) Explain how you extended **Task 1** and **Task 2** to meet the requirements for **Task 3**.

Include and fully explain any altered or additional programming statements.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [5]