

# Cucumber Report

Nov 9, 2022, 6:48:16 PM

**Start : Nov 09, 6:48:05.965 PM**

**End : Nov 09, 6:48:15.078 PM**

**Duration : 9.113 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 3**

**SKIPPED - 0**

**PASSED - 0**




**FAILED - 11**

**SKIPPED - 0**

**PASSED - 10**


**FAILED - 11**

**SKIPPED - 22**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Account Page Feature</u>	7.446 s	2	0	2	0	8	0	2	6
<u>Contact Us Feature</u>	8.370 s	6	0	6	0	24	6	6	12
<u>Login Page Feature</u>	9.091 s	3	0	3	0	11	4	3	4

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Skip_scenario	2	0	2	0	2	0	2	0
@Smoke	2	0	2	0	1	0	1	0
@Login	3	0	3	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Account Page Feature</u>	2	0	2	0	7.446 s
2	<u>Contact Us Feature</u>	6	0	6	0	8.370 s
3	<u>Login Page Feature</u>	3	0	3	0	9.091 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	1	3	7.145 s
2	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	1	3	7.417 s
3	<u>Contact Us Feature</u>	<u>Contact us scenario with different set of data</u>	4	1	1	2	8.341 s
4	<u>Contact Us Feature</u>	<u>Contact us scenario with different set of data</u>	4	1	1	2	8.280 s
5	<u>Contact Us Feature</u>	<u>Contact us scenario with different set of data</u>	4	1	1	2	7.125 s
6	<u>Contact Us Feature</u>	<u>Contact us scenario with different set of data</u>	4	1	1	2	7.124 s
7	<u>Contact Us Feature</u>	<u>Contact us scenario with different set of data</u>	4	1	1	2	7.091 s
8	<u>Contact Us Feature</u>	<u>Contact us scenario with different set of data</u>	4	1	1	2	8.359 s
9	<u>Login Page Feature</u>	<u>Login Page Title</u>	3	2	1	0	8.108 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Login Page Feature	Forgot Password Link	2	1	1	0	8.334 s
11	Login Page Feature	Login With Correct Credentials	6	1	1	4	1.969 s


## Account Page Feature

FAILED	DURATION - 7.446 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 8 Pass - 0 Fail - 2 Skip - 6	
/ 6:48:05.965 PM // 6:48:13.411 PM /					

## Accounts section count



FAILED		DURATION - 7.145 s			Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 6:48:05.968 PM // 6:48:13.113 PM /						
Account Page Feature						
@Skip_scenario						

#	Step / Hook Details	Status	Duration				
1	<div>Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>sshadman.qa@gmail.com</td><td>sakif</td></tr></table> <div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [345f66c7e9e7296d35f16ed3e2c14515, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\larnob\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52568}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52568/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 345f66c7e9e7296d35f16ed3e2c14515 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</div>	username	password	sshadman.qa@gmail.com	sakif	FAILED	2.784 s
username	password						
sshadman.qa@gmail.com	sakif						


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.Pages.LoginPage.doLogin(LoginPage.java:45) at Parallel.AccountPageSteps.user_has_already_logged_in_to_application(AccountPageSteps.java:28) at ?.user has already logged in to application(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/AccountPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given user is on Account page	SKIPPED	0.000 s
3	Then user gets accounts section	SKIPPED	0.001 s
	<div> <div>ORDER HISTORY AND DETAILS</div> <div>MY CREDIT SLIPS</div> <div>MY ADDRESSES</div> <div>MY PERSONAL INFORMATION</div> <div>MY WISHLISTS</div> <div>Home</div> </div>		
4	And accounts section count should be 6	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.161 s
	Accounts_section_count		
			

## Accounts page title





<div>FAILED</div> <div>DURATION - 7.417 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 6:48:05.994 PM // 6:48:13.411 PM /				
Account Page Feature				



#	Step / Hook Details	Status	Duration				
1	<div>Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>sshadman.qa@gmail.com</td><td>sakif</td></tr></table> <div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [106ec236692b1cea76bd9b9992ea5240, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\larnob\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52575}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52575/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 106ec236692b1cea76bd9b9992ea5240 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.Pages.LoginPage.doLogin(LoginPage.java:45)</div>	username	password	sshadman.qa@gmail.com	sakif	FAILED	2.849 s
username	password						
sshadman.qa@gmail.com	sakif						

#	Step / Hook Details	Status	Duration
	at Parallel.AccountPageSteps.user_has_already_logged_in_to_application(AccountPageSteps.java:28) at ?.user has already logged in to application(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/AccountPage.feature:4) * Not displayable characters are replaced by '?'.		
2	Given user is on Account page	SKIPPED	0.000 s
3	When user gets the title of the page	SKIPPED	0.000 s
4	Then page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.279 s
	Accounts_page_title		
			

## Contact Us Feature

FAILED	DURATION - 8.370 s	Scenarios		Steps	
/ 6:48:05.980 PM // 6:48:14.350 PM /		Total - 6		Total - 24	
		Pass - 0		Pass - 6	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 12	



## Contact us scenario with different set of data

FAILED		DURATION - 8.341 s			Steps	
/ 6:48:05.984 PM // 6:48:14.325 PM /					Total - 4	
Contact Us Feature					Pass - 1	
					Fail - 1	
					Skip - 2	


#	Step / Hook Details	Status	Duration
1	Given user navigate to contact us page	PASSED	3.755 s
2	When user fills the form from given sheetName "contactus" and rowNumber 1	FAILED	0.194 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_contact"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c3a1ab3628b0b923ed7a456320663b3c, findElement {using=id, value=id_contact}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\arnob\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52573}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52573/devtoo..., se.cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c3a1ab3628b0b923ed7a456320663b3c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)  at com.Pages.ContactUsPage.fillContactUsFrom(ContactUsPage.java:26)  at Parallel.ContactUsSteps.user_fills_the_form_from_given_sheetName_and_rowNumber(ContactUsSteps.java:39)  at ?.user fills the form from given sheetName "contactus" and rowNumber 1(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/ContactUs.feature:6)  * Not displayable characters are replaced by '?'. </p>		
3	And user clicks on send button	SKIPPED	0.002 s
4	Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.285 s
	Contact_us_scenario_with_different_set_of_data		

#	Step / Hook Details	Status	Duration



### Contact us scenario with different set of data

<div>FAILED</div> <div>DURATION - 8.280 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 6:48:05.988 PM // 6:48:14.268 PM /				
Contact Us Feature				


#	Step / Hook Details	Status	Duration
1	Given user navigate to contact us page	PASSED	3.346 s
2	When user fills the form from given sheetName "contactus" and rowNum 4  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_contact"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2c3fb8880916512d74458c2c2c9aafc5, findElement {using=id, value=id_contact}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\arnob\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52563}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52563/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c3fb8880916512d74458c2c2c9aafc5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	FAILED	0.208 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.Pages.ContactUsPage.fillContactUsFrom(ContactUsPage.java:26) at Parallel.ContactUsSteps.user_fills_the_form_from_given_sheetName_and_rowNumber(ContactUsSteps.java:39) at ?.user fills the form from given sheetName "contactus" and rowNumber 4(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/ContactUs.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And user clicks on send button	SKIPPED	0.000 s
4	Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.004 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.285 s
	Contact_us_scenario_with_different_set_of_data		
			



### Contact us scenario with different set of data

<div>FAILED</div> <div>DURATION - 7.125 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 6:48:05.989 PM // 6:48:13.114 PM /				
Contact Us Feature				


#	Step / Hook Details	Status	Duration
1	Given user navigate to contact us page	PASSED	2.381 s
2	When user fills the form from given sheetName "contactus" and rowNumber 3	FAILED	0.243 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_contact"}		

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=107.0.5304.89) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efaaa1e2a76b68f1563e386e518faa3, findElement {using=id, value=id_contact}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\arnob\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52562}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52562/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6efaaa1e2a76b68f1563e386e518faa3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)  at com.Pages.ContactUsPage.fillContactUsFrom(ContactUsPage.java:26)  at Parallel.ContactUsSteps.user_fills_the_form_from_given_sheetName_and_rowNumber(ContactUsSteps.java:39)  at ?.user fills the form from given sheetName "contactus" and rowNumber 3(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/ContactUs.feature:6)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
3	And user clicks on send button	SKIPPED	0.002 s
4	Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.234 s
	Contact_us_scenario_with_different_set_of_data		
			



## Contact us scenario with different set of data

<div>FAILED</div> <div>DURATION - 7.124 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 6:48:05.989 PM // 6:48:13.113 PM /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
1	Given user navigate to contact us page	PASSED	2.244 s
2	When user fills the form from given sheetName "contactus" and rowNumber 5	FAILED	0.682 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_contact"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a0f214caabb48a2118e4dd20adf5fb9b, findElement {using=id, value=id_contact}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\arnob\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52564}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52564/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a0f214caabb48a2118e4dd20adf5fb9b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.Pages.ContactUsPage.fillContactUsFrom(ContactUsPage.java:26)</pre>		


#	Step / Hook Details	Status	Duration
	at Parallel.ContactUsSteps.user_fills_the_form_from_given_sheetName_and_rowNumber(ContactUsSteps.java:39) at ?.user fills the form from given sheetName "contactus" and rowNumber 5(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/ContactUs.feature:6) * Not displayable characters are replaced by '?'.		
3	And user clicks on send button	SKIPPED	0.001 s
4	Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.223 s
	Contact_us_scenario_with_different_set_of_data		
			

### Contact us scenario with different set of data



FAILED		DURATION - 7.091 s			Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 6:48:05.990 PM // 6:48:13.081 PM /						
Contact Us Feature						

#	Step / Hook Details	Status	Duration
1	Given user navigate to contact us page	PASSED	2.197 s
2	When user fills the form from given sheetName "contactus" and rowNumber 2	FAILED	0.687 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_contact"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8984f5e7f6c2d5f022c28076b7ec1c89, findElement {using=id, value=id_contact}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:/Users/arnob/AppData/Local...}, goog:chromeOptions: {debuggerAddress: localhost:52561}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52561/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8984f5e7f6c2d5f022c28076b7ec1c89		




#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.Pages.ContactUsPage.fillContactUsFrom(ContactUsPage.java:26) at Parallel.ContactUsSteps.user_fills_the_form_from_given_sheetName_and_rowNumber(ContactUsSteps.java:39) at ?.user fills the form from given sheetName "contactus" and rowNumber 2(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/ContactUs.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And user clicks on send button	SKIPPED	0.001 s
4	Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.230 s
	Contact_us_scenario_with_different_set_of_data		
			



## Contact us scenario with different set of data

<div>FAILED</div> <div>DURATION - 8.359 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 6:48:05.991 PM // 6:48:14.350 PM /				
Contact Us Feature				



#	Step / Hook Details	Status	Duration
1	Given user navigate to contact us page	PASSED	3.675 s
2	When user fills the form from given sheetName "contactus" and rowNum 0  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#id_contact"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d297dd85c478c4446acda78d61f37e8, findElement {using=id, value=id_contact}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\arnob\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52574/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5d297dd85c478c4446acda78d61f37e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.Pages.ContactUsPage.fillContactUsFrom(ContactUsPage.java:26) at Parallel.ContactUsSteps.user_fills_the_form_from_given_sheetName_and_rowNumber(ContactUsSteps.java:39) at ?.user fills the form from given sheetName "contactus" and rowNum 0(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/	FAILED	0.086 s

#	Step / Hook Details	Status	Duration
	test/resources/Parallel/ContactUs.feature:6) * Not displayable characters are replaced by '?'. And user clicks on send button		
3	Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
4	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Contact_us_scenario_with_different_set_of_data	PASSED	0.283 s
			


## Login Page Feature

FAILED	DURATION - 9.091 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 11 Pass - 4 Fail - 3 Skip - 4	
/ 6:48:05.987 PM // 6:48:15.078 PM /					



## Login Page Title

FAILED	DURATION - 8.108 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 6:48:05.987 PM // 6:48:14.095 PM /				
Login Page Feature				
@Smoke @Login				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	3.565 s
2	When user gets the title of the page	PASSED	0.020 s
3	Then page title should be "Login - My Store"	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected [true] but found [false]     at org.testng.Assert.fail(Assert.java:110)     at org.testng.Assert.failNotEquals(Assert.java:1413)     at org.testng.Assert.assertTrue(Assert.java:56)     at org.testng.Assert.assertTrue(Assert.java:66)     at Parallel.LoginPageSteps.page_title_should_be(LoginPageSteps.java:29)     at ?.page title should be "Login - My Store"(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/LoginPage.feature:8)     * Not displayable characters are replaced by '?'. </pre>		
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.279 s
	Login_Page_Title		
			



## Forgot Password Link

FAILED		DURATION - 8.334 s			Steps Total - 2 Pass - 1 Fail - 1 Skip - 0			
/ 6:48:05.991 PM // 6:48:14.325 PM /								
Login Page Feature								
@Smoke @Login								

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	3.724 s
2	Then forgot your password link should be displayed	FAILED	0.037 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Forgot your password?"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e1ba38bfc8a53281de53a1bdd667df3, findElement {using=link text, value=Forgot your password?}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\arnob\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52560}, networkConnectionEnabled: false, </pre>		

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52560/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e1ba38bfc8a53281de53a1bdd667df3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)  at com.Pages.LoginPage.isForgotPwdLinkExist(LoginPage.java:28)  at Parallel.LoginPageSteps.forgot_your_password_link_should_be_displayed(LoginPageSteps.java:34)  at ?.forgot your password link should be displayed(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/LoginPage.feature:13)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.271 s
	Forgot_Password_Link		

## Login With Correct Credentials

<div>FAILED</div> <div>DURATION - 1.969 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 6:48:13.109 PM // 6:48:15.078 PM /</div>				
<div>Login Page Feature</div>				
<div>@Regression @Skip_scenario @Login</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	0.559 s
2	When user enters username "sshadman.qa@gmail.com" <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'SAKIF', ip: '10.11.64.81', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9a7924af8dce72ffc6dc8218d2e1d8f1, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\arnob\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52748}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52748/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9a7924af8dce72ffc6dc8218d2e1d8f1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at com.Pages.LoginPage.enterUserName(LoginPage.java:32) at Parallel.LoginPageSteps.user_enters_username(LoginPageSteps.java:39) at ?.user enters username "sshadman.qa@gmail.com"(file:///C:/Users/arnob/IdeaProjects/CucumberPOMSeries/src/test/resources/Parallel/ </pre>	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	LoginPage.feature:18) * Not displayable characters are replaced by '?'. 3 And user enters password "sakif" 4 And user clicks on login button 5 Then user gets the title of the page 6 And page title should be "My account - My Store"		
	AFTER - Parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.213 s
	Login_With_Correct_Credentials		
	Account Suspended 