

IF-ELSE AND SWITCH-CASE ASSIGNMENT

1. Find out the greatest number out of three different given numbers.

Input the 1st number: 25

Input the 2nd number: 78

Input the 3rd number: 87

Expected Output:

The greatest: 87

2. Find out the greatest number out of four different given numbers.

Input the 1st number: 25

Input the 2nd number: 78

Input the 3rd number: 87

Input the 4th number: 97

Expected Output:

The greatest: 97

3. Write a JavaScript program to test whether a number is positive or negative.

Test Data:

Input number: 35

Expected Output: Positive number

Input number: -11

Expected Output: Negative number

4. WAP to check whether a number is odd or even using If-Else.

5. WAP to check whether the given alphabet character is a Vowel or Consonant using Switch-Case.

6. WAP to run your test cases in a specific environment such as QA, Stage, Dev, UAT, or Prod using Switch-Case.

7. WAP to book a specific type of car from the Uber app using Switch-Case.

Car Type:

Mini, Sedan, SUV, Premium

If the user passes the wrong car type, print:
"Please select the right car type."

8. WAP to launch browsers using If-Else and Switch-Case.

Browser:
Chrome, Firefox, Edge, Safari

If the user passes the wrong browser, print:
"Please pass the right browser name."

9. WAP to define the interest rate based on the Loan Type using Switch-Case.

Loan Type:
Car Loan, Housing Loan, Personal Loan, Education Loan

For Housing Loan, if the user's salary is less than 35000 USD, print:
"NOT APPLICABLE FOR Housing Loan"

10. Check whether a given year is a Leap Year using If-Else.

Test Data:
2024 -> 2024 is a Leap Year
2023 -> 2023 is not a Leap Year

11. Find the Smallest Number Out of Three Numbers using If-Else.

Input 1: 45
Input 2: 12
Input 3: 78

Expected Output:
The smallest: 12

12. Check Whether a Number is Divisible by Both 5 and 11 using If-Else.

Input: 55
Expected Output: 55 is divisible by both 5 and 11

Input: 25
Expected Output: 25 is not divisible by both 5 and 11

13. Find Whether a Number is Positive, Negative, or Zero using If-Else-If.

25 -> Positive Number
-15 -> Negative Number
0 -> Zero

14. Check Eligibility for Driving License.

Age $\geq$ 18 -> Eligible
Age < 18 -> Not Eligible

15. Student Grade Calculator using If-Else-If.

90 - 100 -> Grade A
80 - 89 -> Grade B
70 - 79 -> Grade C
60 - 69 -> Grade D
Below 60 -> Grade F

16. Check Valid Triangle.

Check whether three given sides can form a valid triangle.

Conditions:

$a + b > c$
 $a + c > b$
 $b + c > a$

If all conditions are satisfied: Valid Triangle
Otherwise: Invalid Triangle

17. Identify the Type of Triangle using If-Else-If.

Identify whether a triangle is:

Equilateral
Isosceles
Scalene

18. Check Whether a Character is Uppercase, Lowercase, Digit, or Special Character.

A -> Uppercase Alphabet
a -> Lowercase Alphabet
0 - 9 -> Digit
@ -> Special Character

19. Day of the Week Using Switch-Case.

1 -> Monday
2 -> Tuesday
3 -> Wednesday
4 -> Thursday
5 -> Friday
6 -> Saturday
7 -> Sunday

Outside 1-7 -> Invalid Day

20. Month Name Using Switch-Case.

1 -> January
2 -> February
3 -> March
4 -> April
5 -> May
6 -> June
7 -> July
8 -> August
9 -> September
10 -> October
11 -> November
12 -> December

Invalid number -> Invalid Month

21. Calculator Using Switch-Case.

Operations:

+ -> Addition
- -> Subtraction
* -> Multiplication
/ -> Division
% -> Modulus

If an invalid operator is provided:
Invalid Operator

22. Login Profile Using Switch-Case.

Profiles:

admin
buyer
seller
guest

Expected:

admin -> Login with Admin Profile

buyer -> Login with Buyer Profile

seller -> Login with Seller Profile

guest -> Login with Guest Profile

Invalid profile -> Invalid User Profile

23. Test Execution Based on Environment using Switch-Case.

Environment:

QA

STAGE

DEV

UAT

PROD

QA -> Running Regression Test Suite

STAGE -> Running Sanity Test Suite

DEV -> Running Smoke Test Suite

UAT -> Running UAT Test Suite

PROD -> Running Production Smoke Test Suite

Invalid environment -> Invalid Environment

24. Browser Launch Based on User Selection.

Browser:

Chrome

Firefox

Edge

Safari

Expected:

Chrome -> Launching Chrome Browser

Firefox -> Launching Firefox Browser

Edge -> Launching Edge Browser

Safari -> Launching Safari Browser

Invalid browser -> Invalid Browser

25. Employee Bonus Calculation using Switch-Case.

Rating:

5 -> 20% Bonus

4 -> 15% Bonus

- 3 -> 10% Bonus
- 2 -> 5% Bonus
- 1 -> No Bonus

26. ATM Menu Using Switch-Case.

Options:

- 1 -> Check Balance
- 2 -> Withdraw Money
- 3 -> Deposit Money
- 4 -> Change PIN
- 5 -> Exit

Invalid option -> Invalid Option

27. Check Login Credentials using If-Else.

Expected Credentials:

Username: admin

Password: admin123

Both correct -> Login Successful

Wrong username -> Invalid Username

Wrong password -> Invalid Password

Both wrong -> Invalid Username and Password

28. E-Commerce Discount Calculator.

Conditions:

Amount $\geq$ 1000 -> 20% Discount

Amount $\geq$ 500 -> 10% Discount

Amount $\geq$ 250 -> 5% Discount

Below 250 -> No Discount

Display:

Original Amount

Discount

Final Amount

29. Uber Ride Eligibility.

Conditions:

1-3 passengers -> Mini

4 passengers -> Sedan

5-6 passengers -> SUV

More than 6 passengers:
Please select a larger vehicle.

30. Application Access Based on User Role using Switch-Case.

Roles:

Admin

Manager

Tester

Developer

Guest

Admin -> Full Application Access

Manager -> Reports + User Management

Tester -> Test Management

Developer -> Development Module

Guest -> Read Only Access

31. Select Test Suite Based on Execution Type using Switch-Case.

Execution Types:

smoke

sanity

regression

e2e

smoke -> Executing Smoke Tests

sanity -> Executing Sanity Tests

regression -> Executing Regression Tests

e2e -> Executing End-to-End Tests

32. Select Playwright Browser.

Browsers:

chromium

firefox

webkit

chromium -> Launching Chromium

firefox -> Launching Firefox

webkit -> Launching WebKit

Invalid browser -> Unsupported Browser

33. Environment + User Profile using Nested Switch-Case.

Environment:

QA

STAGE

PROD

User Profile:

admin

seller

buyer

Example:

Environment: QA

User: admin

Expected:

Running tests in QA

Login with Admin Profile

34. Environment + Test Type.

Accept both Environment and Test Type.

Example:

Environment: QA

Test Type: regression

Expected:

Running Regression Tests on QA Environment

Environment:

QA

STAGE

UAT

PROD

Test Type:

Smoke

Sanity

Regression