

Hw 10 lab report

My website (checks useragent to give relevant devtools per browser:

This is your Discord Kitten

Detected Firefox: Open DevTools with F12 or Ctrl+Shift+I; use the Debugger tab for breakpoints and stepping.



Name: **Discord Kitten**

Weight: **12 pounds**

Happiness: **8 tail wags (per min)**

Distance: **10 feet away**

TreatPlayExerciseCall

✖ DevTools Examples (Chrome + Firefox)

MESSAGE LOGGING EXAMPLES

Log InfoLog WarningLog ErrorLog TableLog GroupLog Custom (Styled)

VIEW BROWSER MESSAGES & ERRORS

Cause 404 ErrorCause TypeErrorCause Performance Violation

FILTER MESSAGES

Show Message SourcesFilter by Text ExampleFilter by Regex ExampleFilter by User Messages

🔍 DEBUGGING & BREAKPOINTS

Reproduce Bug (Division by Zero)Get Familiar with Sources/Debugger UIVariable InspectionWatch Expressions ExamplePause on ExceptionPause with BreakpointStep Through Code

Apply Fix

Message logging:

The screenshot displays the Chrome DevTools Console with the following log entries:

- [READY] Discord Kitten App loaded! Open DevTools (F12 or Ctrl+Shift+I) to see console logging examples. [script.ts:351:10](#)
- [READY] Firefox detected: use the Debugger tab for breakpoints and stepping. [script.ts:353:12](#)
- [INFO] Pet was just fed! Happiness is now: 8 [script.ts:45:10](#)
- This is useful for tracking important events in the application. [script.ts:46:10](#)
- [WARNING] Pet happiness is dropping: 8 [script.ts:51:10](#)
- Consider playing with your pet soon! [script.ts:52:10](#)
- [ERROR] Pet weight is critically low: 12 [script.ts:57:10](#)
- The pet needs immediate attention! [script.ts:58:10](#)
- [TABLE] Current Pet Status Table: [script.ts:63:10](#)

(index)	Values
name	Discord Kitten
weight	12
happiness	8
distance	10

[script.ts:64:10](#)

- [TABLE] Pet Action History: [script.ts:72:10](#)

(index)	action	happiness	weight	timestamp
0	Treat	9	13	12:01
1	Play	10	12	12:05
2	Exercise	9	10	12:10

[script.ts:73:10](#)

- ▼ Pet Interaction Group [script.ts:78:10](#)
 - User clicked Treat button [script.ts:79:10](#)
 - Happiness before: 8 [script.ts:80:10](#)
 - Happiness after: 9 [script.ts:82:10](#)
 - Weight updated to: 12 [script.ts:83:10](#)
- ▼ Nested Group Example [script.ts:87:10](#)
 - Level 1: Main action [script.ts:88:10](#)
 - ▼ Level 2: Sub-action [script.ts:89:10](#)
 - Processing pet stats... [script.ts:90:10](#)
 - Validating constraints... [script.ts:91:10](#)
 - Back to level 1 [script.ts:93:10](#)

custom style for console message:

```
Custom Styled Console Message!      script.ts:100:10
Pet Name: Discord Kitten            script.ts:102:10
Status: Happy & Healthy              script.ts:103:10
Next Action Needed:                  script.ts:104:10
```

discord has this if you try to actually load this site or its scripts with its console:

```
If someone told you to                --.1e0bc32a8e36731e.js:15:3511
copy/paste something here you
have an 11/10 chance you're
being scammed.

Pasting anything in here                --.1e0bc32a8e36731e.js:15:3511
could give attackers
access to your Discord
account.

Hold                                     --.1e0bc32a8e36731e.js:15:3511
Up!


If someone told you to                --.1e0bc32a8e36731e.js:15:3511
copy/paste something here you
have an 11/10 chance you're
being scammed.

Pasting anything in here                --.1e0bc32a8e36731e.js:15:3511
could give attackers
access to your Discord
account.


Unless you understand exactly           --.1e0bc32a8e36731e.js:15:3511
what you are doing, close
this window and stay safe.

If you do understand exactly           --.1e0bc32a8e36731e.js:15:3511
what you are doing, you
should come work with us http
s://discord.com/jobs
```


browser error messages:




filter regex:




filter user messages:




filter by log level:




filter by text for action:




filter by source:




reproduce bug divide by zero:




console log giving instructions for source:




debugger source:



pause on breakpoint:



pressed f11 to step through:



pause on exception:

```
|| This function will throw an error for 'Pause on Exception' practice script.ts:252:10
! ▶ Exception caught: TypeError: petName.nonexistentProperty is undefined script.ts:263:12
  problematicFunction script.ts:257
  pauseOnExceptionExample script.ts:261
    ▶ jQuery 8
    <anonymous> script.ts:346
    ▶ jQuery 8
```

watch expressions:


```
▼ Watch expressions
counter, max, counter < max, counter * 2: (unavailable) X
```

```
Starting loop - you can watch these expressions in DevTools: script.ts:241:10
Add watches: counter, max, counter < max, counter * 2 script.ts:242:10
Counter iteration: 0 script.ts:245:12
Counter iteration: 1 script.ts:245:12
Counter iteration: 2 script.ts:245:12
Counter iteration: 3 script.ts:245:12
Counter iteration: 4 script.ts:245:12
>>
```

apply fix to division bug:

```
[BUG] Reproducing a common bug: division by zero script.ts:189:10
Attempt #5 -> Result of 100 / 0 = Infinity script.ts:196:10
! ▶ [BUG] DETECTED: Division resulted in Infinity! script.ts:199:12
[FIXED] Division result: 16.666666666666668 script.ts:281:10
Bug counter: 6 Divisor used: 6 script.ts:282:10
! Fix applied successfully; the result stays finite. script.ts:285:12
```


variable inspection:



scope panel:



watch variable:



check variable in console:

```
petInfo
>> petInfo
< ▶ Object { name: "Discord Kitten", weight: 10, happiness: 7, distance: 10 }
>>
```