



Pizza
Dominos



Retrieve the total number of orders placed

```
/*Retrieve the total number of orders placed*/  
SELECT COUNT(order_id) AS total_orders  
FROM orders;
```

	total_orders
▶	21350



List the top 5 most ordered pizza types along with their quantities

```
/*List the top 5 most ordered pizza types along with their quantities*/  
SELECT pt.name, SUM(od.quantity) AS total_quantity FROM pizza_types pt  
JOIN pizzas p ON pt.pizza_type_id = p.pizza_type_id  
JOIN order_details od ON p.pizza_id = od.pizza_id  
GROUP BY pt.name  
ORDER BY total_quantity DESC LIMIT 5;
```



	name	total_quantity
►	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371



Join the necessary tables to find the total quantity of each pizza category ordered

```
/*Join the necessary tables to find the total quantity  
of each pizza category ordered*/  
SELECT pt.category,  
SUM(od.quantity) AS total_quantity  
FROM pizza_types pt  
JOIN pizzas p  
    ON pt.pizza_type_id = p.pizza_type_id  
JOIN order_details od  
    ON p.pizza_id = od.pizza_id  
GROUP BY pt.category  
ORDER BY total_quantity DESC;
```

	category	total_quantity
▶	Classic	14888
	Supreme	11987
	Veggie	11649
	Chicken	11050





Join relevant tables to find the category-wise distribution of pizza

```
/*Join relevant tables to find the  
category-wise distribution of pizza*/  
SELECT category,  
COUNT(name) AS pizza_count  
FROM pizza_types  
GROUP BY category;
```

	category	pizza_count
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9





Group the orders by date and calculate average number of pizzas ordered per day

```
/*Group the orders by date and  
calculate average number of pizzas ordered per day*/  
SELECT AVG(daily_total) AS average_per_day  
FROM (  
    SELECT o.date,  
           SUM(od.quantity) AS daily_total  
    FROM orders o  
    JOIN order_details od  
      ON o.order_id = od.order_details_id  
    GROUP BY o.date  
) t;
```

	average_per_day
▶	60.7709





Calculate the percentage contribution of each pizza type to total revenue

```
/*Calculate the percentage contribution of each pizza type to total revenue*/  
SELECT pt.category,  
ROUND(SUM(od.quantity * p.price) * 100 /  
      (SELECT SUM(od.quantity * p.price)  
        FROM order_details od  
        JOIN pizzas p ON od.pizza_id = p.pizza_id), 2)  
      AS contribution_percentage  
FROM pizzas p  
JOIN pizza_types pt ON p.pizza_type_id = pt.pizza_type_id  
JOIN order_details od ON od.pizza_id = p.pizza_id  
GROUP BY pt.category;
```

	category	contribution_percentage
▶	Classic	26.91
	Veggie	23.68
	Supreme	25.46
	Chicken	23.96






Analyze the cumulative revenue generated over time

```
/*Analyze the cumulative revenue generated over time*/  
SELECT date,   
SUM(revenue) OVER (ORDER BY date) AS cum_revenue  
FROM (   
    SELECT o.date,   
           SUM(od.quantity * p.price) AS revenue  
    FROM orders o   
    JOIN order_details od ON o.order_id = od.order_id  
    JOIN pizzas p ON od.pizza_id = p.pizza_id  
    GROUP BY o.date  
 ) t;
```

	date	cum_revenue
▶	2015-01-01	2713.8500000000004
	2015-01-02	5445.75
	2015-01-03	8108.15
	2015-01-04	9863.6
	2015-01-05	11929.55
	2015-01-06	14358.5

	2015-12-28	812253
	2015-12-29	813606.25
	2015-12-30	814944.05
	2015-12-31	817860.05



Identify the most common pizza size ordered

```
/*Identify the most common pizza size ordered*/  
SELECT p.size,   
COUNT(od.order_details_id) AS size_ordered  
FROM pizzas p  
JOIN order_details od ON p.pizza_id = od.pizza_id  
GROUP BY p.size  
ORDER BY size_ordered DESC;
```

	size	size_ordered
▶	L	18526
	M	15385
	S	14137
	XL	544
	XXL	28



Identify the highest-priced pizza

```
/*Identify the highest-priced pizza*/  
SELECT pt.name, p.price  
FROM pizzas p  
JOIN pizza_types pt ON p.pizza_type_id = pt.pizza_type_id  
ORDER BY p.price DESC  
LIMIT 1;
```

	name	price
►	The Greek Pizza	35.95



Calculate the total revenue generated from pizza sales

```
/*Calculate the total revenue generated from pizza sales*/  
SELECT SUM(od.quantity * p.price) AS total_sales  
FROM order_details od  
JOIN pizzas p ON od.pizza_id = p.pizza_id;
```

	total_sales
▶	817860.0499999993



Determine the distribution of orders by hour of the day

```
/*Determine the distribution of orders by hour of the day*/  
SELECT HOUR(time) AS hour,  
COUNT(order_id) AS order_count  
FROM orders  
GROUP BY HOUR(time)  
ORDER BY hour;
```

	hour	order_count
▶	9	1
	10	8
	11	1231
	12	2520
	13	2455
	14	1472
	15	1468
	16	1920
	17	2336
	18	2399
	19	2009
	20	1642
	21	1198
	22	663
	23	28



