Chocolate Distribution Problem | P

https://www.geeksforgeeks.org/problems/chocolate-distribution-problem3825/1

Search... | Get 90% Refund Courses | Tutorials | Practice | Jobs

Problem | Editorial | Submissions | Comments

Output Window

Compilation Results | Custom Input

Compilation Completed

Case 1

Input:

3 4 1 9 56 7 9 12
5

Your Output:

6

Expected Output:

6

Java (21) | Start Timer

```java
class Solution {
    public long findMinDiff (ArrayList<Integer> arr, int m) {
        if (m == 0 || arr.size() == 0) return 0;
        if (m > arr.size()) return -1;

        // Sort the ArrayList
        Collections.sort(arr);

        long minDiff = Long.MAX_VALUE;

        // Sliding window
        for (int i = 0; i + m - 1 < arr.size(); i++) {
            long diff = arr.get(i + m - 1) - arr.get(i);
            minDiff = Math.min(minDiff, diff);
        }

        return minDiff;
    }
}
```

Custom Input | Compile & Run | Submit

Finance headline India reported 7... | Search | ENG IN | 18:30 04-02-2026



Smallest subarray with sum greate
https://www.geeksforgeeks.org/problems/smallest-subarray-with-sum-greater-than-x5651/1
Chat
Search...
Get 90% Refund
Courses
Tutorials
Practice
Jobs
S
Problem
Editorial
Submissions
Comments
Output Window
Compilation Results
Custom Input
Compilation Completed
Case 1
Input:
x =
51
arr[] =
1 4 45 6 0 19
Your Output:
3
Expected Output:
3
Java (21)
Start Timer
class Solution {
public static int smallestSubWithSum(int x, int[] arr) {
int n = arr.length;
int minLen = Integer.MAX_VALUE;
int sum = 0;
int left = 0;
for (int right = 0; right < n; right++) {
sum += arr[right];
// Try to shrink window while sum > x
while (sum > x) {
minLen = Math.min(minLen, right - left + 1);
sum -= arr[left];
left++;
}
}
return (minLen == Integer.MAX_VALUE) ? 0 : minLen;
}
}
Custom Input
Compile & Run
Submit
Finance headline
India reported 7...
Search
ENG
IN
18:30
04-02-2026

Three way partitioning | Practice |

https://www.geeksforgeeks.org/problems/three-way-partitioning/1

Get 90% Refund

Courses Tutorials Practice Jobs

Problem Editorial Submissions Comments

Java (21) Start Timer

Output Window

Compilation Results Custom Input

Case 1

Input:

arr[] =

1 2 3 3 4

a =

1

b =

2

Your Output:

true

Expected Output:

true

```java
class Solution {
    public boolean threeWayPartition(int[] arr, int a, int b) {
        int low = 0, mid = 0, high = arr.length - 1;

        while (mid <= high) {
            if (arr[mid] < a) {
                // swap arr[mid] and arr[low]
                int temp = arr[mid];
                arr[mid] = arr[low];
                arr[low] = temp;

                low++;
                mid++;
            }
            else if (arr[mid] > b) {
                // swap arr[mid] and arr[high]
                int temp = arr[mid];
                arr[mid] = arr[high];
                arr[high] = temp;

                high--;
            }
            else {
                // element lies in [a, b]
                mid++;
            }
        }
        return true; // array successfully modified
    }
}
```

Custom Input Compile & Run Submit

Trending videos
The Muppet Sho...

Search

ENG IN 18:31 04-02-2026




```java
class Solution {
    public int minSwap(int[] arr, int k) {

        int n = arr.length;

        // Count elements <= k
        int good = 0;
        for (int x : arr) {
            if (x <= k) good++;
        }

        // Count bad elements in first window
        int bad = 0;
        for (int i = 0; i < good; i++) {
            if (arr[i] > k) bad++;
        }

        int ans = bad;

        // Sliding window
        int i = 0, j = good;
        while (j < n) {

            if (arr[i] > k) bad--;
            if (arr[j] > k) bad++;

            ans = Math.min(ans, bad);
            i++;
            j++;
        }

        return ans;
    }
}
```


Palindromic Array | Practice | G
geeksforgeeks.org/problems/palindromic-array-1587115620/1
Ask Google
Google Chrome isn't your default browser
Set as default
Search...
Courses
Tutorials
Practice
Jobs
Problem
Editorial
Submissions
Comments
Output Window
Compilation Results
Custom Input
Compilation Completed
Case 1
Input:
111 222 333 444 555
Your Output:
true
Expected Output:
true
Java (21)
Start Timer
class Solution {
// Function to check if a single number is palindrome
private boolean isPalindrome(int num) {
int original = num;
int rev = 0;
while (num > 0) {
int digit = num % 10;
rev = rev * 10 + digit;
num /= 10;
}
return original == rev;
}
// Function to check if all array elements are palindrome
public boolean isPalinArray(int[] arr) {
for (int i = 0; i < arr.length; i++) {
if (!isPalindrome(arr[i])) {
return false;
}
}
return true;
}
}
Custom Input
Compile & Run
Submit
17°C
Clear
Search
ENG
IN
18:34
04-02-2026

Median of an Array | Practice | Gee

https://www.geeksforgeeks.org/problems/find-the-median0527/1

Search... | Get 90% Refund Courses | Tutorials | Practice | Jobs

Problem | Editorial | Submissions | Comments

Output Window

Compilation Results | Custom Input

Compilation Completed

Case 1

Input:

arr

90 100 78 89 67

Your Output:

89

Expected Output:

89

Java (21) | Start Timer

```java
import java.util.*;

class Solution {
    public double findMedian(int[] arr) {
        Arrays.sort(arr);
        int n = arr.length;

        if (n % 2 == 1) {
            return arr[n / 2];  // odd length
        } else {
            return (arr[n / 2 - 1] + arr[n / 2]) / 2.0; // even length
        }
    }
}
```

Custom Input | Compile & Run | Submit

17°C Clear | Search | ENG IN | 18:36 04-02-2026

Spirally traversing a matrix | Practi

https://www.geeksforgeeks.org/problems/spirally-traversing-a-matrix-1587115621/1

Search...

Get 90% Refund

Courses Tutorials Practice Jobs

Problem Editorial Submissions Comments

Output Window

Compilation Results Custom Input

Case 1

Input:

n =

4

m =

4

mat =

1 2 3 4
5 6 7 8

Your Output:

[1, 2, 3, 4, 8, 12, 16, 15, 14, 13, 9, 5, 6, 7, 11, 10]

Expected Output:

[1, 2, 3, 4, 8, 12, 16, 15, 14, 13, 9, 5, 6, 7, 11, 10]

Java (21) Start Timer

```java
        int n = matrix.length;
        int m = matrix[0].length;

        int top = 0, bottom = n - 1;
        int left = 0, right = m - 1;

        while (top <= bottom && left <= right) {

            // Left to Right
            for (int j = left; j <= right; j++)
                result.add(matrix[top][j]);
            top++;

            // Top to Bottom
            for (int i = top; i <= bottom; i++)
                result.add(matrix[i][right]);
            right--;

            // Right to Left
            if (top <= bottom) {
                for (int j = right; j >= left; j--)
                    result.add(matrix[bottom][j]);
                bottom--;
            }

            // Bottom to Top
            if (left <= right) {
                for (int i = bottom; i >= top; i--)
                    result.add(matrix[i][left]);
                left++;
            }
        }

        return result;
    }
}
```

Custom Input Compile & Run Submit

17°C Clear Search ENG IN 18:38 04-02-2026



Search a 2D Matrix - LeetCode
https://leetcode.com/problems/search-a-2d-matrix/
Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
23 30 34 60
Input: matrix = [[1,3,5,7],[10,11,16,20],[23,30,34,60]], target = 3
Output: true
Example 2:
1 3 5 7
10 11 16 20
23 30 34 60
Input: matrix = [[1,3,5,7],[10,11,16,20],[23,30,34,60]], target = 13
Output: false
Constraints:
m == matrix.length
17.7K
342
137 Online
Code
Java
Auto
int value = matrix[row][col];
if (value == target) {
return true;
} else if (value < target) {
left = mid + 1;
} else {
right = mid - 1;
}
}
return false;
Saved
Ln 29, Col 1
Testcase
Test Result
matrix =
[[1,3,5,7],[10,11,16,20],[23,30,34,60]]
target =
3
Output
true
Expected
true
17°C
Clear
Search
ENG
IN
18:40
04-02-2026


Median in a row-wise sorted Matr
https://www.geeksforgeeks.org/problems/median-in-a-row-wise-sorted-matrix1527/1
Search...
Get 90% Refund
Courses
Tutorials
Practice
Jobs
Chat
Problem
Editorial
Submissions
Comments
Output Window
Compilation Results
Custom Input
Case 1
Input:
n =
3
m =
3
mat[][] =
3 6 9
Your Output:
5
Expected Output:
5
Java (21)
Start Timer
int m = matrix[0].length;
int low = 1;
int high = 2000;
int desired = (n * m) / 2;
while (low <= high) {
int mid = (low + high) / 2;
int count = 0;
for (int i = 0; i < n; i++) {
count += countSmallerEqual(matrix[i], m, mid);
}
if (count <= desired)
low = mid + 1;
else
high = mid - 1;
}
return low;
}
int countSmallerEqual(int[] row, int m, int x) {
int l = 0, r = m - 1;
while (l <= r) {
int mid = (l + r) / 2;
if (row[mid] <= x)
l = mid + 1;
else
r = mid - 1;
}
return l;
}
}
Custom Input
Compile & Run
Submit
17°C
Clear
Search
ENG
IN
18:41
04-02-2026



Row with max 1s | Practice | Geeks

https://www.geeksforgeeks.org/problems/row-with-max-1s0023/1

Problem | Editorial | Submissions | Comments

Java (21) | Start Timer

Output Window

Compilation Results | Custom Input

Compilation Completed

Case 1

Input:

arr[][] =

[[0,1,1,1], [0,0,1,1], [1,1,1,1], [0,0,0,0]]

Your Output:

2

Expected Output:

2

```java
        int m = arr[0].length;

        int maxOnes = 0;
        int ansRow = -1;

        for (int i = 0; i < n; i++) {
            int firstOneIndex = firstOne(arr[i], m);

            if (firstOneIndex != -1) {
                int onesCount = m - firstOneIndex;
                if (onesCount > maxOnes) {
                    maxOnes = onesCount;
                    ansRow = i;
                }
            }
        }
        return ansRow;
    }

    // Binary search to find first 1 in a row
    private int firstOne(int[] row, int m) {
        int low = 0, high = m - 1;
        int result = -1;

        while (low <= high) {
            int mid = low + (high - low) / 2;
            if (row[mid] == 1) {
                result = mid;
                high = mid - 1; // search left part
            } else {
                low = mid + 1;
            }
        }
        return result;
    }
}
```

Custom Input | Compile & Run | Submit