Explicit Intent

Objective: The objective of this Android program is to demonstrate the use of **explicit intents** to navigate between activities within the same application. Explicit intents allow developers to explicitly specify the target activity to be started by providing its class name.

XML Code(activity_main.xml):

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</pre>
  xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:id="@+id/main"
  android:layout width="match parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <TextView
    android:id="@+id/editText"
    android:layout width="match parent"
    android:layout height="wrap content"
    android:text="Welcome, this is activity one"
    android:textAlignment="center"
    android:textSize="28sp"
    app:layout constraintBottom toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout constraintHorizontal bias="0.0"
    app:layout constraintStart toStartOf="parent"
    app:layout constraintTop toTopOf="parent"
    app:layout constraintVertical bias="0.359" />
  <Button
    android:id="@+id/btn1"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
```

```
android:onClick="newsScreen"
    android:text="Go to second activity"
    app:layout constraintBottom toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout constraintStart toStartOf="parent"
    app:layout constraintTop toBottomOf="@+id/editText"
    app:layout constraintVertical bias="0.212" />
  <TextView
    android:id="@+id/textView"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:text="Shubhangi Singh"
    android:textSize="25sp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.568"
    app:layout constraintStart toStartOf="parent"
    app:layout constraintTop toBottomOf="@+id/btn1"
    app:layout constraintVertical bias="0.802" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

Java Code(MainActivity.java):

```
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Toast;
import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;
```

```
public class MainActivity extends AppCompatActivity {
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main);
  }
  public void newsScreen(View view){
    Intent i = new Intent(getApplicationContext(), MainActivity2.class);
    startActivity(i);
    Toast.makeText(this, "Activity two called", Toast.LENGTH SHORT).show();
  }
}
XML Code(activity main2.xml):
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
  xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:id="@+id/main"
  android:layout_width="match_parent"
  android:layout height="match parent"
  tools:context=".MainActivity2">
  <TextView
    android:id="@+id/editText"
    android:layout width="match parent"
    android:layout_height="wrap_content"
    android:text="Welcome, this is second activity"
    android:textAlignment="center"
    android:textSize="28sp"
    app:layout constraintBottom toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
```

```
app:layout constraintHorizontal bias="0.0"
    app:layout constraintStart toStartOf="parent"
    app:layout constraintTop toTopOf="parent"
    app:layout constraintVertical bias="0.297" />
  <Button
    android:id="@+id/btn2"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:onClick="homeScreen"
    android:text="Go to first activity"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/editText"
    app:layout constraintVertical bias="0.241" />
  <TextView
    android:id="@+id/textView"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:text="Shubhangi Singh"
    android:textSize="25sp"
    app:layout constraintBottom toBottomOf="parent"
    app:layout constraintEnd toEndOf="parent"
    app:layout_constraintHorizontal bias="0.512"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toBottomOf="@+id/btn2"
    app:layout constraintVertical bias="0.899" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

Java Code(MainActivity2.java):

```
package com.example.explicit;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Toast;
import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;
public class MainActivity2 extends AppCompatActivity {
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main2);
  }
  public void homeScreen(View view) {
    Intent i = new Intent(getApplicationContext(), MainActivity.class);
    startActivity(i);
    Toast.makeText(this, "Activity one called", Toast.LENGTH_SHORT).show();
  }
}
```

Output:



