

4:19

## SignUp

User Id

Password

Umang

4:21

## SignUp

User Id

Password

Umang  
User Id: umang & Password: 123

4:20

## SignUp

User Id

Password

Umang  
Success

# Explicit Intent

**Objective:** The objective of this Android program is to demonstrate the use of **explicit intents** to navigate between activities within the same application. Explicit intents allow developers to explicitly specify the target activity to be started by providing its class name.

## XML Code(activity\_main.xml):

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <TextView
        android:id="@+id/editText"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Welcome, this is activity one"
        android:textAlignment="center"
        android:textSize="28sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.0"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.359" />

    <Button
        android:id="@+id/btn1"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
```

```
android:onClick="newsScreen"
android:text="Go to second activity"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/editText"
app:layout_constraintVertical_bias="0.212" />
```

<TextView

```
android:id="@+id/textView"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:text="Umang"
android:textSize="25sp"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.568"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/btn1"
app:layout_constraintVertical_bias="0.802" />
```

</androidx.constraintlayout.widget.ConstraintLayout>

## Java Code(MainActivity.java):

```
package com.example.explicit;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Toast;

import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;
```

```

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
    }
    public void newsScreen(View view){
        Intent i = new Intent(getApplicationContext(), MainActivity2.class);
        startActivity(i);

        Toast.makeText(this, "Activity two called", Toast.LENGTH_SHORT).show();
    }
}

```

### XML Code(activity\_main2.xml):

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity2">

    <TextView
        android:id="@+id/editText"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Welcome, this is second activity"
        android:textAlignment="center"
        android:textSize="28sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"

```

```
app:layout_constraintHorizontal_bias="0.0"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
app:layout_constraintVertical_bias="0.297" />
```

<Button

```
android:id="@+id/btn2"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:onClick="homeScreen"
android:text="Go to first activity"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/editText"
app:layout_constraintVertical_bias="0.241" />
```

<TextView

```
android:id="@+id/textView"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:text="Umang"
android:textSize="25sp"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.512"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/btn2"
app:layout_constraintVertical_bias="0.899" />
```

</androidx.constraintlayout.widget.ConstraintLayout>



## Java Code(MainActivity2.java):

```
package com.example.explicit;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Toast;

import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

public class MainActivity2 extends AppCompatActivity {



    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main2);



    }

    public void homeScreen(View view) {
        Intent i = new Intent(getApplicationContext(), MainActivity.class);
        startActivity(i);
        Toast.makeText(this, "Activity one called", Toast.LENGTH_SHORT).show();
    }

}
```

## Output:





test 22345

its android database

Add Note

1: test 22345  
its android database

2: test 22345  
its android database

3: test 22345  
its android database

5: test 22345  
its android database

6: test 22345  
its android database



Note deleted

Umang