THE MASTERMIND COACHING CLASSES

CBSE / RBSE • NURSERY – CLASS XII • JAIPUR

Road No. 5, VKIA, Jaipur — 9887258679

ANSWER KEY & MARKING SCHEME SET 1

Chapter 7: **Fractions** | Class 6 Maths | Maximum Marks: 40

SECTION — A (Objective Type) — Answers — 10 × 1 = 10

Q.	Correct Option	Brief Reasoning
1	(d) $\frac{5}{6}$	Convert to a common denominator first.
2	(c) $\frac{5}{12}$	Common denominator first.
3	(c) $\frac{2}{3}$	Compare using a common denominator.
4	(d) $3\frac{5}{6}$	Add the whole parts and fraction parts separately.
5	(a) $\frac{2}{3}, \frac{3}{4}, \frac{5}{6}$	Use a common denominator.
6	(b) 3	Reduce the fraction.
7	(b) $\frac{3}{4}$	Equal sharing: divide 3 by the number of children.
8	(b) $\frac{11}{12}$	Convert to a common denominator first.
9	(b) $\frac{1}{3}$	Common denominator first.
10	(b) $\frac{7}{9}$	Compare using a common denominator.

SECTION — B (Very Short Answer) — Answers — 4 × 2 = 8

Q.	Expected Answer / Value Points	Marks
11	LCM of 4 and 6 is 12 (1); $\frac{5}{12}$ ($\frac{5}{12}$) (1).	1+1
12	LCM of 6 and 3 is 6 (1); $\frac{1}{2}$ (1).	1+1
13	$2\times5+3=13$ (1); $\frac{13}{5}$ (1).	1+1
14	LCM of 3 and 5 is 15 (1); $\frac{19}{15}$ ($1\frac{4}{15}$) (1).	1+1

SECTION — C (Short Answer) — Answers — 4 × 3 = 12

Q.	Expected Answer / Value Points	Marks
15	LCM of denominators $= 12$ (1); Sum $= \frac{17}{12}$ (1); Greater than 1 (1).	1+1+1
16	Pieces $= 3 \div \frac{2}{5}$ (count $\frac{15}{2}$) (1); Whole pieces 7 (1); Left over $\frac{1}{5}$ m (1).	1+1+1
17	Multiply by 4 to get ? $= 12$ (1); For the second, denominator $= 15$ (1); Both are equal to $\frac{3}{5}$ (1).	1+1+1
	OR: LCM of denominators $= 10$ (1); Sum $= \frac{9}{10}$ (1); Less than 1 (1).	1+1+1
18	Pieces $= 4 \div \frac{3}{8}$ (count $\frac{32}{3}$) (1); Whole pieces 10 (1); Left over $\frac{1}{4}$ m (1).	1+1+1
	OR: Multiply by 5 to get ? $= 10$ (1); For the second, denominator $= 28$ (1); Both are equal to $\frac{2}{7}$ (1).	1+1+1

SECTION — D (Long Answer) — Answers — 2 × 5 = 10

Q.	Expected Answer / Value Points	Marks
19	Total $=\frac{1}{4}+\frac{1}{3}= 7/12$ (1); Left $= 1 - 7/12 = 5/12$ (1); More on Tuesday (1); Check total plus left equals 1 (2).	1+1+1+2
	OR: After pouring: $3\frac{5}{6}$ litres (1); Subtract $\frac{1}{4}$ (1); Left $3\frac{7}{12}$ litres (1); Check with improper fractions (2).	1+1+1+2
20	Total $=\frac{2}{5}+\frac{1}{4}= 13/20$ (1); Left $= 1 - 13/20 = 7/20$ (1); More on Monday (1); Check total plus left equals 1 (2).	1+1+1+2
	OR: After pouring: $5\frac{5}{6}$ litres (1); Subtract $\frac{1}{2}$ (1); Left $5\frac{1}{3}$ litres (1); Check with improper fractions (2).	1+1+1+2

Mistakes to avoid:

- Adding the denominators as well: $\frac{1}{5} + \frac{2}{5} = \frac{3}{7}$ is wrong; the answer is $\frac{3}{5}$.
- Adding numerators and denominators of unlike fractions directly, e.g. $\frac{1}{2} + \frac{1}{3} = \frac{2}{5}$.
- Changing only the numerator or only the denominator when making an equivalent fraction.
- Converting $2\frac{1}{2}$ to $\frac{3}{2}$ instead of $\frac{2\times2+1}{2} = \frac{5}{2}$.
- Comparing fractions by denominators only: a bigger denominator with the same numerator makes the fraction *smaller*.

Evaluator's note: Award step marks as shown; accept any correct alternative method. In internal-choice questions, evaluate only the option attempted. Deduct up to ½ mark for missing units or figures where required.

THE MASTERMIND COACHING CLASSES

CBSE / RBSE • NURSERY – CLASS XII • JAIPUR

Road No. 5, VKIA, Jaipur — 9887258679

ANSWER KEY & MARKING SCHEME SET 2

Chapter 7: **Fractions** | Class 6 Maths | Maximum Marks: 40

SECTION — A (Objective Type) — Answers — 10 × 1 = 10

Q.	Correct Option	Brief Reasoning
1	**(b)** $3\frac{3}{4}$	Add the whole parts and fraction parts separately.
2	**(a)** $\frac{3}{8}, \frac{5}{12}, \frac{1}{2}$	Use a common denominator.
3	**(b)** 5	Reduce the fraction.
4	**(d)** $\frac{3}{5}$	Equal sharing: divide 3 by the number of children.
5	**(a)** $\frac{11}{12}$	Convert to a common denominator first.
6	**(a)** $\frac{5}{8}$	Common denominator first.
7	**(b)** $\frac{3}{5}$	Compare using a common denominator.
8	**(b)** $4\frac{1}{2}$	Add the whole parts and fraction parts separately.
9	**(c)** $\frac{1}{4}, \frac{3}{10}, \frac{2}{5}$	Use a common denominator.
10	**(b)** 5	Reduce the fraction.

SECTION — B (Very Short Answer) — Answers — 4 × 2 = 8

Q.	Expected Answer / Value Points	Marks
11	LCM of 8 and 2 is 8 (1); $\frac{3}{8}$ (1).	1+1
12	$3\times4+1=13$ (1); $\frac{13}{4}$ (1).	1+1
13	LCM of 8 and 4 is 8 (1); $\frac{5}{8}$ ($\frac{5}{8}$) (1).	1+1
14	LCM of 4 and 6 is 12 (1); $\frac{7}{12}$ (1).	1+1

SECTION — C (Short Answer) — Answers — 4 × 3 = 12

Q.	Expected Answer / Value Points	Marks
15	LCM of denominators $= 10$ (1); Sum $= \frac{11}{10}$ (1); Greater than 1 (1).	1+1+1
16	Pieces $= 5\div$\frac{3}{4} (count $\frac{20}{3}$) (1); Whole pieces 6 (1); Left over $\frac{1}{2}$ m (1).	1+1+1
17	Multiply by 3 to get ? $= 15$ (1); For the second, denominator $= 16$ (1); Both are equal to $\frac{5}{8}$ (1).	1+1+1
	OR: LCM of denominators $= 8$ (1); Sum $= \frac{11}{8}$ (1); Greater than 1 (1).	1+1+1
18	Pieces $= 6\div$\frac{5}{6} (count $\frac{36}{5}$) (1); Whole pieces 7 (1); Left over $\frac{1}{6}$ m (1).	1+1+1
	OR: Multiply by 2 to get ? $= 8$ (1); For the second, denominator $= 45$ (1); Both are equal to $\frac{4}{9}$ (1).	1+1+1

SECTION — D (Long Answer) — Answers — 2 × 5 = 10

Q.	Expected Answer / Value Points	Marks
19	Total $=$\frac{1}{3}+\frac{1}{6}$= 1/2$ (1); Left $= 1 - 1/2 = 1/2$ (1); More on Monday (1); Check total plus left equals 1 (2).	1+1+1+2
	OR: After pouring: $4\frac{1}{4}$ litres (1); Subtract $\frac{1}{4}$ (1); Left 4 litres (1); Check with improper fractions (2).	1+1+1+2
20	Total $=$\frac{3}{8}+\frac{1}{4}$= 5/8$ (1); Left $= 1 - 5/8 = 3/8$ (1); More on Monday (1); Check total plus left equals 1 (2).	1+1+1+2
	OR: After pouring: $5\frac{1}{2}$ litres (1); Subtract $\frac{1}{2}$ (1); Left 5 litres (1); Check with improper fractions (2).	1+1+1+2

Mistakes to avoid:

- Adding the denominators as well: $\frac{1}{5} + \frac{2}{5} = \frac{3}{7}$ is wrong; the answer is $\frac{3}{5}$.
- Adding numerators and denominators of unlike fractions directly, e.g. $\frac{1}{2} + \frac{1}{3} = \frac{2}{5}$.
- Changing only the numerator or only the denominator when making an equivalent fraction.
- Converting $2\frac{1}{2}$ to $\frac{3}{2}$ instead of $\frac{2\times2+1}{2} = \frac{5}{2}$.
- Comparing fractions by denominators only: a bigger denominator with the same numerator makes the fraction *smaller*.

Evaluator's note: Award step marks as shown; accept any correct alternative method. In internal-choice questions, evaluate only the option attempted. Deduct up to ½ mark for missing units or figures where required.

THE MASTERMIND COACHING CLASSES

CBSE / RBSE • NURSERY – CLASS XII • JAIPUR

Road No. 5, VKIA, Jaipur — 9887258679

ANSWER KEY & MARKING SCHEME SET 3

Chapter 7: **Fractions** | Class 6 Maths | Maximum Marks: 40

SECTION — A (Objective Type) — Answers — 10 × 1 = 10

Q.	Correct Option	Brief Reasoning
1	(a) $\frac{3}{7}$	Equal sharing: divide 3 by the number of children.
2	(b) $\frac{7}{10}$	Convert to a common denominator first.
3	(c) $\frac{1}{2}$	Common denominator first.
4	(a) $\frac{5}{6}$	Compare using a common denominator.
5	(a) $4\frac{1}{6}$	Add the whole parts and fraction parts separately.
6	(b) 5	Reduce the fraction.
7	(a) $\frac{3}{8}$	Equal sharing: divide 3 by the number of children.
8	(d) $1\frac{1}{12}$	Convert to a common denominator first.
9	(c) $\frac{7}{15}$	Common denominator first.
10	(b) $\frac{7}{10}$	Compare using a common denominator.

SECTION — B (Very Short Answer) — Answers — 4 × 2 = 8

Q.	Expected Answer / Value Points	Marks
11	4×7+2=30 (1); $\frac{30}{7}$ (1).	1+1
12	LCM of 6 and 9 is 18 (1); $\frac{17}{18}$ ($\frac{17}{18}$) (1).	1+1
13	LCM of 10 and 5 is 10 (1); $\frac{1}{2}$ (1).	1+1
14	5×8+3=43 (1); $\frac{43}{8}$ (1).	1+1

SECTION — C (Short Answer) — Answers — 4 × 3 = 12

Q.	Expected Answer / Value Points	Marks
15	LCM of denominators $= 18$ (1); Sum $= \frac{23}{18}$ (1); Greater than 1 (1).	1+1+1
16	Pieces $= 2\div$\frac{3}{10} (count $\frac{20}{3}$) (1); Whole pieces 6 (1); Left over $\frac{1}{5}$ m (1).	1+1+1
17	Multiply by 3 to get ? $= 21$ (1); For the second, denominator $= 48$ (1); Both are equal to $\frac{7}{12}$ (1).	1+1+1
	OR: LCM of denominators $= 10$ (1); Sum $= \frac{11}{10}$ (1); Greater than 1 (1).	1+1+1
18	Pieces $= 7\div$\frac{4}{9} (count $\frac{63}{4}$) (1); Whole pieces 15 (1); Left over $\frac{1}{3}$ m (1).	1+1+1
	OR: Multiply by 8 to get ? $= 8$ (1); For the second, denominator $= 30$ (1); Both are equal to $\frac{1}{6}$ (1).	1+1+1

SECTION — D (Long Answer) — Answers — 2 × 5 = 10

Q.	Expected Answer / Value Points	Marks
19	Total =\frac{2}{7}+\frac{1}{3}= $13/21$ (1); Left $= 1 - 13/21 = 8/21$ (1); More on Tuesday (1); Check total plus left equals 1 (2).	1+1+1+2
	OR: After pouring: $4\frac{1}{6}$ litres (1); Subtract $\frac{3}{4}$ (1); Left $3\frac{5}{12}$ litres (1); Check with improper fractions (2).	1+1+1+2
20	Total =\frac{1}{5}+\frac{3}{10}= $1/2$ (1); Left $= 1 - 1/2 = 1/2$ (1); More on Tuesday (1); Check total plus left equals 1 (2).	1+1+1+2
	OR: After pouring: $5\frac{3}{8}$ litres (1); Subtract $\frac{1}{2}$ (1); Left $4\frac{7}{8}$ litres (1); Check with improper fractions (2).	1+1+1+2

Mistakes to avoid:

- Adding the denominators as well: $\frac{1}{5} + \frac{2}{5} = \frac{3}{7}$ is wrong; the answer is $\frac{3}{5}$.
- Adding numerators and denominators of unlike fractions directly, e.g. $\frac{1}{2} + \frac{1}{3} = \frac{2}{5}$.
- Changing only the numerator or only the denominator when making an equivalent fraction.
- Converting $2\frac{1}{2}$ to $\frac{3}{2}$ instead of $\frac{2\times2+1}{2} = \frac{5}{2}$.
- Comparing fractions by denominators only: a bigger denominator with the same numerator makes the fraction *smaller*.

Evaluator's note: Award step marks as shown; accept any correct alternative method. In internal-choice questions, evaluate only the option attempted. Deduct up to ½ mark for missing units or figures where required.