THE MASTERMIND COACHING CLASSES

CBSE / RBSE • NURSERY – CLASS XII • JAIPUR

Road No. 5, VKIA, Jaipur — 9887258679

CLASS 9 — MATHS · EASY LEVEL MCQ TEST SET 2

Full Syllabus (Chapters 1–14) | RBSE Pattern | Session 2026–27

Time: 1 Hour Name: _____ Roll No.: _____ **Maximum Marks: 50**

General Instructions:

1. All questions are compulsory.
2. Q. 1–50 are Multiple Choice Questions (1 mark each); there is no negative marking.
3. Choose the correct option and write its letter (a, b, c or d) against the question number.
4. Questions cover the whole syllabus of the class.
5. Easy level: direct, single-step questions.

MULTIPLE CHOICE QUESTIONS — 50 × 1 = 50

Choose the correct option and write it in your answer book.

1. "Every square is a rectangle" can be written in if–then form as: 1

(a) If not (a figure is a square), then it is a rectangle.
(b) If a figure is a square, then it is a rectangle.
(c) If it is a rectangle, then a figure is a square.
(d) A figure is a square or it is a rectangle.

2. A stacked bar for a family's monthly food use shows rice 32 kg, wheat 24 kg, pulses 39 kg. The total length of the bar is (in kg): 1

(a) 94 **(b)** 97 **(c)** 96 **(d)** 95

3. The greatest of the common divisors of 30 and 22, found from their divisor lists, is: 1

(a) 2 **(b)** 3 **(c)** 4 **(d)** 1

4. Which quadrilateral always has all four sides equal? 1

(a) parallelogram **(b)** rectangle **(c)** rhombus **(d)** kite

5. The graph of a linear equation in two variables is: 1

(a) a parabola **(b)** a straight line **(c)** a pair of points **(d)** a circle

6. The lateral surface area of a cuboid 9 cm $\times$ 5 cm $\times$ 3 cm (height 3 cm) is: 1

(a) 84 cm^2 **(b)** 93 cm^2 **(c)** 102 cm^2 **(d)** 75 cm^2

7. The midpoint of the segment joining $(2, 4)$ and $(6, 8)$ is: 1

(a) $(6, 4)$ **(b)** $(-4, 6)$ **(c)** $(4, 6)$ **(d)** $(4, -6)$

8. The slope of the line $y = 3x + 2$ is: 1

(a) 2 **(b)** 5 **(c)** 3 **(d)** 4

9. A decimal expansion that ends after a finite number of digits is called: 1

(a) non-terminating and non-repeating **(b)** terminating
(c) irrational **(d)** recurring

10. Using $a^2 - b^2$, the value of 49×51 is: 1

(a) 2501 **(b)** 2500 **(c)** 2499 **(d)** 2498

11. An arc subtends 20° at a point on the circle. At the centre it subtends: 1

(a) 40° **(b)** 30° **(c)** 50° **(d)** 60°

12. The area of a parallelogram with base 15 cm and height 8 cm is (cm^2): 1

(a) 122 **(b)** 120 **(c)** 119 **(d)** 121

13. The probability of an impossible event is: 1

(a) $\frac{1}{2}$ **(b)** $\frac{1}{6}$ **(c)** -1 **(d)** 0

14. The common ratio of the GP $3, 6, 12, 24, \ldots$ is: 1

(a) 4 **(b)** 2 **(c)** 3 **(d)** 1

15. The number of factors of 9 is: 1

(a) 5 **(b)** 3 **(c)** 4 **(d)** 2

16. The average marks of 24 students is 46 and of another 15 students is 59. The average of all 39 students is: 1

(a) 53 **(b)** 52 **(c)** 51 **(d)** 50

17. An algorithm is best described as: 1

(a) a single formula
(b) a guess
(c) a diagram only
(d) a step-by-step procedure that solves a problem

18. The sides of a rectangle are 12 cm and 16 cm. Its diagonal is: 1

(a) 19 cm **(b)** 20 cm **(c)** 22 cm **(d)** 21 cm

19. For the line $y = 4x - 4$, the slope is: 1

(a) 5 **(b)** 6 **(c)** 4 **(d)** 3

20. The volume of a cone is ___ the volume of a cylinder of the same base and height: 1

(a) half of **(b)** twice **(c)** equal to **(d)** one-third of

21. A point on the x-axis has: 1

(a) equal coordinates **(b)** ordinate 0
(c) both coordinates 0 **(d)** abscissa 0

22. The graph of a linear polynomial is a: 1

(a) pair of points **(b)** straight line **(c)** parabola **(d)** circle

23. $(-7) \times (-6) =$ 1

(a) 42 **(b)** 44 **(c)** 41 **(d)** 43

24. $x^2 - 25$ factorises as: 1

(a) $(x + 5)(x - 5)$ **(b)** $(x - 5)^2$ **(c)** $(x + 5)^2$ **(d)** $(x + 25)(x - 1)$

25. $ABCD$ is a cyclic quadrilateral with $\angle A = 65^\circ$. Then $\angle C =$ 1

(a) 135° **(b)** 115° **(c)** 125° **(d)** 105°

26. The circumference of a circle of radius 7 cm (take $\pi = \frac{22}{7}$) is (cm): 1

(a) 45 **(b)** 44 **(c)** 46 **(d)** 43

27. The number of outcomes when a die is rolled once is: 1

(a) 7 **(b)** 8 **(c)** 5 **(d)** 6

28. The sum of the first 6 natural numbers is: 1

(a) 27 **(b)** 20 **(c)** 22 **(d)** 21

MASTERMIND

29. The converse of the proposition "If a number is a multiple of 8, then it is a multiple of 4" is: 1

(a) If a number is a multiple of 8, then it is a multiple of 4.
(b) If it is not true that a number is a multiple of 8, then it is not true that it is a multiple of 4.
(c) If it is not true that it is a multiple of 4, then a number is a multiple of 8.
(d) If a number is a multiple of 4, then it is a multiple of 8.

30. The concentration of juice in a drink is 12%. The amount of juice in 250 mL of the drink is: 1

(a) 3 mL **(b)** 12 mL **(c)** 25 mL **(d)** 30 mL

31. Set total = 0. For i = 1, 2, …, 11: if i is even, add i to total. The final value of total is: 1

(a) 29 **(b)** 32 **(c)** 31 **(d)** 30

32. In $\triangle ABC$, D and E are the midpoints of AB and AC and $BC = 8$ cm. Then DE is: 1

(a) 6 cm **(b)** 12 cm **(c)** 4 cm **(d)** 8 cm

33. Two lines with the same slope are: 1

(a) parallel (or the same line) **(b)** never straight
(c) perpendicular **(d)** always intersecting once

34. The volume of a cube is 8 cm^3. Its edge is: 1

(a) 4 cm **(b)** 1 cm **(c)** 3 cm **(d)** 2 cm

35. The reflection of $(3, 4)$ in the x-axis is: 1

(a) $(-4, 3)$ **(b)** $(3, 4)$ **(c)** $(-3, -4)$ **(d)** $(3, -4)$

36. The nth term of the pattern 5, 8, 11, 14, ... is: 1

(a) $3n + 2$ **(b)** $3n + 1$ **(c)** $4n + 2$ **(d)** $3n + 3$

37. $\sqrt{196} =$ 1

(a) 14 **(b)** 13 **(c)** 15 **(d)** 16

38. If $a = 2$ and $b = 5$, then $(a + b)^2 =$ 1

(a) 48 **(b)** 50 **(c)** 49 **(d)** 51

39. The longest chord of a circle is its: 1

(a) tangent **(b)** diameter **(c)** radius **(d)** secant

40. The area of a circle of radius 7 cm (take $\pi = \frac{22}{7}$) is (cm^2): 1

(a) 153 **(b)** 156 **(c)** 155 **(d)** 154

41. If $P(E) = \frac{2}{7}$, then $P(\text{not } E)$ is: 1

(a) $\frac{6}{7}$ **(b)** $\frac{5}{7}$ **(c)** $\frac{5}{8}$ **(d)** $\frac{2}{7}$

42. The sequence $2, 4, 6, 8, \ldots$ is: 1

(a) an AP **(b)** a GP
(c) neither an AP nor a GP **(d)** both an AP and a GP

43. Which of the following numbers is divisible by 9? 1

(a) 729 **(b)** 730 **(c)** 725 **(d)** 731

44. When two groups of different sizes are combined, the combined average is found by: 1

(a) adding the two averages and halving
(b) subtracting the smaller average from the larger
(c) total of all values divided by the total number of values
(d) multiplying the two averages

INTERMIND

45. Euclid's observation used in the gcd algorithm is that gcd(m, n) equals: 1

(a) gcd(n, m − n) for $m \geq n$ **(b)** gcd(m × n, n)

(c) m − n **(d)** gcd(m, m + n)

46. A quadrilateral in which both pairs of opposite sides are parallel is a: 1

(a) parallelogram **(b)** kite **(c)** triangle **(d)** trapezium

47. The point $(2, k)$ lies on the line $x + 7y = 30$. The value of k is: 1

(a) 3 **(b)** 5 **(c)** 4 **(d)** 6

48. Take $\pi = \frac{22}{7}$. The volume of a cylinder of radius 7 cm and height 3 cm is: 1

(a) 509 cm^3 **(b)** 462 cm^3 **(c)** 556 cm^3 **(d)** 415 cm^3

49. The distance between $(1, 3)$ and $(8, 3)$ is: 1

(a) 9 **(b)** 8 **(c)** 6 **(d)** 7

50. The graph of $y = 2x + 4$ cuts the y-axis at: 1

(a) $(4, 0)$ **(b)** $(0, -4)$ **(c)** $(1, 4)$ **(d)** $(0, 4)$

END OF QUESTION PAPER **Total: 50 Marks**

MASTERMIND