THE MASTERMIND COACHING CLASSES

CBSE / RBSE • NURSERY – CLASS XII • JAIPUR

Road No. 5, VKIA, Jaipur — 9887258679

CLASS 10 — MATHS · HARD LEVEL CHAPTER TEST SET 1

Chapter 8: **Introduction to Trigonometry** | RBSE Pattern | Session 2026–27

Time: 1 Hour 30 Minutes Name: _____ Roll No.: _____ **Maximum Marks: 40**

General Instructions:

1. All questions are compulsory.
2. Q. 1–10 are Objective Type (1 mark each).
3. Q. 11–14 are Very Short Answer Type (2 marks each).
4. Q. 15–18 are Short Answer Type (3 marks each).
5. Q. 19–20 are Long Answer Type (5 marks each).
6. Internal choice is given in Q. 17 to 20.
7. Write the question number before each answer.
8. Hard level: application and higher-order questions.

SECTION — A (Objective Type Questions) 10 × 1 = 10

Choose the correct option and write it in your answer book.

1. If $\sin\theta = \frac{4}{5}$ then $\sin^2\theta + \cos^2\theta + \tan^2\theta =$ 1

(a) \frac{25}{9} **(b)** \frac{16}{25} **(c)** \frac{9}{25} **(d)** \frac{16}{9}

2. If $\tan\theta = \frac{4}{3}$, then $\dfrac{1-\tan^2\theta}{1+\tan^2\theta} =$ 1

(a) -\frac{7}{25} **(b)** \frac{7}{25} **(c)** \frac{3}{4} **(d)** \frac{24}{25}

3. If $\sin\theta = \frac{4}{5}$, the value of $2\sin\theta\cos\theta$ is: 1

(a) \frac{8}{5} **(b)** \frac{6}{5} **(c)** \frac{24}{25} **(d)** \frac{12}{25}

4. If $\sec\theta + \tan\theta = 3$, then $\sec\theta - \tan\theta =$ 1

(a) \frac{1}{3} **(b)** 1 **(c)** 3 **(d)** 2

5. $\dfrac{\sin^2 25^\circ + \sin^2 65^\circ}{\cos^2 35^\circ + \cos^2 55^\circ} =$ 1

(a) $\frac{1}{2}$ **(b)** 1 **(c)** 2 **(d)** 0

6. The value of $\tan 10^\circ \tan 20^\circ \tan 70^\circ \tan 80^\circ$ is: 1

(a) 1 **(b)** 0 **(c)** 2 **(d)** $\tan 45^\circ + 1$

7. If $\sin\theta = \frac{12}{13}$ then $\sin^2\theta + \cos^2\theta + \tan^2\theta =$ 1

(a) \frac{144}{169} **(b)** \frac{169}{25} **(c)** \frac{25}{169} **(d)** \frac{144}{25}

8. If $\tan\theta = \frac{12}{5}$, then $\dfrac{1-\tan^2\theta}{1+\tan^2\theta} =$ 1

(a) \frac{119}{169} **(b)** \frac{120}{169} **(c)** \frac{5}{12} **(d)** -\frac{119}{169}

9. If $\sin\theta = \frac{12}{13}$, the value of $2\sin\theta\cos\theta$ is: 1

(a) \frac{120}{169} **(b)** \frac{24}{13} **(c)** \frac{10}{13} **(d)** \frac{60}{169}

10. If $\sec\theta + \tan\theta = 5$, then $\sec\theta - \tan\theta =$ 1

(a) 5 **(b)** 1 **(c)** 2 **(d)** \frac{1}{5}

SECTION — B (Very Short Answer Type) 4 × 2 = 8

Answer in about 20–30 words each.

11. If $\sin\theta = \frac{4}{5}$, find the value of $\cos^2\theta - \sin^2\theta$. 2

12. If $\cot\theta = \frac{20}{21}$, find $\sin\theta$ and $\sec\theta$. 2

13. If $x = a\sec\theta$ and $y = b\tan\theta$ with $a = 2$, $b = 3$, express $\dfrac{x^2}{4} - \dfrac{y^2}{9}$. 2

14. If $\sin\theta = \frac{12}{13}$, find the value of $\cos^2\theta - \sin^2\theta$. 2

SECTION — C (Short Answer Type) — 4 × 3 = 12

Answer in about 40–60 words each.

15. Prove that: $\tan\theta + \cot\theta = \sec\theta\,\csc\theta$. 3

16. If $\sin\theta + \cos\theta = \frac{7}{5}$, find $\sin\theta\cos\theta$. 3

17. If $\tan\theta + \cot\theta = 3$, find $\tan^2\theta + \cot^2\theta$. 3

OR

Prove that: $\sec^2\theta + \csc^2\theta = \sec^2\theta\,\csc^2\theta$. 3

18. If $\sin\theta + \cos\theta = \frac{13}{10}$, find $\sin\theta\cos\theta$. 3

OR

If $\tan\theta + \cot\theta = 4$, find $\tan^2\theta + \cot^2\theta$. 3

SECTION — D (Long Answer Type) — 2 × 5 = 10

Answer in about 100–150 words each.

19. Prove that: $(\csc\theta - \sin\theta)(\sec\theta - \cos\theta)(\tan\theta + \cot\theta) = 1$. 5

OR

If $\tan A = \dfrac{24}{7}$, evaluate $\dfrac{5\sin A + 4\cos A}{7\sin A + 3\cos A}$. 5

20. Prove that: $\dfrac{\sin\theta - 2\sin^3\theta}{2\cos^3\theta - \cos\theta} = \tan\theta$. 5

OR

If $\tan A = \dfrac{21}{20}$, evaluate $\dfrac{3\sin A + 7\cos A}{2\sin A + 1\cos A}$. 5

END OF QUESTION PAPER — Total: 40 Marks

MASTERMIND