THE MASTERMIND COACHING CLASSES

CBSE / RBSE • NURSERY – CLASS XII • JAIPUR

Road No. 5, VKIA, Jaipur — 9887258679

ANSWER KEY & MARKING SCHEME SET 1

Chapter 2: **Polynomials** | Class 10 Maths | Maximum Marks: 40

SECTION — A (Objective Type) — Answers — 10 × 1 = 10

Q.	Correct Option	Brief Reasoning
1	**(a)** 28	$(\alpha+\beta)^3-3\alpha\beta(\alpha+\beta)$
2	**(a)** 30	$\alpha\beta(\alpha+\beta)$
3	**(a)** 7	$\sqrt{(\alpha+\beta)^2-4\alpha\beta}$
4	**(a)** $\frac{5}{2}$	$\frac{\alpha^2+\beta^2}{\alpha\beta}$
5	**(a)** 11	$\frac{c}{a}$ for the monic cubic
6	**(c)** 21	$(\alpha-\beta)^2=(\alpha+\beta)^2-4\alpha\beta$
7	**(d)** 7	Sum of zeroes $=9$, so other zero $=9-2$
8	**(d)** 72	$(\alpha+\beta)^3-3\alpha\beta(\alpha+\beta)$
9	**(b)** 56	$\alpha\beta(\alpha+\beta)$
10	**(a)** 7	$\sqrt{(\alpha+\beta)^2-4\alpha\beta}$

SECTION — B (Very Short Answer) — Answers — 4 × 2 = 8

Q.	Expected Answer / Value Points	Marks
11	New sum $=\alpha^2+\beta^2=10$ (1); product $=(\alpha\beta)^2=9$; polynomial $x^2-10x+9$ (1).	1+1
12	Sum $=6$, product $=k$ (1); $k=6$ (1).	1+1
13	Zeroes α and 3α: $4\alpha=8$ so $\alpha=2$ (1); $k=3\alpha^2=12$ (1).	1+1
14	New sum $=\alpha^2+\beta^2=13$ (1); product $=(\alpha\beta)^2=36$; polynomial $x^2-13x+36$ (1).	1+1

SECTION — C (Short Answer) — Answers — 4 × 3 = 12

Q.	Expected Answer / Value Points	Marks
15	$\alpha+\beta=3$, $\alpha\beta=2$ (1); sum $=(\alpha+\beta)+\frac{\alpha+\beta}{\alpha\beta}=\frac{9}{2}$ (1); product $=\alpha\beta+2+\frac{1}{\alpha\beta}=\frac{9}{2}$ (1).	1+1+1
16	$(\alpha+\beta)^2-(\alpha-\beta)^2=4\alpha\beta$ (1); $100-16=4c$ (1); $c=21$ (1).	1+1+1
17	$\sum\alpha=6$, $\sum\alpha\beta=11$ (1+1); $\sum\alpha^2=(\sum\alpha)^2-2\sum\alpha\beta=14$ (1).	1+1+1
	OR: $\alpha+\beta=5$, $\alpha\beta=6$ (1); sum $=(\alpha+\beta)+\frac{\alpha+\beta}{\alpha\beta}=\frac{35}{6}$ (1); product $=\alpha\beta+2+\frac{1}{\alpha\beta}=\frac{49}{6}$ (1).	1+1+1
18	$(\alpha+\beta)^2-(\alpha-\beta)^2=4\alpha\beta$ (1); $144-36=4c$ (1); $c=27$ (1).	1+1+1
	OR: $\sum\alpha=7$, $\sum\alpha\beta=14$ (1+1); $\sum\alpha^2=(\sum\alpha)^2-2\sum\alpha\beta=21$ (1).	1+1+1

SECTION — D (Long Answer) — Answers — 2 × 5 = 10

Q.	Expected Answer / Value Points	Marks
19	Let zeroes be $a-d, a, a+d$; sum $=3a=6$ so $a=2$ (2); product $=a(a^2-d^2)=6$ gives $d^2=1$ (2); zeroes $1, 2, 3$ (1).	2+2+1
	OR: $\alpha+\beta=3$, $\alpha\beta=-10$ (1+1); new sum $=-7$ (1); new product $=-30$ (1); polynomial $x^2+7x-30$ (1).	1+1+1+1+1
20	Let zeroes be $a-d, a, a+d$; sum $=3a=9$ so $a=3$ (2); product $=a(a^2-d^2)=15$ gives $d^2=4$ (2); zeroes $1, 3, 5$ (1).	2+2+1
	OR: $\alpha+\beta=2$, $\alpha\beta=-3$ (1+1); new sum $=-1$ (1); new product $=-6$ (1); polynomial x^2+x-6 (1).	1+1+1+1+1

Evaluator's note: Award step marks as shown; accept any correct alternative method. In internal-choice questions, evaluate only the option attempted. Deduct up to ½ mark for missing units or figures where required.

THE MASTERMIND COACHING CLASSES

CBSE / RBSE • NURSERY – CLASS XII • JAIPUR

Road No. 5, VKIA, Jaipur — 9887258679

ANSWER KEY & MARKING SCHEME SET 2

Chapter 2: **Polynomials** | Class 10 Maths | Maximum Marks: 40

SECTION — A (Objective Type) — Answers — 10 × 1 = 10

Q.	Correct Option	Brief Reasoning
1	**(d)** $\frac{37}{6}$	$\frac{\alpha^2+\beta^2}{\alpha\beta}$
2	**(d)** 26	$\frac{c}{a}$ for the monic cubic
3	**(a)** 35	$(\alpha-\beta)^2=(\alpha+\beta)^2-4\alpha\beta$
4	**(a)** 8	Sum of zeroes $=11$, so other zero $=11-3$
5	**(b)** 124	$(\alpha+\beta)^3-3\alpha\beta(\alpha+\beta)$
6	**(c)** 120	$\alpha\beta(\alpha+\beta)$
7	**(d)** 7	$\sqrt{(\alpha+\beta)^2-4\alpha\beta}$
8	**(b)** $\frac{5}{2}$	$\frac{\alpha^2+\beta^2}{\alpha\beta}$
9	**(d)** 3	$\frac{c}{a}$ for the monic cubic
10	**(b)** 40	$(\alpha-\beta)^2=(\alpha+\beta)^2-4\alpha\beta$

SECTION — B (Very Short Answer) — Answers — 4 × 2 = 8

Q.	Expected Answer / Value Points	Marks
11	Sum $=9$, product $=k$ (1); $k=9$ (1).	1+1
12	Zeroes α and 4α: $5\alpha=10$ so $\alpha=2$ (1); $k=4\alpha^2=16$ (1).	1+1
13	New sum $=\alpha^2+\beta^2=26$ (1); product $=(\alpha\beta)^2=25$; polynomial $x^2-26x+25$ (1).	1+1
14	Sum $=11$, product $=k$ (1); $k=11$ (1).	1+1

SECTION — C (Short Answer) — Answers — 4 × 3 = 12

Q.	Expected Answer / Value Points	Marks
15	$\alpha+\beta=5$, $\alpha\beta=4$ (1); sum $=(\alpha+\beta)+\frac{\alpha+\beta}{\alpha\beta}=\frac{25}{4}$ (1); product $=\alpha\beta+2+\frac{1}{\alpha\beta}=\frac{25}{4}$ (1).	1+1+1
16	$(\alpha+\beta)^2-(\alpha-\beta)^2=4\alpha\beta$ (1); $196-64=4c$ (1); $c=33$ (1).	1+1+1
17	$\sum\alpha=9$, $\sum\alpha\beta=26$ (1+1); $\sum\alpha^2=(\sum\alpha)^2-2\sum\alpha\beta=29$ (1).	1+1+1
	OR: $\alpha+\beta=7$, $\alpha\beta=12$ (1); sum $=(\alpha+\beta)+\frac{\alpha+\beta}{\alpha\beta}=\frac{91}{12}$ (1); product $=\alpha\beta+2+\frac{1}{\alpha\beta}=\frac{169}{12}$ (1).	1+1+1
18	$(\alpha+\beta)^2-(\alpha-\beta)^2=4\alpha\beta$ (1); $256-100=4c$ (1); $c=39$ (1).	1+1+1
	OR: $\sum\alpha=7$, $\sum\alpha\beta=7$ (1+1); $\sum\alpha^2=(\sum\alpha)^2-2\sum\alpha\beta=35$ (1).	1+1+1

SECTION — D (Long Answer) — Answers — 2 × 5 = 10

Q.	Expected Answer / Value Points	Marks
19	Let zeroes be $a-d, a, a+d$; sum $=3a=12$ so $a=4$ (2); product $=a(a^2-d^2)=28$ gives $d^2=9$ (2); zeroes $1, 4, 7$ (1).	2+2+1
	OR: $\alpha+\beta=4$, $\alpha\beta=-21$ (1+1); new sum $=-17$ (1); new product $=-84$ (1); polynomial $x^2+17x-84$ (1).	1+1+1+1+1
20	Let zeroes be $a-d, a, a+d$; sum $=3a=3$ so $a=1$ (2); product $=a(a^2-d^2)=-3$ gives $d^2=4$ (2); zeroes $-1, 1, 3$ (1).	2+2+1
	OR: $\alpha+\beta=2$, $\alpha\beta=-24$ (1+1); new sum $=-22$ (1); new product $=-48$ (1); polynomial $x^2+22x-48$ (1).	1+1+1+1+1

Evaluator's note: Award step marks as shown; accept any correct alternative method. In internal-choice questions, evaluate only the option attempted. Deduct up to ½ mark for missing units or figures where required.

THE MASTERMIND COACHING CLASSES

CBSE / RBSE • NURSERY – CLASS XII • JAIPUR

Road No. 5, VKIA, Jaipur — 9887258679

ANSWER KEY & MARKING SCHEME SET 3

Chapter 2: **Polynomials** | Class 10 Maths | Maximum Marks: 40

SECTION — A (Objective Type) — Answers — 10 × 1 = 10

Q.	Correct Option	Brief Reasoning
1	**(d)** 10	Sum of zeroes $= 13$, so other zero $= 13 - 3$
2	**(d)** 133	$(\alpha+\beta)^3 - 3\alpha\beta(\alpha+\beta)$
3	**(a)** -48	$\alpha\beta(\alpha+\beta)$
4	**(a)** 8	$\sqrt{(\alpha+\beta)^2 - 4\alpha\beta}$
5	**(b)** $\frac{29}{10}$	$\dfrac{\alpha^2+\beta^2}{\alpha\beta}$
6	**(b)** -8	$\frac{c}{a}$ for the monic cubic
7	**(a)** 15	$(\alpha-\beta)^2 = (\alpha+\beta)^2 - 4\alpha\beta$
8	**(a)** 8	Sum of zeroes $= 12$, so other zero $= 12 - 4$
9	**(d)** 91	$(\alpha+\beta)^3 - 3\alpha\beta(\alpha+\beta)$
10	**(d)** 180	$\alpha\beta(\alpha+\beta)$

SECTION — B (Very Short Answer) — Answers — 4 × 2 = 8

Q.	Expected Answer / Value Points	Marks
11	Zeroes α and 2α: $3\alpha = 12$ so $\alpha = 4$ (1); $k = 2\alpha^2 = 32$ (1).	1+1
12	New sum $= \alpha^2+\beta^2 = 20$ (1); product $= (\alpha\beta)^2 = 64$; polynomial $x^2 - 20x + 64$ (1).	1+1
13	Sum $= 13$, product $= k$ (1); $k = 13$ (1).	1+1
14	Zeroes α and 4α: $5\alpha = 15$ so $\alpha = 3$ (1); $k = 4\alpha^2 = 36$ (1).	1+1

SECTION — C (Short Answer) — Answers — 4 × 3 = 12

Q.	Expected Answer / Value Points	Marks
15	$\alpha+\beta = 7$, $\alpha\beta = 10$ (1); sum $= (\alpha+\beta) + \dfrac{\alpha+\beta}{\alpha\beta} = \frac{77}{10}$ (1); product $= \alpha\beta + 2 + \dfrac{1}{\alpha\beta} = \frac{121}{10}$ (1).	1+1+1
16	$(\alpha+\beta)^2 - (\alpha-\beta)^2 = 4\alpha\beta$ (1); $400 - 36 = 4c$ (1); $c = 91$ (1).	1+1+1
17	$\sum\alpha = 3$, $\sum\alpha\beta = -6$ (1+1); $\sum\alpha^2 = (\sum\alpha)^2 - 2\sum\alpha\beta = 21$ (1).	1+1+1
	OR: $\alpha+\beta = 7$, $\alpha\beta = 6$ (1); sum $= (\alpha+\beta) + \dfrac{\alpha+\beta}{\alpha\beta} = \frac{49}{6}$ (1); product $= \alpha\beta + 2 + \dfrac{1}{\alpha\beta} = \frac{49}{6}$ (1).	1+1+1
18	$(\alpha+\beta)^2 - (\alpha-\beta)^2 = 4\alpha\beta$ (1); $324 - 16 = 4c$ (1); $c = 77$ (1).	1+1+1
	OR: $\sum\alpha = 9$, $\sum\alpha\beta = 24$ (1+1); $\sum\alpha^2 = (\sum\alpha)^2 - 2\sum\alpha\beta = 33$ (1).	1+1+1

SECTION — D (Long Answer) — Answers — 2 × 5 = 10

Q.	Expected Answer / Value Points	Marks
19	Let zeroes be $a-d, a, a+d$; sum $= 3a = 15$ so $a = 5$ (2); product $= a(a^2-d^2) = 120$ gives $d^2 = 1$ (2); zeroes $4, 5, 6$ (1).	2+2+1
	OR: $\alpha+\beta = -5$, $\alpha\beta = -14$ (1+1); new sum $= -19$ (1); new product $= 70$ (1); polynomial $x^2 + 19x + 70$ (1).	1+1+1+1+1
20	Let zeroes be $a-d, a, a+d$; sum $= 3a = 18$ so $a = 6$ (2); product $= a(a^2-d^2) = 120$ gives $d^2 = 16$ (2); zeroes $2, 6, 10$ (1).	2+2+1
	OR: $\alpha+\beta = 3$, $\alpha\beta = -40$ (1+1); new sum $= -37$ (1); new product $= -120$ (1); polynomial $x^2 + 37x - 120$ (1).	1+1+1+1+1

Evaluator's note: Award step marks as shown; accept any correct alternative method. In internal-choice questions, evaluate only the option attempted. Deduct up to ½ mark for missing units or figures where required.