

Assignment-2 Session 26

Question 1: Create a simple Release Readiness Checklist for a new version of a food delivery app (like Zomato or Swiggy) that includes at least 8 key items QA should verify before the release goes live.

Answer

Release Readiness Checklist

Application: Zomato

Sr. No.	Checklist Item	Status (✓/✗)
1	Smoke Testing completed successfully	✓
2	All Critical and High Severity defects are fixed and verified	✓
3	Regression Testing completed successfully	✓
4	All planned test cases have been executed	✓
5	Payment Gateway is working correctly	✓
6	Performance and application stability are acceptable	✓
7	Release Notes are reviewed and approved	✓
8	Product Owner/Business approval received	✓

Release Decision

Status: Ready for Production Release

Question 2: Describe the difference between a Build Cycle and a Release Cycle using an example from a popular app like Instagram or Paytm, and explain how QA is involved at each stage.

Answer

Difference Between Build Cycle and Release Cycle

Build Cycle	Release Cycle
A build is a version of the application created by developers for testing.	A release is a tested and approved version made available to end users.
Multiple builds may be created during development.	One release may contain several verified builds.

Build Cycle	Release Cycle
Mainly used by developers and QA for internal testing.	Used for deployment to production after final approval.

Example (Instagram)

Build Cycle:

Developers create **Build 1.0.5** with a new Story feature. QA performs Smoke Testing, Functional Testing, and Regression Testing. Bugs are found and reported. Developers fix the issues and provide **Build 1.0.6** for re-testing.

Release Cycle:

After QA verifies that all critical issues are resolved and stakeholders approve the build, **Version 1.1.0** is released to users through the Play Store and App Store.

QA Responsibilities

During Build Cycle

- Perform Smoke Testing.
- Execute Functional and Regression Testing.
- Report and verify defects.
- Validate bug fixes through re-testing.

During Release Cycle

- Prepare the Test Summary Report.
- Verify release readiness.
- Ensure no critical defects remain open.
- Recommend whether the application is ready for production.

Question 3: Imagine your team is preparing to release a new movie booking feature in a BookMyShow-style app. List 5 specific tasks a QA should perform during the release process.

Answer

QA Tasks During Release

Task	Description
1. Smoke Testing	Verify that the application launches and critical features work correctly.
2. Functional Testing	Validate the complete movie booking flow, including movie search, seat selection, payment, and booking confirmation.
3. Regression Testing	Ensure that existing features such as login, booking history, and notifications continue to work after the update.

Task	Description
4. Performance Verification	Confirm that the application performs well under expected user load and that response times are acceptable.
5. Final Release Validation	Review defect status, prepare the Test Summary Report, and provide release approval or recommendations based on testing results.

Question 4: During the release cycle of a Flipkart-like shopping app, a critical bug is found in the payment gateway just before release. Write the steps a QA should follow to report the issue and help the team decide whether to proceed with the release.

Answer

Scenario

A critical defect prevents users from completing payments successfully.

Steps for QA

Verify the Defect

Reproduce the issue to confirm that it is genuine and consistently reproducible.

Log the Defect

Create a detailed bug report in Jira, including the summary, description, steps to reproduce, expected result, actual result, screenshots, logs, severity, and priority.

Assign High Severity and High Priority

Mark the defect as **Critical**, since it impacts the application's core business functionality.

Notify Stakeholders Immediately

Inform the Test Lead, Development Team, Product Owner, and Release Manager about the issue through Jira and the team's communication channel.

Assess Release Impact

Discuss whether a fix can be delivered and verified before the planned release. If not, evaluate the business impact of releasing with the defect.

Perform Re-testing

After developers provide a fix, verify that the payment issue is resolved.

Run Regression Testing

Ensure that the fix has not introduced issues in related modules such as Orders, Coupons, Cart, or Notifications.

Recommend Release Decision

If the payment gateway works correctly and regression testing passes, recommend releasing the build.

If the critical issue remains unresolved, recommend postponing the release until the defect is fixed.

Final Recommendation

Since the payment gateway is a **business-critical module**, the release should **not proceed** if the critical defect is still open. Releasing the application with a payment failure could prevent customers from completing purchases and result in significant business impact.

Difference Between Build and Release

Feature	Build	Release
Purpose	Internal testing	Public deployment
Users	Developers and QA	End users
Frequency	Multiple times during development	Less frequent after successful testing
Testing	Required for every build	Final verification before production
Outcome	New testable version	Stable production version