

Assignment-2 Session17

Question 1: Create a Smoke Test Checklist for the Login and Dashboard features of a food delivery app like Zomato. List at least 5 key test cases that would quickly verify if the main flows work after a new build.

Answer

Application: Zomato

Smoke Test Checklist

Test Case ID	Smoke Test Scenario	Expected Result	Status
ST-001	Launch the application	Application should launch successfully without crashing.	Pass/Fail
ST-002	Login with valid credentials	User should successfully log in.	Pass/Fail
ST-003	Verify Dashboard/Home page loads	Dashboard should load with restaurants and categories.	Pass/Fail
ST-004	Verify Restaurant Search works	User should be able to search for a restaurant successfully.	Pass/Fail
ST-005	Open a restaurant page	Restaurant menu should load correctly.	Pass/Fail
ST-006	Logout from the application	User should be logged out successfully and redirected to the Login page.	Pass/Fail

Objective

Smoke Testing ensures that the most critical features are working correctly before detailed testing begins.

Question 2: Write a Sanity Test Scenario for the "Add to Cart" feature in a Flipkart-style shopping app, focusing only on verifying a recent bug fix.

Answer

Bug Fixed

Previously, clicking the "**Add to Cart**" button did not add the selected product to the shopping cart.

Sanity Test Scenario

Objective: Verify only the bug fix without testing unrelated features.

Steps

- Open the Flipkart application.
- Login with valid credentials.
- Search for any product.
- Open the product details page.
- Click the **Add to Cart** button.
- Open the shopping cart.
- Verify the selected product appears in the cart.

Expected Result

The selected product should be successfully added to the shopping cart after clicking **Add to Cart**.

Note

No testing is performed for payment, checkout, wishlist, or order history because they are unrelated to the reported defect.

Question 3: Compare Smoke Testing and Sanity Testing by creating a table with at least 4 differences.

Answer

Smoke Testing	Sanity Testing
Performed on every new build received from developers.	Performed after a specific bug fix or minor code change.
Verifies the major functionalities of the application.	Verifies only the affected functionality after the fix.
Broad and shallow testing.	Narrow and deep testing.
Determines whether the build is stable enough for detailed testing.	Determines whether the reported defect has been fixed correctly.

Examples

Smoke Testing Example	Sanity Testing Example
Instagram: Verify Login, Feed, Story, and Profile open successfully after a new build.	Instagram: Verify only the fixed Story Upload issue without testing the entire application.
Paytm: Verify Login, Recharge, Wallet, and Payment modules open correctly after deployment.	Paytm: Verify only the fixed UPI payment issue after the developer resolves it.

Question 4: After a major update, the Spotify app crashes on startup for some users. Decide whether Smoke Testing or Sanity Testing is appropriate first and explain your reasoning.

Answer

Appropriate Testing: Smoke Testing

Reason

Since the application crashes immediately after startup, the new build must first be verified using **Smoke Testing**. Smoke Testing checks whether the application's critical functionalities, such as launching the app and basic navigation, are working correctly before detailed or sanity testing is performed. If the application cannot even start, there is no point in performing sanity testing on specific features.

Interview Tip

Smoke Testing vs Sanity Testing

Smoke Testing

Checks whether the **entire build** is stable.

Performed **before detailed testing**.

Covers **major functionalities**.

Sanity Testing

Checks whether a **specific bug fix** works correctly.

Performed **after a defect is fixed**.

Covers **only the affected module**.

Easy Trick to Remember

Smoke = Whole Build

Sanity = Specific Bug Fix