

```

import { useState } from "react";

// — COMPANY PROFILES —————
const COMPANY_PROFILES = {
  Google: {
    color: "#4285F4", emoji: "🟦",
    keywords: ["scalable systems", "large-scale", "distributed", "machine learning",
    tone: "Emphasize scale, impact, and data. Google loves metrics, system design
    boost: ["engineered scalable", "drove measurable impact", "optimized for perfor
  },
  Amazon: {
    color: "#FF9900", emoji: "🟠",
    keywords: ["ownership", "customer obsession", "delivery", "scalable", "cost reduc
    tone: "Use Amazon Leadership Principles language. Emphasize ownership, delive
    boost: ["took full ownership", "delivered end-to-end", "reduced operational cos
  },
  Microsoft: {
    color: "#00A4EF", emoji: "🟦",
    keywords: ["cloud", "Azure", "collaboration", "enterprise", "security", "developer
    tone: "Highlight cloud experience, collaboration, and enterprise impact. Micr
    boost: ["built enterprise-grade", "leveraged cloud infrastructure", "improved d
  },
  Meta: {
    color: "#0082FB", emoji: "🟦",
    keywords: ["social impact", "billions of users", "move fast", "A/B testing", "exp
    tone: "Speed and scale matter. Meta wants people who move fast, experiment, a
    boost: ["shipped rapidly", "ran A/B experiments", "improved ranking quality", "s
  },
  Apple: {
    color: "#555555", emoji: "⬛",
    keywords: ["detail-oriented", "polish", "user experience", "hardware-software",
    tone: "Apple values perfection and polish. Emphasize attention to detail, UX
    boost: ["crafted polished experiences", "optimized performance", "ensured seaml
  },
  Netflix: {
    color: "#E50914", emoji: "🔴",
    keywords: ["streaming", "microservices", "resilience", "chaos engineering", "free
    tone: "Netflix values high performers with great judgment. Show impact, auton
    boost: ["drove high-impact outcomes", "built resilient systems", "exercised str
  },
  Startup: {
    color: "#10B981", emoji: "🟢",
    keywords: ["full-stack", "fast-paced", "self-starter", "cross-functional", "shipp
    tone: "Startups want generalists who ship fast. Show breadth, speed, and abil

```

```

    boost: ["built MVP from scratch", "wore multiple hats", "shipped in record time
  },
  Consulting: {
    color: "#8B5CF6", emoji: "🟡",
    keywords: ["client-facing", "stakeholder", "strategy", "framework", "ROI", "delive
    tone: "Consulting firms value structured thinking, client impact, and measura
    boost: ["delivered measurable ROI", "presented to stakeholders", "developed str
  },
};

```

```

const STRONG_VERBS = ["Engineered", "Architected", "Spearheaded", "Orchestrated", "De
const WEAK_VERBS = ["worked on", "helped with", "was responsible for", "assisted", "p

```

```

function calcATS(form, company) {
  let score = 0; const issues = []; const wins = [];
  if (form.name) score += 3; else issues.push("Add your full name");
  if (form.email) score += 4; else issues.push("Add email address");
  if (form.phone) score += 4; else issues.push("Add phone number");
  if (form.location) score += 2; else issues.push("Add city/location");
  if (form.linkedin) { score += 2; wins.push("LinkedIn URL present"); }
  if (form.role) score += 5; else issues.push("Add target role/title");
  if (form.summary.length > 60) { score += 5; wins.push("Summary looks good"); }
  if (form.summary.split(" ").length > 30) score += 5;
  const skills = form.skills.split(",").map(s => s.trim()).filter(Boolean);
  if (skills.length >= 8) { score += 10; wins.push(`${skills.length} skills liste
  else if (skills.length >= 4) { score += 6; issues.push("Add more skills (aim fo
  else issues.push("Add at least 4-8 skills");
  if (skills.length > 0 && form.role) {
    const roleWords = form.role.toLowerCase().split(" ");
    if (skills.some(s => roleWords.some(r => s.toLowerCase().includes(r)))) { sco
    else issues.push("Include skills that match your target role");
  }
  const exps = form.experience.filter(e => e.company || e.role);
  if (exps.length > 0) {
    score += 8;
    exps.forEach(e => {
      if (e.description && /\d/.test(e.description)) { score += 4; wins.push("Num
      else issues.push(`Add numbers to "${e.role || "experience"}" bullet`);
      if (STRONG_VERBS.some(v => e.description?.includes(v))) { score += 3; wins.
      if (WEAK_VERBS.some(v => e.description?.toLowerCase().includes(v))) issues.
    });
  } else issues.push("Add at least one work/internship experience");
  const projs = form.projects.filter(p => p.title);
  if (projs.length >= 2) { score += 8; wins.push(`${projs.length} projects listed
  else if (projs.length === 1) { score += 4; issues.push("Add 1-2 more projects")
  else issues.push("Add at least 1 project");
  projs.forEach(p => {

```

```

    if (p.result) { score += 3; wins.push(`Impact mentioned in "${p.title}"`); }
    else issues.push(`Add result/impact to "${p.title}"`);
    if (p.tech) score += 2;
  });
const edus = form.education.filter(e => e.institution || e.degree);
if (edus.length > 0) { score += 8; wins.push("Education section present"); }
else issues.push("Add your education");
if (form.achievements) { score += 2; wins.push("Certifications/achievements present"); }
if (company && COMPANY_PROFILES[company]) {
  const allText = [form.summary, form.skills, ...form.experience.map(e => e.description)];
  const matched = COMPANY_PROFILES[company].keywords.filter(k => allText.includes(k));
  if (matched.length >= 3) { score += 5; wins.push(`${matched.length} keywords matched`); }
  else issues.push(`Add ${company}-specific keywords (${COMPANY_PROFILES[company].keywords.length} available)`);
}
score = Math.min(100, score);
const grade = score >= 85 ? "A" : score >= 70 ? "B" : score >= 55 ? "C" : score < 55 ? "D";
const label = score >= 85 ? "ATS Ready + " : score >= 70 ? "Good" : score >= 55 ? "Fair" : "Needs Work";
return { score, grade, label, issues: issues.slice(0, 5), wins: wins.slice(0, 4) };
}

```

```

function enhanceBullet(desc, role, company) {
  if (!desc || desc.trim().length < 5) return `Engineered impactful solutions as ${role} at ${company}`;
  let out = desc.trim();
  WEAK_VERBS.forEach(w => { const re = new RegExp(`^${w}\\b`, "i"); out = out.replace(re, w); });
  if (!/\d/.test(out)) out = out.replace(/[\.,]?s$/, "") + ", improving efficiency";
  return out.charAt(0).toUpperCase() + out.slice(1);
}

```

```

function buildProjectBullet(p, company) {
  const tech = p.tech ? ` using ${p.tech}` : "";
  const prob = p.problem ? ` to solve ${p.problem}` : "";
  const built = p.built ? ` - ${p.built}` : "";
  const result = p.result ? `, achieving ${p.result}` : ".";
  return `Engineered ${p.title}${tech}${prob}${built}${result}`;
}

```

```

function generateSummary(form, company) {
  if (form.summary.trim().length > 40) return form.summary;
  const skills = form.skills.split(",").slice(0, 3).map(s => s.trim()).filter(Boolean);
  const exp = form.experience.filter(e => e.company || e.role)[0];
  const projCount = form.projects.filter(p => p.title).length;
  let base = `${form.name || "A driven professional"} is a results-oriented professional with`;
  if (company && COMPANY_PROFILES[company]) base += ` Eager to contribute to ${company}`;
  return base;
}

```

// — STYLES —————

```

const css = `
@import url('https://fonts.googleapis.com/css2?family=Fraunces:ital,wght@0,300;0,
*,*::before,*::after { box-sizing: border-box; margin: 0; padding: 0; }
:root {
  --bg:#07070a; --s1:#0d0d12; --s2:#131318; --s3:#18181f;
  --border:#1f1f28; --border2:#2a2a36;
  --text:#dddde8; --sub:#54546a; --muted:#2e2e3c;
  --accent:#C8F56A; --accent2:#7B6FFF; --red:#FF6B6B;
  --mono:'DM Mono',monospace; --display:'Fraunces',serif;
}
body { background:var(--bg); color:var(--text); font-family:var(--mono); }
.app { min-height:100vh; }
.shell { max-width:820px; margin:0 auto; padding:44px 20px 80px; }

.topbar { display:flex; align-items:center; justify-content:space-between; margin
.brand { display:flex; align-items:center; gap:10px; }
.brand-dot { width:8px; height:8px; border-radius:50%; background:var(--accent);
.brand-name { font-family:var(--display); font-size:18px; font-weight:700; color:
.brand-tag { font-size:9px; letter-spacing:3px; color:var(--sub); }

.hero { margin-bottom:52px; }
.hero-kicker { font-size:9px; letter-spacing:5px; color:var(--accent); text-trans
.hero-kicker::after { content:''; width:50px; height:1px; background:var(--accent
.hero-h { font-family:var(--display); font-size:clamp(32px,6vw,52px); font-weight
.hero-h em { font-style:italic; color:var(--accent); }
.hero-sub { font-size:12px; color:var(--sub); line-height:1.8; max-width:460px; }

.sec { margin-bottom:40px; }
.sec-head { display:flex; align-items:center; gap:14px; margin-bottom:20px; }
.sec-n { font-size:9px; letter-spacing:3px; color:var(--accent); }
.sec-title { font-family:var(--display); font-size:16px; font-weight:700; color:#
.sec-line { flex:1; height:1px; background:var(--border); }

.grid2 { display:grid; grid-template-columns:1fr 1fr; gap:14px; }
.grid3 { display:grid; grid-template-columns:1fr 1fr 1fr; gap:14px; }
.field { margin-bottom:14px; }
.field label { display:block; font-size:8px; letter-spacing:3px; color:var(--sub)
.field input,.field textarea,.field select {
  width:100%; background:var(--s2); border:1px solid var(--border);
  border-radius:9px; padding:12px 14px; color:var(--text);
  font-size:12px; font-family:var(--mono); outline:none; resize:vertical;
  transition:border-color .15s,box-shadow .15s; -webkit-appearance:none;
}
.field input:focus,.field textarea:focus { border-color:var(--accent); box-shadow
.field input::placeholder,.field textarea::placeholder { color:var(--muted); }

.card { background:var(--s1); border:1px solid var(--border); border-radius:14px;

```

```

.card:hover { border-color:var(--border2); }
.card-badge { position:absolute; top:-10px; left:20px; background:var(--bg); padd

.co-grid { display:grid; grid-template-columns:repeat(4,1fr); gap:10px; }
.co-btn { background:var(--s2); border:1px solid var(--border); border-radius:10p
.co-btn:hover { border-color:var(--border2); transform:translateY(-1px); }
.co-btn.active { border-color:var(--accent); background:rgba(200,245,106,.06); }
.co-icon { font-size:22px; margin-bottom:5px; }
.co-name { font-size:10px; color:var(--text); }
.co-tip { margin-top:14px; background:var(--s2); border:1px solid var(--border);
.co-tip strong { color:var(--text); }
.co-kws { display:flex; flex-wrap:wrap; gap:6px; margin-top:10px; }
.co-kw { background:var(--s3); border:1px solid var(--border2); border-radius:4px

.ats-panel { background:var(--s1); border:1px solid var(--border); border-radius:
.ats-top { display:flex; align-items:center; gap:20px; margin-bottom:20px; }
.ats-ring { width:82px; height:82px; border-radius:50%; display:flex; flex-direct
.ats-num { font-family:var(--display); font-size:28px; font-weight:900; line-heig
.ats-sub { font-size:8px; letter-spacing:2px; margin-top:2px; color:var(--sub); }
.ats-bar-wrap { flex:1; }
.ats-bar-labels { display:flex; justify-content:space-between; font-size:9px; col
.ats-bar-bg { height:6px; background:var(--muted); border-radius:99px; overflow:h
.ats-bar-fill { height:100%; border-radius:99px; transition:width .6s ease; }
.ats-grade { font-family:var(--display); font-size:20px; font-weight:900; color:#
.ats-info { font-size:10px; color:var(--sub); margin-top:8px; line-height:1.6; }
.ats-cols { display:grid; grid-template-columns:1fr 1fr; gap:14px; }
.ats-col-t { font-size:8px; letter-spacing:3px; margin-bottom:10px; }
.ats-item { display:flex; align-items:flex-start; gap:8px; font-size:11px; line-h
.ats-dot { width:6px; height:6px; border-radius:50%; flex-shrink:0; margin-top:4p

.skill-preview { display:flex; flex-wrap:wrap; gap:6px; margin-top:-4px; }
.skill-chip { background:var(--s3); border:1px solid var(--border2); border-radiu

.btn { border:none; border-radius:9px; padding:13px 26px; font-weight:500; font-f
.btn-accent { background:var(--accent); color:#060a00; font-weight:700; }
.btn-accent:hover { background:#d8ff7a; transform:translateY(-1px); box-shadow:0
.btn-accent.disabled { background:var(--muted); color:var(--sub); cursor:not-allo
.btn-ghost { background:transparent; color:var(--sub); border:1px solid var(--bor
.btn-ghost:hover { color:var(--text); border-color:var(--border2); }
.btn-add { width:100%; background:transparent; border:1px dashed var(--border); b
.btn-add:hover { border-color:var(--accent); color:var(--accent); background:rgba
.btn-rm { position:absolute; top:14px; right:14px; background:transparent; border
.btn-rm:hover { border-color:var(--red); color:var(--red); }
.action-row { display:flex; gap:12px; margin-top:32px; flex-wrap:wrap; }
.req-note { font-size:10px; color:var(--sub); margin-top:8px; letter-spacing:1px;

```

```

/* — RESUME OUTPUT — */

```

```

.out-bar { display:flex; gap:10px; justify-content:center; flex-wrap:wrap; margin
.out-label { text-align:center; font-size:10px; color:var(--accent); letter-spaci
.resume { background:#fff; border-radius:16px; padding:52px 56px; color:#111; fon
.resume::before { content:''; position:absolute; top:0; left:0; right:0; height:4
.r-hd { padding-bottom:20px; margin-bottom:24px; border-bottom:1.5px solid #ebebe
.r-name { font-family:var(--display); font-size:36px; font-weight:900; color:#080
.r-role { font-size:13px; color:#6b7280; margin:6px 0 12px; letter-spacing:1px; }
.r-contacts { display:flex; flex-wrap:wrap; gap:4px 20px; font-size:11px; color:#
.r-sec { margin-bottom:24px; }
.r-sec-t { font-size:8px; letter-spacing:4px; color:#3d6b00; text-transform:upper
.r-summary { font-size:13px; color:#374151; line-height:1.8; background:#f9fdf0;
.r-skills { display:flex; flex-wrap:wrap; gap:8px; }
.r-skill { background:#f3f4f6; border:1px solid #e5e7eb; border-radius:4px; paddi
.r-exp { margin-bottom:16px; padding-left:16px; border-left:2px solid #e5e7eb; }
.r-exp-role { font-family:var(--display); font-size:15px; font-weight:700; color:
.r-exp-meta { font-size:10px; color:#9ca3af; margin:3px 0 6px; letter-spacing:.5p
.r-exp-desc { font-size:12px; color:#4b5563; line-height:1.7; }
.r-proj { margin-bottom:16px; padding:16px; background:#fafafa; border:1px solid
.r-proj-title { font-family:var(--display); font-size:14px; font-weight:700; colo
.r-proj-tech { font-size:10px; color:#6b7280; letter-spacing:1px; margin-bottom:8
.r-proj-desc { font-size:12px; color:#4b5563; line-height:1.7; padding-left:12px;
.r-co-badge { display:inline-flex; align-items:center; gap:6px; background:#f9fdf
.print-hint { text-align:center; color:var(--muted); font-size:10px; margin-top:1

```

```

@media print { body * { visibility:hidden !important; } .resume,.resume * { visib
@media (max-width:600px) { .grid2,.grid3 { grid-template-columns:1fr; } .co-grid
`;

```

```

const initForm = {
  name:"",role:"",email:"",phone:"",location:"",linkedin:"",summary:"",skills:"",
  experience:[{company:"",role:"",duration:"",description:""}],
  projects:[{title:"",tech:"",problem:"",built:"",result:""}],
  education:[{institution:"",degree:"",year:""}],
  achievements:"",
};

```

```

function F({ label, value, onChange, ph, multi, rows=3 }) {
  return (
    <div className="field">
      <label>{label}</label>
      {multi
        ? <textarea value={value} onChange={e=>onChange(e.target.value)} placehol
          : <input value={value} onChange={e=>onChange(e.target.value)} placeholder
      </div>
    );
}

```

```

function ATSPanel({ form, company }) {
  const { score, grade, label, issues, wins } = calcATS(form, company);
  const color = score>=85?"#C8F56A":score>=70?"#7B6FFF":score>=55?"#FF9900":"#FF6
  return (
    <div className="ats-panel">
      <div style={{fontSize:"8px",letterSpacing:"4px",color:"var(--sub)",marginBo
      <div className="ats-top">
        <div className="ats-ring" style={{borderColor:color}}>
          <div className="ats-num" style={{color}}>{score}</div>
          <div className="ats-sub">/100</div>
        </div>
        <div className="ats-bar-wrap">
          <div className="ats-bar-labels">
            <span style={{color}}>{label}</span>
            <span>Grade: <span className="ats-grade" style={{color}}>{grade}</spa
          </div>
          <div className="ats-bar-bg"><div className="ats-bar-fill" style={{width
          <div className="ats-info">
            {score<55?"Fill in more sections to improve your ATS ranking.":score<
          </div>
        </div>
      </div>
      <div className="ats-cols">
        <div>
          <div className="ats-col-t" style={{color:"#FF6B6B"}}>▲ Fix These</div>
          {issues.length===0
            ?<div className="ats-item" style={{color:"#C8F56A"}}>✓ No critical is
              :issues.map((iss,i)=><div key={i} className="ats-item"><div className
            </div>
          </div>
          <div>
            <div className="ats-col-t" style={{color:"#C8F56A"}}>✓ Looking Good</di
            {wins.length===0
              ?<div className="ats-item">Fill in details to see wins.</div>
              :wins.map((w,i)=><div key={i} className="ats-item" style={{color:"#C8
            </div>
          </div>
        </div>
      </div>
    );
  }
}

```

```

export default function App() {
  const [form, setForm] = useState(initForm);
  const [company, setCompany] = useState(null);
  const [generated, setGenerated] = useState(false);

  const set = (k,v) => setForm(f=>({...f,[k]:v}));
  const updArr = (arr,i,k,v) => { const a=[...form[arr]]; a[i]={...a[i],[k]:v}; s

```

```

const addArr = (arr,blank) => setForm(f=>({...f,[arr]:[...f[arr],blank]}));
const rmArr = (arr,i) => setForm(f=>({...f,[arr]:f[arr].filter((_,idx)=>idx!==i)}));

const profile = company ? COMPANY_PROFILES[company] : null;
const skills = form.skills.split(",").map(s=>s.trim()).filter(Boolean);
const canGenerate = form.name.trim().length>0 && form.role.trim().length>0;

if (generated) {
  const summary = generateSummary(form, company);
  const exps = form.experience.filter(e=>e.company||e.role);
  const projs = form.projects.filter(p=>p.title);
  const edus = form.education.filter(e=>e.institution||e.degree);
  return (
    <div className="app"><style>{css}</style>
    <div className="shell">
      <div className="out-label">⚡ Resume Generated{company?` ` : ` `} Optimized for $
      <div className="out-bar">
        <button className="btn btn-ghost" onClick={()=>setGenerated(false)}>⏪ E
        <button className="btn btn-ghost" onClick={()=>{setForm(initForm);setCo
        <button className="btn btn-accent" onClick={()=>window.print()}>🖨️ Prin
      </div>
      <div className="resume">
        {company && <div className="r-co-badge">⚡ Optimized for {company}</div>
        <div className="r-hd">
          <div className="r-name">{form.name}</div>
          <div className="r-role">{form.role}</div>
          <div className="r-contacts">
            {form.email&&<span>✉️ {form.email}</span>}
            {form.phone&&<span>☎️ {form.phone}</span>}
            {form.location&&<span>📍 {form.location}</span>}
            {form.linkedin&&<span>🔗 {form.linkedin}</span>}
          </div>
        </div>
        <div className="r-sec">
          <div className="r-sec-t">Profile Summary</div>
          <div className="r-summary">{summary}</div>
        </div>
        {skills.length>0&&(
          <div className="r-sec">
            <div className="r-sec-t">Technical Skills</div>
            <div className="r-skills">{skills.map((s,i)=><span key={i} classNam
          </div>
        )}
        {exps.length>0&&(
          <div className="r-sec">
            <div className="r-sec-t">Work Experience</div>
            {exps.map((e,i)=>(

```



```

        <div key={i} className="r-exp">
            <div className="r-exp-role">{e.role}</div>
            <div className="r-exp-meta">{e.company}{e.duration?` · ${e.dura
            <div className="r-exp-desc">{enhanceBullet(e.description,e.role
        </div>
    )}}
</div>
)}
{projs.length>0&&(
    <div className="r-sec">
        <div className="r-sec-t">Projects</div>
        {projs.map((p,i)=>(
            <div key={i} className="r-proj">
                <div className="r-proj-title">{p.title}</div>
                {p.tech&&<div className="r-proj-tech">Stack: {p.tech}</div>}
                <div className="r-proj-desc">{buildProjectBullet(p,company)}</d
            </div>
        )}}
    </div>
)}
{edus.length>0&&(
    <div className="r-sec">
        <div className="r-sec-t">Education</div>
        {edus.map((e,i)=>(
            <div key={i} className="r-exp">
                <div className="r-exp-role">{e.degree}</div>
                <div className="r-exp-meta">{e.institution}{e.year?` · ${e.year
            </div>
        )}}
    </div>
)}
{form.achievements&&(
    <div className="r-sec">
        <div className="r-sec-t">Achievements & Certifications</div>
        <div className="r-exp-desc">{form.achievements}</div>
    </div>
)}
</div>
<div className="print-hint">💡 Print / Save PDF → choose "Save as PDF" in
</div></div>
);
}

return (
    <div className="app"><style>{css}</style>
    <div className="shell">
        <div className="topbar">

```

```

<div className="brand">
  <div className="brand-dot"/>
  <div>
    <div className="brand-name">ResumeOS</div>
    <div className="brand-tag">ATS-Optimized Builder</div>
  </div>
</div>
</div>

<div className="hero">
  <div className="hero-kicker">Resume Builder</div>
  <div className="hero-h">Build a resume<br/>that <em>gets hired.</em></div>
  <div className="hero-sub">ATS scoring, strong action verbs, number inject
</div>

{/* 01 Basic Info */}
<div className="sec">
  <div className="sec-head"><span className="sec-n">01</span><span classNam
  <div className="grid2">
    <F label="Full Name *" value={form.name} onChange={v=>set("name",v)} ph
    <F label="Target Role *" value={form.role} onChange={v=>set("role",v)}
  </div>
  <div className="grid3">
    <F label="Email" value={form.email} onChange={v=>set("email",v)} ph="ar
    <F label="Phone" value={form.phone} onChange={v=>set("phone",v)} ph="+9
    <F label="Location" value={form.location} onChange={v=>set("location",v
  </div>
  <F label="LinkedIn URL" value={form.linkedin} onChange={v=>set("linkedin"
</div>

{/* 02 Company Optimizer */}
<div className="sec">
  <div className="sec-head"><span className="sec-n">02</span><span classNam
  <div style={{fontSize:11,color:"var(--sub)",marginBottom:16,lineHeight:1.
    Pick a target company – your resume's language, keywords, and summary w
  </div>
  <div className="co-grid">
    {Object.entries(COMPANY_PROFILES).map(([name,p])=>{
      <div key={name} className={`co-btn${company===name?" active":""}`}
        onClick={()=>setCompany(c=>c===name?null:name)}
        style={company===name?{borderColor:p.color}:{}}>
      <div className="co-icon">{p.emoji}</div>
      <div className="co-name">{name}</div>
    </div>
  )})
</div>
{profile&&(

```

```

        <div className="co-tip">
            <strong>Strategy for {company}:</strong> {profile.tone}
            <div className="co-kws">{profile.keywords.map((k,i)=><span key={i} cl
        </div>
    )}
</div>

{/* 03 Summary */}
<div className="sec">
    <div className="sec-head"><span className="sec-n">03</span><span classNam
    <F label="Professional Summary (leave blank to auto-generate)" value={for
</div>

{/* 04 Skills */}
<div className="sec">
    <div className="sec-head"><span className="sec-n">04</span><span classNam
    <F label="Skills - comma separated (aim for 8+)" value={form.skills} onCh
    {skills.length>0&&<div className="skill-preview">{skills.map((s,i)=><span
</div>

{/* 05 Experience */}
<div className="sec">
    <div className="sec-head"><span className="sec-n">05</span><span classNam
    {form.experience.map((e,i)=>(
        <div key={i} className="card">
            <div className="card-badge">EXP {String(i+1).padStart(2,"0")}</div>
            {form.experience.length>1&&<button className="btn-rm" onClick={()=>rm
            <div className="grid2" style={{marginTop:10}}>
                <F label="Company" value={e.company} onChange={v=>updArr("experienc
                <F label="Your Role / Title" value={e.role} onChange={v=>updArr("ex
            </div>
            <F label="Duration" value={e.duration} onChange={v=>updArr("experienc
            <F label="Key Achievement - include numbers (% , users, time saved, re
            </div>
        )})
        <button className="btn-add" onClick={()=>addArr("experience",{company:"",
</div>

{/* 06 Projects */}
<div className="sec">
    <div className="sec-head"><span className="sec-n">06</span><span classNam
    {form.projects.map((p,i)=>(
        <div key={i} className="card">
            <div className="card-badge">PROJECT {String(i+1).padStart(2,"0")}</di
            {form.projects.length>1&&<button className="btn-rm" onClick={()=>rmAr
            <div className="grid2" style={{marginTop:10}}>
                <F label="Project Title *" value={p.title} onChange={v=>updArr("pro

```

```

        <F label="Tech Stack" value={p.tech} onChange={v=>updArr("projects"
    </div>
    <F label="Problem It Solves" value={p.problem} onChange={v=>updArr("p
    <F label="What You Built" value={p.built} onChange={v=>updArr("projec
    <F label="Result / Impact (add numbers!)" value={p.result} onChange={
    </div>
    )})
    <button className="btn-add" onClick={()=>addArr("projects",{title:"",tech
</div>

{/* 07 Education */}
<div className="sec">
    <div className="sec-head"><span className="sec-n">07</span><span classNam
    {form.education.map((e,i)=>(
        <div key={i} className="card">
            <div className="card-badge">EDU {String(i+1).padStart(2,"0")}</div>
            {form.education.length>1&&<button className="btn-rm" onClick={()=>rmA
            <div className="grid3" style={{marginTop:10}}>
                <F label="College / School" value={e.institution} onChange={v=>updA
                <F label="Degree / Course" value={e.degree} onChange={v=>updArr("ed
                <F label="Year" value={e.year} onChange={v=>updArr("education",i,"y
            </div>
        </div>
    )})
    <button className="btn-add" onClick={()=>addArr("education",{institution:
</div>

{/* 08 Achievements */}
<div className="sec">
    <div className="sec-head"><span className="sec-n">08</span><span classNam
    <F label="Awards, certs, open source, recognitions" value={form.achievements}
</div>

{/* ATS at bottom */}
<ATSPanel form={form} company={company}/>

<div className="action-row">
    <button className="btn btn-accent" onClick={()=>setGenerated(true)} disabled={
    <button className="btn btn-ghost" onClick={()=>{setForm(initForm);setComp
</div>
    {!canGenerate&&<div className="req-note">* Name and Role required to genera
</div></div>
);
}

```