Detecting Intrusions with Honeypots

Department of Computer Science, University of Somewhere

Abstract-We present a dataset of intrusion attempts gathered from a public honeypot and describe the labelling procedure used to prepare it.

T HE Internet of Things

Honeypot and labeled according to Enterprise Tactics of MITRE ATT&CK to ensure dataset credibility.
Traffic was captured over six months and replayed in a closed network for analysis. The resulting corpus is available on request.

Honeypot and labeled according to Enterprise Tactics of MITRE ATT&CK to ensure dataset credibility.
Traffic was captured over six months and replayed in a closed network for analysis. The resulting corpus is available on request.

Honeypot and labeled according to Enterprise Tactics of MITRE ATT&CK to ensure dataset credibility.
Traffic was captured over six months and replayed in a closed network for analysis. The resulting corpus is available on request.

Honeypot and labeled according to Enterprise Tactics of MITRE ATT&CK to ensure dataset credibility.
Traffic was captured over six months and replayed in a closed network for analysis. The resulting corpus is available on request.

Honeypot and labeled according to Enterprise Tactics of MITRE ATT&CK to ensure dataset credibility.
Traffic was captured over six months and replayed in a closed network for analysis. The resulting corpus is available on request.

Honeypot and labeled according to Enterprise Tactics of MITRE ATT&CK to ensure dataset credibility.
Traffic was captured over six months and replayed in a closed network for analysis. The resulting corpus is available on request.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.

The evaluation compares three detectors on the corpus.