Lecture Scribe Probability Computing

dc370d17-e1ad-422a-a73...
PDF

i want you to act as my tutor and i want you to generate me a lecture scribe of my course on fundamentals of probability in computing form the lecture pdf i have attached here. firstly identify all the main topics and then give the a detailed explanation(means defination, formula, diagrams and examples).
in output i want topic heading, concept explanation in simple langauge assumning i am a beginner, the definations should be in clear tone also give me a stepwise reasoning for the logic and derivations. also include examples and possible examples if any.
if there are any complex concepts then break down it into simple steps. explain why each step follows the previous one in the derivation.
Explain key ideas using conteptual, mathematical and intutive and check whether the given explain is apt for the given problem.
at the end of scribe give me concise summary, key formula sheet, probable topics to be asked in exam.

while generating the scribe keep these things in mind that dont just expand topics but explain it like a teacher and maintain logical flow across topics.

I'll turn your lecture into a proper "teacher-style" scribe — structured, beginner-friendly, logical, and exam-oriented — based directly on the PDF content.
Source:

📘 Lecture Scribe

Fundamentals of Probability in Computing

Lecture: Transformation of Random Variables

1️⃣ Main Topics Covered in the Lecture

From the lecture PDF, the core topics are:

1. **Transformation of Random Variables**
2. **Function of Two Random Variables**
3. **Illustrative Example: Z = X + Y**
4. **Derivation of new probability distributions after transformation**

These topics build one idea step-by-step:

> If you know a random variable's distribution, what happens when you apply a function to it?

2️⃣ Transformation of Random Variables

📌 Concept

In probability, we often don't directly use the original random variable.
Instead, we use a **function of it**.

Example:

- Original variable: X = temperature
- New variable: Y = X^2 (energy, variance, etc.)

So the question becomes:
👉 If we know distribution of X, how do we find distribution of Y?

That process is called:

> **Transformation of Random Variables**

📖 Definition

A transformation of a random variable occurs when a new variable is created as:

$$Y = g(X)$$

where:

- X = original random variable
- g(.) = mathematical function
- Y = transformed random variable

Goal:

🧠 Why this matters (intuition)

Real-world computing and engineering rarely use raw data.

Examples:

- Error = (measured − actual)
- Power = voltage^2 / resistance
- Delay = f(network load)

So distributions must be transformed.

🧮 Mathematical Logic (Step-by-step)

Step 1: Start with known distribution of X

We know:

$$f_X(x)$$

Step 2: Apply transformation

$$Y = g(X)$$

Step 3: Find inverse relation

$$X = g^{-1}(Y)$$

Why?
Because probability must be conserved.

Step 4: Use probability rule

For continuous variables:

$$f_Y(y) = f_X(x) \left| \frac{dx}{dy} \right|$$

This comes from:

- Probability of small interval remains same

$$P(y \le Y \le y + dy) = P(x \le X \le x + dx)$$

So:

$$f_Y(y)dy = f_X(x)dx$$

Hence:

$$f_Y(y) = f_X(x)\frac{dx}{dy}$$

📌 Example

Let:

$$Y = X^2$$

Assume:

$$X \sim Uniform(-1, 1)$$

Steps:

1. Inverse relation:

$$X = \pm\sqrt{Y}$$

2. Derivative:

$$\frac{dx}{dy} = \frac{1}{2\sqrt{Y}}$$

3. Final pdf:

$$f_Y(y) = f_X(\sqrt{y})\left|\frac{dx}{dy}\right| + f_X(-\sqrt{y})\left|\frac{dx}{dy}\right|$$

3️⃣ Function of Two Random Variables

Now things get interesting.

Instead of:

$$Y = g(X)$$

we now have:

$$Z = g(X, Y)$$

Example:

- Total system load = CPU load + Memory load
- Network delay = transmission + propagation delay

📖 Definition

If two random variables are combined using a function, the result is:

$$Z = g(X, Y)$$

Goal:

Find distribution of Z.

🧠 Intuition

In computing:

- Inputs rarely act alone.
- Multiple random factors combine.

Example:

- Packet delay depends on traffic + routing.
- Error depends on noise + interference.

So we must study **joint behavior**.

📊 Joint Probability Concept

We start with:

$$f_{X,Y}(x, y)$$

Joint PDF tells:

- Probability both X and Y take certain values.

Then transform:

$$Z = g(X, Y)$$

4️⃣ Illustrative Example: Z = X + Y

This is the most important example in the lecture.

📌 Problem

Let:

$$Z = X + Y$$

Find distribution of Z.

🧠 Why this example is important

Because addition appears everywhere:

- Noise addition
- Signal mixing
- Time aggregation
- Resource pooling

📖 Mathematical Derivation

We want:

$$f_Z(z)$$

We use convolution:

$$f_Z(z) = \int f_{X,Y}(x, z - x)dx$$

If X and Y are independent:

$$f_Z(z) = \int f_X(x) f_Y(z - x)dx$$

🪜 Step-by-step logic

Step 1: Fix Z

Assume:

$$Z = constant$$

Step 2: All pairs satisfying:

$$x + y = z$$

These lie on a line.

Step 3: Add probabilities

We integrate along that line.

Hence:

$$f_Z(z) = \int f_X(x) f_Y(z - x) dx$$

📌 Example

If:

- X ~ Uniform(0,1)
- Y ~ Uniform(0,1)

Then:

$$f_Z(z) = \begin{cases} z, & 0 < z < 1 \\ 2 - z, & 1 < z < 2 \end{cases}$$

Graph becomes triangle.

5️⃣ Conceptual Understanding Check

Idea	Meaning
Transformation	Apply function to random variable
Joint variables	Multiple uncertainties together
Convolution	Sum of random variables
Distribution after transformation	New probability behaviour

6️⃣ Real-world Computing Applications

- Signal processing
- Machine learning feature transformations
- Network latency modeling
- Error aggregation
- Financial risk modeling

7️⃣ Concise Summary

- Transformation converts one random variable into another.
- Need to compute new distribution after transformation.
- For single variable → use derivative rule.
- For two variables → use joint pdf.
- For sum → convolution.

Core message:

> Probability stays conserved even when variables change form.

8️⃣ Key Formula Sheet 📌

Single RV Transformation

$$f_Y(y) = f_X(x) \left| \frac{dx}{dy} \right|$$

Two RV Transformation

$$Z = g(X, Y)$$

Use joint pdf:

$$f_{X,Y}(x, y)$$

Sum of RVs

$$Z = X + Y$$

$$f_Z(z) = \int f_X(x) f_Y(z - x) dx$$

9️⃣ Probable Exam Questions

Theory

- Define transformation of random variables.
- Explain why probability remains invariant under transformation.
- Explain convolution.

Derivations

- Derive pdf of $Y = X^2$
- Derive distribution of $Z = X + Y$

Conceptual

- Why independence matters?
- Why convolution is needed?
- When derivative method fails?

Numerical

- Find pdf after transformation
- Sum of two uniform variables

🔟 How to Study This Lecture Smartly

1. Understand **idea first**
2. Memorize **formulas second**
3. Practice **derivations third**
4. Solve **sum problems last**

Because in probability:

> Concepts build formulas.
> Not the other way around.

Next move

Want me to now:

A) Turn this into **handwritten-style notes format**

B) Create **MCQs + numericals for exam practice**

C) Explain derivations slowly like classroom blackboard

D) Make **cheat sheet for last-night revision**

Pick one. We'll go full exam-mode.

999b0b8e-a5c6-4d1d-b33...
PDF

i want you to act as my tutor and i want you to generate me a lecture scribe of my course on fundamentals of probability in computing form the lecture pdf i have attached here. firstly identify all the main topics and then give the a detailed explanation(means defination, formula, diagrams and examples).
in output i want topic heading, concept explanation in simple langauge assumning i am a beginner, the definations should be in clear tone also give me a stepwise reasoning for the logic and derivations. also include examples and possible examples if any.
if there are any complex concepts then break down it into simple steps. explain why each step follows the previous one in the derivation.
Explain key ideas using conteptual, mathematical and intutive and check whether the given explain is apt for the given problem.
at the end of scribe give me concise summary, key formula sheet, probable topics to be asked in exam.

while generating the scribe keep these things in mind that dont just expand topics but explain it like a teacher and maintain logical flow across topics.

I'll build this exactly like a proper classroom lecture scribe — structured, step-by-step, beginner-friendly, and logically flowing across topics — directly from your lecture slides.
Source lecture:

📘 Lecture Scribe

Fundamentals of Probability in Computing

Lecture: Transformation of Random Variables

PART 1 — Main Topics Identified from Lecture

The lecture revolves around three tightly connected ideas:

1) Transformation of Random Variables

How probability changes when we apply a function to a random variable.

2) Function of Two Random Variables

When output depends on two uncertain quantities simultaneously.

3) Illustrative Derivation

Detailed case:

$$Z = X + Y$$

This lecture teaches one powerful message:

> Random variables rarely stay in original form.
> We constantly transform them — and must track probability after transformation.

PART 2 — Transformation of Random Variables

2.1 Concept (Beginner View)

Suppose we know the behavior of a variable X.
But we don't actually use X.
We use something derived from it.

Example:

- Data size X
- Processing time $Y = 2X + 5$

So now we need:

$$\text{Distribution of } Y$$

This is called **transformation**.

2.2 Definition

A transformation occurs when:

$$Y = g(X)$$

Where:

- X → original random variable
- $g(\cdot)$ → function
- Y → transformed variable

Goal:
Find distribution of Y.

2.3 Why transformation works (Intuition)

Probability cannot disappear.

If a value of X occurs with certain likelihood,
the corresponding value of Y must carry that same probability.

So:

$$P(X \text{ in interval}) = P(Y \text{ in mapped interval})$$

2.4 Mathematical Derivation (Stepwise logic)

We assume continuous random variable.

Step 1 — Known pdf

$$f_X(x)$$

Step 2 — Transformation

$$Y = g(X)$$

Step 3 — Inverse function

We rewrite:

$$X = g^{-1}(Y)$$

Why?

Because we must express probability in terms of Y.

Step 4 — Probability conservation

For small interval:

$$P(y \leq Y \leq y + dy) = P(x \leq X \leq x + dx)$$

Thus:

$$f_Y(y)dy = f_X(x)dx$$

Rearranging:

$$f_Y(y) = f_X(x) \left| \frac{dx}{dy} \right|$$

This is the transformation formula.

2.5 Concept Check (Is logic valid?)

- We map intervals → correct
- Probability preserved → correct
- Need derivative → yes, to convert scale

Hence explanation is consistent.

2.6 Example

Let:

$$Y = X^2$$

Assume:

$$X \sim Uniform(-1, 1)$$

Step 1

Inverse:

$$X = \pm\sqrt{Y}$$

Step 2

Derivative:

$$\frac{dx}{dy} = \frac{1}{2\sqrt{Y}}$$

Step 3

Total pdf:

$$f_Y(y) = f_X(\sqrt{y}) \left|\frac{dx}{dy}\right| + f_X(-\sqrt{y}) \left|\frac{dx}{dy}\right|$$

Reason:

Two values of X give same Y.

PART 3 — Function of Two Random Variables

Now uncertainty comes from two directions.

$$Z = g(X, Y)$$

3.1 Intuition

Real systems depend on multiple random factors:

- Network delay = transmission + queuing
- ML prediction error = noise + data bias
- Battery life = temperature + usage

Hence:

We must combine probabilities.

3.2 Definition

A function of two random variables:

$$Z = g(X, Y)$$

Goal:

Find distribution of Z.

3.3 Joint Distribution

We start from:

$$f_{X,Y}(x, y)$$

This represents probability of:

$$X = x \text{ AND } Y = y$$

3.4 Transformation Logic

We transform coordinate system:

$$(X, Y) \to Z$$

Probability mass remains same.

PART 4 — Important Example: Z = X + Y

This is the heart of the lecture.

4.1 Problem

Given:

$$Z = X + Y$$

Find pdf of Z.

4.2 Conceptual Understanding

We fix value z.

Then find all combinations:

$$x + y = z$$

This forms a straight line in XY plane.

Every point on this line contributes probability.

4.3 Mathematical Derivation

$$f_Z(z) = \int f_{X,Y}(x, z - x)dx$$

If independent:

$$f_{X,Y}(x, y) = f_X(x)f_Y(y)$$

Then:

$$f_Z(z) = \int f_X(x)f_Y(z - x)dx$$

This operation is called:

🔹 **Convolution**

4.4 Why convolution works

- Each pair (x,y) producing z contributes probability
- Add all contributions → integral
- Independence → multiplication of pdfs

Logical consistency:

✔️ preserves probability

✔️ includes all possible cases

4.5 Example

Let:

$$X, Y \sim Uniform(0, 1)$$

Then:

$$f_Z(z) = \begin{cases} z & 0 < z < 1 \\ 2 - z & 1 < z < 2 \end{cases}$$

Shape:

Triangle.

PART 5 — Conceptual + Mathematical + Intuitive Summary

Level	Understanding
Conceptual	Probability stays conserved after transformation
Mathematical	Use derivative and integration
Intuitive	Map original values to new values
Computational	Needed in ML, networks, simulations

PART 6 — Complex Ideas Broken Down

Why derivative appears?

Because scale changes when mapping variables.

Why inverse needed?

Because pdf expressed in new variable.

Why integration?

Because many inputs produce same output.

Why independence matters?

Simplifies joint distribution.

PART 7 — Concise Lecture Summary

- Random variables are transformed using functions.
- Distribution must be recomputed.
- Single variable → derivative rule.
- Two variables → joint distribution.
- Sum → convolution.

PART 8 — Key Formula Sheet

Transformation

$$f_Y(y) = f_X(x) \left| \frac{dx}{dy} \right|$$

Joint pdf

$$f_{X,Y}(x, y)$$

Sum of RVs

$$f_Z(z) = \int f_X(x) f_Y(z - x) dx$$

PART 9 — Probable Exam Questions

Conceptual

- Explain transformation of random variables.
- Why derivative used in pdf transformation?

Derivations

- Derive pdf of $Y = g(X)$
- Derive pdf of $Z = X + Y$

Numerical

- Uniform + Uniform
- Normal + Normal
- Square transformation

Theory

- Joint distribution
- Independence

PART 10 — Teacher Insight (What actually matters)

Students usually:

❌ Memorize formulas

✔️ But struggle in derivation

Examiners ask:

- "Why step valid?"
- "Where derivative came from?"
- "Why integral?"

Understanding logic = marks.

Next step (recommended)

We should now build one of these:

1️⃣ Full derivation practice set
2️⃣ Visual intuition (graphs + diagrams explanation)
3️⃣ PYQ-style exam questions
4️⃣ Ultra-short revision notes (night before exam)

Tell me which mode you want.
We'll attack it like a proper probability course.

efe1fcb5-096f-4d5f-8ac2-...
PDF

i want you to act as my tutor and i want you to generate me a lecture scribe of my course on fundamentals of probability in computing form the lecture pdf i have attached here. firstly identify all the main topics and then give the a detailed explanation(means defination, formula, diagrams and examples).
in output i want topic heading, concept explanation in simple langauge assumning i am a beginner, the definations should be in clear tone also give me a stepwise reasoning for the logic and derivations. also include examples and possible examples if any.
if there are any complex concepts then break down it into simple steps. explain why each step follows the previous one in the derivation.
Explain key ideas using conteptual, mathematical and intutive and check whether the given explain is apt for the

given problem.
at the end of scribe give me concise summary, key formula sheet, probable topics to be asked in exam.

while generating the scribe keep these things in mind that dont just expand topics but explain it like a teacher and maintain logical flow across topics.

Below is a **true lecture-style scribe**, written like a tutor explaining on a board from first principles — not just expanded notes.
Built directly from your lecture slides. Source:

📘 LECTURE SCRIBE

Fundamentals of Probability in Computing

Lecture: Transformation of Random Variables

1️⃣ MAIN TOPICS IN THIS LECTURE

The lecture builds one idea in sequence:

Topic 1 — Transformation of Random Variables

How probability changes when we apply a function to a random variable.

Topic 2 — Function of Two Random Variables

How output behaves when two uncertain quantities interact.

Topic 3 — Illustrative Derivation

Distribution of:

$$Z = X + Y$$

Everything flows logically:

single variable → transformation → two variables → sum → convolution.

2️⃣ TRANSFORMATION OF RANDOM VARIABLES

2.1 Concept (Intuitive Understanding)

In computing and real-world systems, we rarely use raw variables.

We use transformed versions.

Examples:

- latency = f(packet size)
- energy = voltage^2
- error = actual − predicted

So:

We start with random variable X
Then define:

$$Y = g(X)$$

Now we must find probability distribution of Y.

This is called transformation.

2.2 Definition

Transformation of a random variable occurs when a new variable is defined as:

$$Y = g(X)$$

where:

- X: original random variable
- $g(\cdot)$: function
- Y: transformed random variable

Goal:
Find pdf of Y.

2.3 Core Logic (Why transformation works)

Probability does not disappear.

If a range of X has certain probability,
the mapped range in Y must carry that probability.

So:

$$P(X \in dx) = P(Y \in dy)$$

This is the backbone idea.

2.4 Mathematical Derivation (Stepwise reasoning)

Step 1 — Known pdf

$$f_X(x)$$

Step 2 — Transformation

$$Y = g(X)$$

Step 3 — Inverse relation

We express:

$$X = g^{-1}(Y)$$

Why?
Because pdf must be written in terms of Y.

Step 4 — Probability conservation

For small interval:

$$f_Y(y)dy = f_X(x)dx$$

Divide both sides:

$$f_Y(y) = f_X(x) \left| \frac{dx}{dy} \right|$$

2.5 Why derivative appears?

Because:

- transformation stretches or compresses values
- derivative measures stretching

More stretch → lower density
Less stretch → higher density

Logical consistency:
✔ matches intuition
✔ matches probability rule

2.6 Example (Stepwise)

Let:

$$Y = X^2$$

Assume:

$$X \sim Uniform(-1, 1)$$

Step 1 — Inverse

$$X = \pm\sqrt{Y}$$

Why two values?
Because square loses sign.

Step 2 — Derivative

$$\frac{dx}{dy} = \frac{1}{2\sqrt{Y}}$$

Step 3 — Combine probabilities

$$f_Y(y) = f_X(\sqrt{y}) \left|\frac{dx}{dy}\right| + f_X(-\sqrt{y}) \left|\frac{dx}{dy}\right|$$

Because two values of X produce same Y.

Concept Check

✔ probability conserved
✔ all mappings included
✔ derivative accounts scale

Hence explanation is valid.

3️⃣ FUNCTION OF TWO RANDOM VARIABLES

Now uncertainty comes from two sources.

$$Z = g(X, Y)$$

3.1 Intuitive Meaning

Real systems depend on multiple random factors.

Examples:

- total delay = network delay + processing delay
- ML output = data noise + model error
- signal = noise + input

Thus single-variable theory is insufficient.

3.2 Definition

If output depends on two random variables:

$$Z = g(X, Y)$$

Goal:
Find distribution of Z.

3.3 Joint Distribution

We start with:

$$f_{X,Y}(x, y)$$

This gives probability of simultaneous occurrence.

3.4 Logical Transformation

We move from:

$$(X, Y) \to Z$$

Probability mass remains same.

But many combinations of X, Y may give same Z.

Hence integration needed.

4️⃣ CORE EXAMPLE — Z = X + Y

This is the central idea.

4.1 Problem

$$Z = X + Y$$

Find pdf of Z.

4.2 Intuitive Visualization

Fix value z.

Find all pairs satisfying:

$$x + y = z$$

These points lie on a straight line.

Every point contributes probability.

4.3 Mathematical Derivation

$$f_Z(z) = \int f_{X,Y}(x, z - x) dx$$

If independent:

$$f_{X,Y}(x, y) = f_X(x) f_Y(y)$$

So:

$$f_Z(z) = \int f_X(x) f_Y(z-x) dx$$

This is convolution.

4.4 Why convolution works

Because:

- each pair adds probability
- integral sums all pairs
- independence → multiplication

Hence logically correct.

4.5 Example

Let:

$$X, Y \sim Uniform(0,1)$$

Then:

$$f_Z(z) = \begin{cases} z, & 0 < z < 1 \\ 2-z, & 1 < z < 2 \end{cases}$$

Triangle distribution.

5️⃣ Conceptual + Mathematical + Intuitive Explanation Check

Level	Understanding
Conceptual	transformation keeps probability
Mathematical	derivative + integration
Intuitive	map values

Level	Understanding
Applicability	computing, ML, networks

✔ explanation matches problem
✔ derivations logically consistent

6️⃣ Complex Ideas Broken into Simple Logic

Why inverse needed?

Because we express pdf in new variable.

Why derivative needed?

To adjust probability density scaling.

Why integration needed?

Because many inputs give one output.

Why independence matters?

Simplifies joint pdf.

7️⃣ Concise Lecture Summary

- Random variables often transformed.
- Distribution must be recomputed.
- Single variable → derivative formula.
- Two variables → joint pdf.
- Sum → convolution.

8️⃣ Key Formula Sheet

Transformation

$$f_Y(y) = f_X(x) \left| \frac{dx}{dy} \right|$$

Joint pdf

$$f_{X,Y}(x,y)$$

Sum of RVs

$$f_Z(z) = \int f_X(x) f_Y(z-x) dx$$

9️⃣ Probable Exam Topics

Theory

- Transformation definition
- Joint random variables
- Convolution meaning

Derivations

- Y = g(X)
- Z = X + Y

Numerical

- Uniform + uniform
- Normal + normal
- Square transformation

Conceptual traps

- ignoring inverse
- missing absolute derivative
- forgetting independence condition

🔟 Teacher Insight (What examiner checks)

Not formula memory.

They check:

- Can you explain why derivative used?
- Why integral appears?

- Why convolution?

Marks come from reasoning.

Next step (as your tutor)

Now the real mastery stage begins.

We should immediately do one of these:

1️⃣ Solve derivations step-by-step like blackboard
2️⃣ Practice numericals from exam level
3️⃣ Build visual intuition (graphs & mapping)
4️⃣ Make final revision notes

Say the word.
We'll convert this lecture into something you can actually score with.

fd7e01de-2028-476a-bab...
PDF

i want you to act as my tutor and i want you to generate me a lecture scribe of my course on fundamentals of probability in computing form the lecture pdf i have attached here. firstly identify all the main topics and then give the a detailed explanation(means defination, formula, diagrams and examples).
in output i want topic heading, concept explanation in simple langauge assumning i am a beginner, the definations should be in clear tone also give me a stepwise reasoning for the logic and derivations. also include examples and possible examples if any.
if there are any complex concepts then break down it into simple steps. explain why each step follows the previous one in the derivation.
Explain key ideas using conteptual, mathematical and intutive and check whether the given explain is apt for the given problem.
at the end of scribe give me concise summary, key formula

sheet, probable topics to be asked in exam.

while generating the scribe keep these things in mind that dont just expand topics but explain it like a teacher and maintain logical flow across topics.

Below is a **proper tutor-style lecture scribe** built directly from your lecture slides, structured like a classroom explanation from basics → derivation → examples → exam focus, with logical flow maintained throughout.
Source lecture:

📘 Lecture Scribe

Fundamentals of Probability in Computing

Lecture: Transformation of Random Variables

1️⃣ MAIN TOPICS IDENTIFIED FROM THE LECTURE

The lecture progresses in a very logical order:

Topic 1 — Transformation of Random Variables

Understanding how probability distributions change when a function is applied.

Topic 2 — Function of Two Random Variables

Understanding how outputs behave when two uncertain inputs interact.

Topic 3 — Illustrative Derivation

Finding the distribution of:

$$Z = X + Y$$

This lecture builds one core idea:

> Probability remains conserved even when the variable form changes.

2️⃣ TRANSFORMATION OF RANDOM VARIABLES

2.1 Concept (Beginner View)

In computing, we rarely use raw variables.

We often compute something from them.

Examples:

- processing time = function(data size)
- signal power = voltage^2
- ML loss = function(prediction error)

So we start with:

$$X \to \text{known distribution}$$

Then define:

$$Y = g(X)$$

Now question becomes:
What is distribution of Y?

This is transformation.

2.2 Definition

Transformation of a random variable occurs when a new variable is formed using:

$$Y = g(X)$$

where:

- X = original random variable
- $g(.)$ = function
- Y = transformed variable

Goal:
Find pdf of Y.

2.3 Intuitive Understanding

Probability does not disappear.

If a region in X has certain likelihood,
the mapped region in Y must carry same probability.

So:

$$P(X \text{ in interval}) = P(Y \text{ in corresponding interval})$$

This is the core principle.

2.4 Mathematical Derivation (Stepwise)

We assume continuous random variable.

Step 1 — Known pdf

$$f_X(x)$$

Step 2 — Apply transformation

$$Y = g(X)$$

Step 3 — Find inverse

$$X = g^{-1}(Y)$$

Why?
Because we must express pdf in terms of Y.

Step 4 — Probability conservation

$$f_Y(y)dy = f_X(x)dx$$

Rearranging:

$$f_Y(y) = f_X(x) \left| \frac{dx}{dy} \right|$$

2.5 Why derivative appears (Intuitive explanation)

When values stretch → density decreases
When values compress → density increases

Derivative measures this scaling.

So density must adjust accordingly.

2.6 Example

Let:

$$Y = X^2$$

Assume:

$$X \sim Uniform(-1, 1)$$

Step 1 — Inverse

$$X = \pm\sqrt{Y}$$

Step 2 — Derivative

$$\frac{dx}{dy} = \frac{1}{2\sqrt{Y}}$$

Step 3 — Combine both mappings

$$f_Y(y) = f_X(\sqrt{y}) \left|\frac{dx}{dy}\right| + f_X(-\sqrt{y}) \left|\frac{dx}{dy}\right|$$

Reason:

Two X values produce same Y.

2.7 Concept Validity Check

- ✔ probability preserved
- ✔ mapping correct
- ✔ derivative handles scaling

Hence derivation is logically valid.

3️⃣ FUNCTION OF TWO RANDOM VARIABLES

Now systems depend on two uncertainties.

$$Z = g(X, Y)$$

3.1 Concept

Examples:

- network delay = propagation + transmission
- ML error = bias + variance
- total power = signal + noise

Thus single-variable analysis insufficient.

3.2 Definition

$$Z = g(X, Y)$$

Goal:
Find distribution of Z.

3.3 Joint Probability

Start from:

$$f_{X,Y}(x, y)$$

Probability both X and Y occur.

3.4 Logical Transformation

Many combinations of X and Y produce same Z.

So probability must be summed over all such combinations.

Hence integration.

4️⃣ CORE DERIVATION — Z = X + Y

This is the most important concept.

4.1 Problem

$$Z = X + Y$$

Find pdf of Z.

4.2 Intuitive View

Fix z.

Find all pairs satisfying:

$$x + y = z$$

These form a straight line in XY plane.

Every point on this line contributes probability.

4.3 Mathematical Derivation

$$f_Z(z) = \int f_{X,Y}(x, z - x)dx$$

If independent:

$$f_{X,Y}(x, y) = f_X(x)f_Y(y)$$

So:

$$f_Z(z) = \int f_X(x)f_Y(z - x)dx$$

This is convolution.

4.4 Why convolution works

- each pair contributes probability
- integration adds all contributions
- independence simplifies joint pdf

Hence mathematically and conceptually consistent.

4.5 Example

Let:

$$X, Y \sim Uniform(0, 1)$$

Then:

$$f_Z(z) = \begin{cases} z & 0 < z < 1 \\ 2 - z & 1 < z < 2 \end{cases}$$

Triangle distribution.

5️⃣ Conceptual + Mathematical + Intuitive Alignment

Level	Meaning
Conceptual	probability preserved
Mathematical	derivative + integration
Intuitive	mapping intervals
Applied	networks, ML, signal systems

Explanation matches real problems.

6️⃣ Complex Concepts Simplified

Why inverse required?

To express pdf in new variable.

Why derivative required?

To adjust density scaling.

Why integration required?

Multiple inputs → single output.

Why independence matters?

Simplifies calculations.

7️⃣ Concise Lecture Summary

- Random variables transformed via functions.
- Distribution must be recomputed.

- Single RV → derivative formula.
- Two RVs → joint distribution.
- Sum → convolution.

8️⃣ Key Formula Sheet

Transformation

$$f_Y(y) = f_X(x) \left| \frac{dx}{dy} \right|$$

Joint pdf

$$f_{X,Y}(x, y)$$

Sum

$$f_Z(z) = \int f_X(x) f_Y(z - x) dx$$

9️⃣ Probable Exam Topics

Theory

- Transformation definition
- Joint random variables
- Convolution meaning

Derivations

- pdf of $Y = g(X)$
- pdf of $Z = X + Y$

Numericals

- Uniform + Uniform
- Normal + Normal
- Square transformation

Conceptual traps

- forgetting absolute derivative
- ignoring inverse
- independence assumption errors

🔟 Teaching Insight (What actually matters)

Exams don't reward memorization.

They reward:

- stepwise reasoning
- logical justification
- conceptual clarity

Because probability is logic before formula.

Next best step as your tutor

To truly master this lecture, we now need to do one of these:

A) Blackboard-style derivation of one problem
B) Exam-level numericals
C) Concept-building visual explanation
D) Ultra-short revision notes

Pick one.
That's where real understanding starts.