



PIMPRI CHINCHWAD EDUCATION TRUST'S.
PIMPRI CHINCHWAD COLLEGE OF ENGINEERING
(An Autonomous Institute)
Affiliated to Savitribai Phule Pune University (SPPU)
ISO 21001:2018 Certified by TUV SUD

T.Y. B. TECH

Year: 2025 – 26

Semester: 6

Branch: Computer Engineering

Date: 6/2/2026

Assignment Title: Create a static web page which defines all text formatting tags of HTML in tabular format.

Name: Sakshi Pandharkar

PRN: 123B1B209

DIV: C

Objectives:

- To understand the concept of HTML text formatting tags.
- To learn how different text formatting tags affect text appearance on a web page.
- To design a static web page using basic HTML and CSS.
- To represent information in a structured tabular format.
- To provide reference links for further learning of HTML tags.

Outcomes:

- Identify and use common HTML text formatting tags.
- Create a structured HTML table.
- Apply basic CSS for styling web pages.
- Develop a static web page using HTML.
- Understand semantic and non-semantic formatting tags.

Theory Concept in brief:

HTML (HyperText Markup Language) provides a variety of **text formatting tags** that are used to control the appearance, emphasis, and meaning of text displayed on a web page. These tags help present content in a more **readable, structured, and visually appealing** manner.

Text formatting tags allow developers to highlight important words, show emphasis, indicate inserted or deleted content, and display mathematical or chemical expressions using subscript and superscript. For example, tags like `<b>` and `<i>` are mainly used for visual styling, whereas tags such as `<strong>` and `<em>` are **semantic tags** that also convey importance and emphasis to browsers and assistive technologies.

HTML also supports tags like `<mark>` for highlighting, `<small>` for reduced text size, `<del>` for deleted text, and `<ins>` for inserted text, which are commonly used in documents, articles, and change tracking systems.

Subscript (`<sub>`) and superscript (`<sup>`) tags are especially useful in scientific and mathematical representations.

Presenting these formatting tags in a **tabular format** helps users easily compare the tag name, its purpose, and the resulting output. Adding reference links further supports self-learning and documentation practices.

Dataset used:

No external dataset is used in this assignment.

The content is **static and predefined**, consisting of:

- HTML formatting tag names
- Their descriptions
- Example outputs
- Reference links from MDN Web Docs

Program code:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <title>HTML Text Formatting Tags</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial, sans-serif;
```

```
      margin: 40px;
```

```
      background-color: #f9f9f9;
```

```
}  
h1 {  
    text-align: center;  
}  
table {  
    width: 70%;  
    margin: 0 auto;  
    border-collapse: collapse;  
    background-color: #ffffff;  
}  
th, td {  
    border: 1px solid #444;  
    padding: 10px;  
    text-align: left;  
}  
th {  
    background-color: #e0e0e0;  
}  
tr:nth-child(even) {  
    background-color: #a1e9f5;  
}  
</style>  
</head>  
<body>  
  
<h1>HTML Text Formatting Tags</h1>
```

```
<table>
```

```
<tr>
```

```
<th>Tag</th>
```

```
<th>Description</th>
```

```
<th>Example Output</th>
```

```
<th>Tag Link</th>
```

```
</tr>
```

```
<tr>
```

```
<td><code>&lt;b&gt;</code></td>
```

```
<td>Bold text</td>
```

```
<td><b>Bold</b></td>
```

```
<td><a href="https://developer.mozilla.org/en-US/docs/Web/HTML/Element/b"
target="_blank">Bold Link</a></td>
```

```
</tr>
```

```
<tr>
```

```
<td><code>&lt;strong&gt;</code></td>
```

```
<td>Important text (semantic bold)</td>
```

```
<td><strong>Strong</strong></td>
```

```
<td><a href="https://developer.mozilla.org/en-US/docs/Web/HTML/Element/strong"
target="_blank">Strong Link</a></td>
```

```
</tr>
```

```
<tr>
```

```
<td><code>&lt;i&gt;</code></td>
```

```
<td>Italic text</td>
```

```
<td><i>Italic</i></td>
```

```
<td><a href="https://developer.mozilla.org/en-US/docs/Web/HTML/Element/i"
target="_blank">Italic Link</a></td>

</tr>
```

```
<tr>

<td><code>&lt;em&gt;</code></td>

<td>Emphasized text (semantic italic)</td>

<td><em>Emphasized</em></td>

<td><a href="https://developer.mozilla.org/en-US/docs/Web/HTML/Element/em"
target="_blank">Emphasized Link</a></td>

</tr>
```

```
<tr>

<td><code>&lt;u&gt;</code></td>

<td>Underlined text</td>

<td><u>Underlined</u></td>

<td><a href="https://developer.mozilla.org/en-US/docs/Web/HTML/Element/u"
target="_blank">Underlined Link</a></td>

</tr>
```

```
<tr>

<td><code>&lt;mark&gt;</code></td>

<td>Highlighted text</td>

<td><mark>Marked</mark></td>

<td><a href="https://developer.mozilla.org/en-US/docs/Web/HTML/Element/mark"
target="_blank">Highlighted Link</a></td>

</tr>
```

<tr>

<td><code><small></code></td>

<td>Smaller text</td>

<td><small>Small text</small></td>

<td>Smaller Link</td>

</tr>

<tr>

<td><code></code></td>

<td>Deleted text</td>

<td>Deleted</td>

<td>Deleted Link</td>

</tr>

<tr>

<td><code><ins></code></td>

<td>Inserted text</td>

<td><ins>Inserted</ins></td>

<td>Inserted Link</td>

</tr>

<tr>

<td><code><sub></code></td>

<td>Subscript text</td>

<td>H₂O</td>

```
<td><a href="https://developer.mozilla.org/en-US/docs/Web/HTML/Element/sub"
target="_blank">Subscript Link</a></td>
```

```
</tr>
```

```
<tr>
```

```
<td><code>&lt;sup>&gt;</code></td>
```

```
<td>Superscript text</td>
```

```
<td>x<sup>2</sup></td>
```

```
<td><a href="https://developer.mozilla.org/en-US/docs/Web/HTML/Element/sup"
target="_blank">Superscript Link</a></td>
```

```
</tr>
```

```
</table>
```

```
</body>
```

```
</html>
```

Output screenshot:

HTML Text Formatting Tags

Tag	Description	Example Output	Link
	Bold text	Bold	Click Here
	Important text	Strong	Click Here
<i>	Italic text	<i>Italic</i>	Click Here
	Emphasized text	<i>Emphasized</i>	Click Here
<u>	Underlined text	<u>Underline</u>	Click Here
<mark>	Highlighted text	Marked	Click Here
<small>	Smaller text	Small	Click Here
	Deleted text	Deleted	Click Here
<ins>	inserted text	<u>insert</u>	Click Here
<Sub>	Subscript text	H ₂ O	Click Here
<Sup>	Superscript text	X ²	Click Here

Conclusion:

This assignment successfully helped implement the use of various HTML text formatting tags using a static web page.

By presenting the tags in a tabular format with descriptions, examples, and reference links, it becomes easy to understand their usage.

The assignment helped in improving knowledge of HTML structure, formatting tags, and basic CSS styling.