
SHORT DESCRIPTION

FreshKart is an Indian online grocery service. The company primarily delivers grocery goods found in convenience stores, home essentials and food supplies to customers. The fresh fruits and vegetables are directly bought from the farm vendors therefore there is not extra cost between the customer and the seller

WORKFLOW DIAGRAM



This project

Bootstrap and Fontawesome

Languages: html, css, jquery, javascript, Web Application Framework, Angular js, Node js, Mongo db

Server.js

```
var express = require('express');
var ejs = require('ejs');
var path = require('path');
var app = express();
var bodyParser = require('body-parser');
var mongoose = require('mongoose');
var session = require('express-session');
var MongoStore = require('connect-mongo')(session);
mongoose.connect('mongodb://localhost/ManualAuth');
var db = mongoose.connection;
db.on('error', console.error.bind(console, 'connection error:'));
db.once('open', () => {});
app.use(session({
    secret: 'work hard',
    resave: true,
   saveUninitialized: false,
    store: new MongoStore({
        mongooseConnection: db
}));
app.set('views', path.join(__dirname, 'views'));
app.set('view engine', 'ejs');
app.use(bodyParser.json());
app.use(bodyParser.urlencoded({ extended: false }));
app.use(express.static(__dirname + '/views'));
var index = require('./routes/index');
app.use('/', index);
app.use((err, req, res, next) => {
    res.status(err.status || 500);
    res.send(err.message);
});
```

```
app.listen(3000, () => {
    console.log('Express app listening on port 3000');
});
```

```
bloom@sakshi-lt MINGW64 ~/Sakshi/xampp/htdocs/Node.js-Register-Login-App (master)

index server.js

index se
```

index.js

```
var express = require('express');
var router = express.Router();
var User = require('../models/user');
router.get('/Signup', (req, res, next) => {
    return res.render('Signup.ejs');
});
router.post('/Signup', (req, res, next) => {
   console.log(req.body);
   var personInfo = req.body;
    if (!personInfo.email || !personInfo.username || !personInfo.password ||
!personInfo.passwordConf) {
       res.send();
        if (personInfo.password == personInfo.passwordConf) {
            User.findOne({ email: personInfo.email }, (err, data) => {
                if (!data) {
                    User.findOne({}, (err, data) => {
                        if (data) {
                            console.log("if");
                            c = data.unique id + 1;
                            c = 1;
```

```
var newPerson = new User({
                            unique id: c,
                            email: personInfo.email,
                            username: personInfo.username,
                            password: personInfo.password,
                            passwordConf: personInfo.passwordConf
                        });
                        newPerson.save((err, Person) => {
                                console.log(err);
                                console.log('Success');
                        });
                    res.send({ "Success": "You are regestered, You can login now."
            });
            res.send({ "Success": "password is not matched" });
});
router.get('/login', (req, res, next) => {
    return res.render('login.ejs');
});
router.post('/login', (req, res, next) => {
    User.findOne({ email: req.body.email }, (err, data) => {
       if (data) {
            if (data.password == req.body.password) {
                req.session.userId = data.unique id;
```

```
res.send({ "Success": "This Email Is not regestered!" });
});
router.get('/profile', (req, res, next) => {
    console.log("profile");
   User.findOne({ unique id: req.session.userId }, (err, data) => {
        console.log("data");
       console.log(data);
            res.redirect('/');
            return res.render('data.ejs', { "name": data.username, "email":
data.email });
});
router.get('/Home', (req, res, next) => {
    console.log("Home");
   User.findOne({ unique id: req.session.userId }, (err, data) => {
       console.log("data");
       console.log(data);
           res.redirect('/');
           return res.render('Home.ejs', { "name": data.username, "email":
data.email });
});
router.get('/logout', (req, res, next) => {
    console.log("logout")
   if (req.session) {
        req.session.destroy((err) => {
            if (err) {
                return next(err);
```

```
return res.redirect('/');
}
});
});
module.exports = router;
```

users.js

```
var mongoose = require('mongoose');
var Schema = mongoose.Schema;

userSchema = new Schema( {
    unique_id: Number,
    email: String,
    username: String,
    password: String,
    passwordConf: String
}),
User = mongoose.model('User', userSchema);

module.exports = User;
```

Profile

```
<link rel="stylesheet" href="css/elegant-icons.css" type="text/css">
    <link rel="stylesheet" href="css/nice-select.css" type="text/css">
    <link rel="stylesheet" href="css/jquery-ui.min.css" type="text/css">
    <link rel="stylesheet" href="css/owl.carousel.min.css" type="text/css">
    <link rel="stylesheet" href="css/slicknav.min.css" type="text/css">
    <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js">
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.14.0/css/all.min.css"
integrity="sha512-1PK0qIY59xJ8Co8+NE6FZ+LOAZKjy+KY8iq0G4B3CyeY6wYHN3yt9PW0XpSriVlkM
Xe40PTKnXrLnZ9+fkDaog==" crossorigin="anonymous" />
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
    <link rel="stylesheet" href="./css/main.css">
href="https://use.fontawesome.com/releases/v5.7.1/css/all.css">
    <link rel="stylesheet"</pre>
href="https://pro.fontawesome.com/releases/v5.10.0/css/all.css"
integrity="sha384-AYmEC3Yw5cVb3ZcuHtOA93w35dYTsvhLPVnYs9eStHfGJvOvKxVfELGroGkvsg+p"
crossorigin="anonymous" />
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.mi
            box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2);
            max-width: 300px;
           margin: auto;
            text-align: center;
            font-family: arial;
        .title {
            font-size: 16px;
        button {
            border: none;
            outline: 0;
            display: inline-block;
            padding: 8px;
            background-color: #000;
```

```
text-align: center;
            width: 100%;
            text-decoration: none;
       button:hover,
       a:hover {
           opacity: 0.7;
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.14.0/css/fontawesome.mi
integrity="sha512-8jdwayz5n8F2cnW2619vpV6+yGOcRAqz6HTu+DQ3FtVIAts2gTd1FZOGpYhvBMXkW
EgxPN3Y22UWyZXuDowNLA==" crossorigin="anonymous" />
   <header class="header">
           <div class="container">
               <div class="row">
                    <div class="col-lg-6 col-md-6">
                                    <a href="/logout" class="logout"> <i class="fas</pre>
fa-sign-out-alt"></i> Logout</a>
                                <a href="/home" class="active"><i class="fas</pre>
fa-home"></i> Home</a>
                    <div class="col-lg-6 col-md-6">
```

```
<div class="header_top_right_auth">
   <div class="container">
           <div class="col-lq-3">
<div class="card">
   <img src="user.png" style="width:100%">
   <button>PROFILE</button>
```

Store.js

```
if (document.readyState == 'loading') {
    document.addEventListener('DOMContentLoaded', ready)
} else {
    ready()
}
```

```
var removeCartItemButtons = document.getElementsByClassName('btn-danger')
   for (var i = 0; i < removeCartItemButtons.length; i++) {</pre>
       var button = removeCartItemButtons[i]
       button.addEventListener('click', removeCartItem)
   var quantityInputs = document.getElementsByClassName('cart-quantity-input')
   for (var i = 0; i < quantityInputs.length; i++) {</pre>
       var input = quantityInputs[i]
       input.addEventListener('change', quantityChanged)
   var addToCartButtons = document.getElementsByClassName('shop-item-button')
   for (var i = 0; i < addToCartButtons.length; i++) {</pre>
       var button = addToCartButtons[i]
       button.addEventListener('click', addToCartClicked)
function removeCartItem(event) {
   var buttonClicked = event.target
   buttonClicked.parentElement.parentElement.remove()
   updateCartTotal()
function quantityChanged(event) {
   var input = event.target
   if (isNaN(input.value) || input.value <= 0) {</pre>
       input.value = 1
   updateCartTotal()
function addToCartClicked(event) {
   var button = event.target
   var shopItem = button.parentElement.parentElement
   var title = shopItem.getElementsByClassName('shop-item-title')[0].innerText
   var price = shopItem.qetElementsByClassName('shop-item-price')[0].innerText
   var imageSrc = shopItem.getElementsByClassName('shop-item-image')[0].src
   addItemToCart(title, price, imageSrc)
   updateCartTotal()
function addItemToCart(title, price, imageSrc) {
   var cartRow = document.createElement('div')
   cartRow.classList.add('cart-row')
   var cartItems = document.getElementsByClassName('cart-items')[0]
```

```
var cartItemNames = cartItems.getElementsByClassName('cart-item-title')
    for (var i = 0; i < cartItemNames.length; i++) {</pre>
        if (cartItemNames[i].innerText == title) {
            alert('This item is already added to the cart')
    var cartRowContents = `
            <img class="cart-item-image" src="${imageSrc}" width="100"</pre>
            <span class="cart-item-title">${title}</span>
        </div>
        <span class="cart-price cart-column">${price}</span>
    cartRow.innerHTML = cartRowContents
    cartItems.append(cartRow)
    cartRow.getElementsByClassName('btn-danger')[0].addEventListener('click',
removeCartItem)
cartRow.getElementsByClassName('cart-quantity-input')[0].addEventListener('change',
quantityChanged)
function updateCartTotal() {
    var cartItemContainer = document.getElementsByClassName('cart-items')[0]
    var cartRows = cartItemContainer.getElementsByClassName('cart-row')
   var total = 0
    for (var i = 0; i < cartRows.length; i++) {</pre>
        var cartRow = cartRows[i]
        var priceElement = cartRow.qetElementsByClassName('cart-price')[0]
        var quantityElement =
cartRow.getElementsByClassName('cart-quantity-input')[0]
        var price = parseFloat(priceElement.innerText.replace('$', ''))
       var quantity = quantityElement.value
        total = total + (price * quantity)
    total = Math.round(total * 100) / 100
    document.getElementsByClassName('cart-total-price')[0].innerText = '$' + total
function printcart() {
    var total = document.getElementsByClassName('cart-total-price')[0].innerText
```

```
document.getElementsByClassName('checkout-cart-total')[0].innerText = total
    var price = total.replace('$', '')
    if (price == 0) {
        alert("CART IS EMPTY");
    }
}

function proceed() {
    var total = document.getElementsByClassName('cart-total-price')[0].innerText
    document.getElementsByClassName('checkout-cart-total')[0].innerText = total
    var price = total.replace('$', '')
    if (price > 0) {
        window.open("order.html");
    } else {
        window.open("/home");
    }
}
```

Index.html

```
!DOCTYPE html>
<html lang="en">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
    <meta name="description" content="">
href="https://fonts.googleapis.com/css?family=Poppins:100,100i,200,200i,300,300i,40
0,400i,500,500i,600,600i,700,700i,800,800i,900,900i&display=swap" rel="stylesheet">
   <link rel="stylesheet" type="text/css" href="assets/css/bootstrap.min.css">
    <link rel="stylesheet" type="text/css" href="assets/css/font-awesome.css">
    <link rel="stylesheet" href="assets/css/style.css">
   <div id="js-preloader" class="js-preloader">
           <span class="dot"></span>
            <div class="dots">
```

```
<header class="header-area header-sticky">
       <div class="container">
           <div class="row">
               <div class="col-12">
                  <nav class="main-nav">
KART < /em > < /a >
                      <a href="contact.html">About us</a>
                          <a href="/login">Login</a>
                          <a href="/Signup">Create Account</a>
                      <a class='menu-trigger'>
       <video autoplay muted loop id="bg-video">
           <source src="assets/images/video.mp4" type="video/mp4" />
       <div class="video-overlay header-text">
               <h6>EAT HEALTHY STAY HEALTHY</h6>
               <h2>Best <em>Food store</em> in town</h2>
   <script src="assets/js/jquery-2.1.0.min.js"></script>
   <script src="assets/js/popper.js"></script>
```

index.html

```
<meta charset="UTF-8">
 <meta name="keywords" content="Ogani, unica, creative, html">
 <meta http-equiv="X-UA-Compatible" content="ie=edge">
 <title> FreshKart </title>
 <link rel="stylesheet" href="css/jquery-ui.min.css" type="text/css">
<link rel="stylesheet" href="css/owl.carousel.min.css" type="text/css">
<link rel="stylesheet" href="css/slicknav.min.css" type="text/css">
<link rel="stylesheet" href="css/style.css" type="text/css">
<link rel="stylesheet" href="styles.css" />
<script src="Store.js" async></script>
<script src="jquery-3.5.1.min.js"></script>
 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js">
     $ (document) .ready(function() {
         $('.check').click(function() {
             $('.check').not(this).prop('checked', false);
         });
     });
 <script type="text/javascript">
     $ (document).ready(function() {
         $('#chkbtn').click(function() {
             checked = $("input[type=checkbox]:checked").length;
             if (!checked) {
```

```
alert("You must check at least one checkbox.");
                var name = $('input[name="name"]').val();
                if (name.length < 3) {</pre>
                var phone = $('input[name="phone"]').val(),
                    intRegex = /[0-9 - ()+]+$/;
                if ((phone.length < 6) || (!intRegex.test(phone))) {</pre>
            });
        });
   <header class="header">
        <div class="header top">
            <div class="container">
                <div class="row">
                    <div class="col-lg-6 col-md-6">
                                    <a href="/logout" class="logout"> <i class="fas
fa-sign-out-alt"></i> Logout</a>
                                    <a href="/profile" class="profile"><i</pre>
class="fas fa-id-badge"></i>View Profile </a>
                    <div class="col-lg-6 col-md-6">
                            <i class="fa fa-user"></i> Welcome user
                                <%= name %>!!
```

```
<div class="container">
      <div class="row">
          <div class="col-lg-3">
              <div class="header logo">
                 <a href="/home"><img src="icon.png" alt=""></a>
              <nav class="header menu">
                     <a href="/home" class="active">Home</a>
                     <a href="#add">Shop</a>
                     <a href="#bottom"> Cart</a>
                     <a href="#linkcheckout">Checkout </a>
          <i class="fa fa-bars"></i>
<section class="hero">
   <div class="container">
      <div class="row">
          <div class="col-lg-3">
              <div class="hero categories">
                     <span>All departments/span>
                     <a href="#">Fresh Meat</a>
                     <a href="#">Vegetables</a>
                     <a href="#">Fruit & Nut Gifts</a>
```

```
<a href="#">Fresh Berries</a>
                          <a href="#">Ocean Foods</a>
                          <a href="#">Butter & Eggs</a>
                          <a href="#">Fastfood</a>
                          <a href="#">Papayaya & Crisps</a>
                          <a href="#">Oatmeal</a>
                          <a href="#">Fresh Bananas</a>
               <div class="col-lq-9">
                  <div class="hero item set-bg"</pre>
data-setbg="img/hero/banner.jpg">
                      <div class="hero text">
                          <span>FRUIT FRESH</span>
                          <h2>Vegetable <br />100% Organic</h2>
                          Free Pickup and Delivery Available
                          <a href="#" class="primary-btn">SHOP NOW</a>
   <section class="categories">
       <div class="container">
          <div class="row">
                  <div class="col-lg-3">
data-setbg="img/categories/cat-1.jpg">
                          <h5><a href="#">Fresh Fruit</a></h5>
                  <div class="col-lg-3">
data-setbg="img/categories/cat-2.jpg">
                          <h5><a href="#">Dried Fruit</a></h5>
                  <div class="col-lg-3">
data-setbg="img/categories/cat-3.jpg">
                          <h5><a href="#">Vegetables</a></h5>
```

```
<div class="col-lq-3">
data-setbg="img/categories/cat-4.jpg">
                            <h5><a href="#">drink fruits</a></h5>
                    <div class="col-lg-3">
data-setbg="img/categories/cat-5.jpg">
                            <h5><a href="#">drink fruits</a></h5>
   <section class="featured spad">
        <div class="container">
           <div class="row">
               <div class="col-lg-12">
                    <div class="section-title">
                        <a href="/home"> <i class="fas fa-home"></i></a>
                        <i class="fas fa-cart-arrow-down"></i></i>
                        <a href="#bottom">view cart</a>
                        <h2> <a id="add">Product Available</a></h2>
                <div class="shop-item">
                    <span class="shop-item-title">Orange</span>
                    <img class="shop-item-image" src="img/categories/cat-1.jpg">
                    <div class="shop-item-details">
                        <span class="shop-item-price">$12.99</span>
type="button"><i class="fa fa-shopping-cart"></i></button>
                    <img class="shop-item-image" src="img/featured/feature-2.jpg">
                    <div class="shop-item-details">
                        <span class="shop-item-price">$12.99</span>
```

```
<button class="btn btn-primary shop-item-button"</pre>
type="button"><i class="fa fa-shopping-cart"></i></button>
                    <img class="shop-item-image" src="img/featured/feature-3.jpg">
                    <div class="shop-item-details">
                        <span class="shop-item-price">$12.99</span>
                        <button class="btn btn-primary shop-item-button"</pre>
type="button"><i class="fa fa-shopping-cart"></i></button>
               <div class="shop-item">
                    <span class="shop-item-title">Watermellon</span>
                    <img class="shop-item-image" src="img/featured/feature-4.jpg">
                   <div class="shop-item-details">
                        <span class="shop-item-price">$12.99</span>
type="button"><i class="fa fa-shopping-cart"></i></button>
   <div class="banner">
       <div class="container">
           <div class="row">
                    <div class="banner pic">
                        <img src="img/banner/banner-1.jpg" alt="">
               <div class="col-lq-6 col-md-6 col-sm-6">
                    <div class="banner pic">
                        <img src="img/banner/banner-2.jpg" alt="">
   <section class="breadcrumb-section set-bg" data-setbg="img/breadcrumb.jpg">
```

```
<div class="container">
           <div class="row">
                    <div class="breadcrumb text">
                        <a href="/home"> <i class="fas fa-home"></i></a>
                        <i class="far fa-cart-plus"></i> <a href="#add"> Add
Products</a>
                        <h2><a id="bottom">
                                                Shopping Cart</a></h2>
   <section class="container content-section">
       <h2 class="section-header"><br></h2>
       <div class="cart-row">
           <span class="cart-item cart-header cart-column">ITEM</span>
           <span class="cart-price cart-header cart-column">PRICE</span>
           <span class="cart-quantity cart-header cart-column">QUANTITY</span>
       <div class="cart-items">
       <div class="cart-total">
            <strong class="cart-total-title">Total</strong>
            <span class="cart-total-price">$0</span>
       <button onclick="printcart()" class="primary-btn"><a href =</pre>
'#linkcheckout">PROCEED TO CHECKOUT</a></button>
```

```
<section class="breadcrumb-section set-bg" data-setbg="img/breadcrumb.jpg">
       <div class="container">
           <div class="row">
                <div class="col-lq-12 text-center">
                    <div class="breadcrumb text">
                        <a href="/home"> <i class="fas fa-home"></i></a>
                        <h2><a id="linkcheckout">Checkout</a></h2>
                        <div class="breadcrumb option">
   <section class="checkout spad">
       <div class="container">
           <div class="row">
               <h4>BilLiNG DETAiLS</h4>
                <form name="checkform" onsubmit="return validatecheckout()"</pre>
action="/">
                    <div class="row">
                        <div class="col-lg-8 col-md-6">
                            <div class="row">
                                <div class="col-lg-6">
                                        Fist Name<span>*</span>
                                        <input type="text" name="name" value="<%=</pre>
name %>" required="Please fill this">
                            <div class="checkout input">
                                Country<span>*</span>
                                <input type="text" name="country" required="Please</pre>
fill">
                                Address<span>*</span>
                                <input type="text" placeholder="Street Address"</pre>
class="checkout input add" required="">
```

```
Town/City<span>*</span>
                                 <input type="text" placeholder="City" required="">
                                 <input type="text" required="">
                             <div class="row">
                                         Phone<span>*</span>
                                         <input name="phone" type="text"</pre>
required="">
                        <div class="col-lg-4 col-md-6">
                                 <div class="checkout order total">Total <span</pre>
class="checkout-cart-total">$0</span></div>
                                 <div class="checkout order total">Payment
method</div>
                                        On delivery
                                         <input type="checkbox" id="payment"</pre>
class="check">
                                         Paytm
                                         <input type="checkbox" id="paypal"</pre>
class="check">
                                 <button type="submit" id="chkbtn" class="site-btn"</pre>
onclick="proceed()">PLACE ORDER</button>
```

order.ejs

```
Chtml lang="zxx">
    <meta charset="UTF-8">
    <meta name="description" content="Ogani Template">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <link rel="stylesheet" href="css/bootstrap.min.css" type="text/css">
    <link rel="stylesheet" href="css/font-awesome.min.css" type="text/css">
    <link rel="stylesheet" href="css/elegant-icons.css" type="text/css">
    <link rel="stylesheet" href="css/nice-select.css" type="text/css">
    <link rel="stylesheet" href="css/jquery-ui.min.css" type="text/css">
    <link rel="stylesheet" href="css/owl.carousel.min.css" type="text/css">
    <link rel="stylesheet" href="css/slicknav.min.css" type="text/css">
    <link rel="stylesheet" href="css/style.css" type="text/css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js">
    <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js">
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.14.0/css/all.min.css"
integrity="sha512-1PKOgIY59xJ8Co8+NE6FZ+LOAZKjy+KY8iq0G4B3CyeY6wYHN3yt9PW0XpSriVlkM
Xe40PTKnXrLnZ9+fkDaog==" crossorigin="anonymous" />
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script</pre>
```

```
<div class="humberger menu wrapper">
           <a href="#"><img src="icon.png" alt=""></a>
       <div class="humberger menu cart">
               <a href="#"><i class="fa fa-heart"></i> <span>1</span></a>
               <a href="#"><i class="fa fa-shopping-bag"></i></i>
   <div id="mobile-menu-wrap"></div>
     <header class="header">
       <div class="header top">
           <div class="container">
               <div class="row">
                   <div class="col-lg-6 col-md-6">
                                  <a href="/logout" class="logout"> <i class="fas
fa-sign-out-alt"></i> Logout</a>
                               <a href="/home"> <i class="fas fa-home"></i></a>
```

```
Here are your order details <i class="fa"
a-user"></i>
       <div class="container">
           <div class="row">
               <div class="col-lg-3">
                   <div class="header logo">
                       <a href="./home"><img src="icon.png" alt=""></a>
               <i class="fa fa-bars"></i>
     <section class="hero hero-normal">
       <div class="container">
           <div class="row">
       <div class="shoping checkout">
           <h5>ORDER DETAILS</h5>
document.getElementById("order").innerHTML = parseInt(Math.random() *10000000)
                    ARRIVAL DATE <span id="adate"> <script>
var currentDate = new Date()
var day = currentDate.getDate()+1
var month = currentDate.getMonth() + 1
var year = currentDate.getFullYear()
```

Signin.ejs


```
src="https://ajax.googleapis.com/ajax/libs/angularjs/1.8.0/angular.min.js"></script</pre>
   <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <link rel="stylesheet" href="style123.css" type="text/css" media="all" />
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" type="text/css"</pre>
href="https://maxcdn.bootstrapcdn.com/font-awesome/4.4.0/css/font-awesome.min.css">
    function Ctrl($scope) {
        $scope.text = 'dshufgu';
    <section class="w31-login-form">
        <div id="form-section">
            <div class="wrapper">
                    <a class="brand-logo" href="/home">Welcome to FreshKart</a>
                    <form ng-app="myApp" ng-controller="Ctrl" name="myForm"</pre>
ng-submit="onSubmit()">
```

```
<div class="form-fields d-grid">
                            <input type="text" size="50" name="username"</pre>
ng-pattern="/^[a-zA-Z.]*[a-zA-Z]{1,60}$/" required>
                           <input type="password" name="password"</pre>
ng-model="password" required />
                        <button type="submit" name="signin"> Login</button>
               <div class="new-signup ">
                   <a href="#reload " class="signuplink "></a>
                   Don't have account yet? <a href="/Signup"</pre>
class="signuplink ">Get it now</a>
```

Signup.html


```
method="post">
class="text" type="text" name="username" placeholder="Enter username"
required="required" />
type="email" name="email" placeholder="Enter Email" required="">
                             <input class="text" type="password"</pre>
name="password1" placeholder="Enter Password" required="">
                             <input class="text w3lpass" type="password"</pre>
<div class="wthree-text">
                                 <label class="anim">
                                     <input type="checkbox" id ="checked"</pre>
class="checkbox" required="">
                                                                <span>I Agree
To The Terms & Conditions</span>
                                 <div class="clear"> </div>
Already a member? Sign In.</font></a>
Up</button>
```

```
function validateForm2() {
    var y = document.forms["myForm2"]["password1"].value;
    var x = document.forms["myForm2"]["username"].value;
   var z = document.forms["myForm2"]["email"].value;
    var p = document.forms["myForm2"]["password2"].value;
    var nregex = /^[a-zA-Z] * $/;
    var mailformat =
    var emailcheck = mailformat.test(z);
    if (x == "" \mid | x == null \mid | nregex.test(x) == false) {
    if (z == "" \mid | z == null \mid | emailcheck == false) {
        alert("Valid Email must be filled out ");
        alert("Password must be filled");
    if (y !== p) {
    if (document.getElementById('checked').checked == false) {
```




SCREENSHOTS


Main



About us




Create Account












Home




Profile




Shop



Cart



Checkout



Order details

