

Lab-012

A Simple DynamoDB Service

Goal

This lab illustrates how to create and remotely access a dynamodb table. Dynamodb is a NoSQL managed database service.

Overview

Step 1 - Create a Dynamodb Table

Go to Database - Dynamodb service and click on *Create table*.

Create DynamoDB table

Tutorial ?

DynamoDB is a schema-less database that only requires a table name and primary key. The table's primary key is made up of one or two attributes that uniquely identify items, partition the data, and sort data within each partition.

Table name* ⓘ

Primary key* Partition key

ⓘ

☐ Add sort key

Table settings

Default settings provide the fastest way to get started with your table. You can modify these default settings now or after your table has been created.

☒ Use default settings

- No secondary indexes.
- Provisioned capacity set to 5 reads and 5 writes.
- Basic alarms with 80% upper threshold using SNS topic "dynamodb".
- Encryption at Rest with DEFAULT encryption type.

ⓘ You do not have the required role to enable Auto Scaling by default.
Please refer to [documentation](#).

+ Add tags **NEW!**

Additional charges may apply if you exceed the AWS Free Tier levels for CloudWatch or Simple Notification Service. Advanced alarm settings are available in the CloudWatch management console.

Cancel **Create**

lab012 [Close](#)

Overview **Items** Metrics Alarms Capacity Indexes Global Table

Create item Actions ▾

Scan: [Table] lab012: id ^

Scan ▾ [Table] lab012: id

+ Add filter

Start search

☐ id ⓘ ^

An item consists of one or more attributes. Each attribute consists of a name, a data type, and a value. [More info](#)

Create item

Tree

Item (3)

id Number : 1

name String : Bob

email String : bob@gmail.com

Cancel

Save

Create item

Tree

Item (3)

id Number : 2

name String : Anna

role String : Manager

Cancel

Save

Step 2 - Create and Download an Access Key

Go to IAM - Users and then select your user. Then go to *Security credentials* and create an access key. Download the key you created (a csv file) and use it on the next step.

Step 3 - Connect to Dynamodb Table

Download and install [NoSQL Workbench](#). Follow the steps to connect to your dynamodb table.

Operation builder

+ Add connection

Active connections 

 Remote lab-011

Open

Add a new database connection



A remote connection lets you access the DynamoDB web service in different AWS Regions.

A DynamoDB local connection lets you access the DynamoDB local server running on your computer.

Remote

DynamoDB local

* Connection name

lab012

* Default AWS Region

us-west-1

* Access key ID

* Secret access key

Session token

AWS session token



IAM role ARN

IAM role ARN




Persist connection ☐

If you select this check box, AWS connection secrets will
be persisted in /Users/tmota/.aws/credentials

Cancel

Reset

Connect



Test and Validation

After you connect, try to visualize the contents of the table and modify it.

Connection

Name

lab012

Region

us-west-1

Tables

Search table

lab012

TABLE lab012

Build operations

Items

Metadata

Negate

Attribute name

=

Attribute type

Attribute value

Scan

	#	id	role	name	email	
☐	1	2	Manager	Anna		
☐	2	1		Bob	bob@gmail.com	

PutItem operation builder

* Partition key

3

Other attributes

Name

name

Type

String

Value

Emilia

Name

email

Type

String

Value

emilia@gmail.com

Name

role

Type

String

Value

VP

Condition expression

+ Condition

+ Child expression

Cancel

Clear

Execute

Generate code