


Lab-021

VPC Peering

Goal

The goal of this lab is to illustrate a VPC peering connection, a way to connect two VPCs using a private connection.


Architecture Diagram



Overview

Once the VPCs and subnets are created, the internet gateway and the EC2 instances are launched and configured, follow the steps described next.

Step 1 - Create the Peering Connection



Create Peering Connection

Peering connection name tag

vpcA-B



Select a local VPC to peer with

VPC (Requester)*

choose vpcA



CIDRs

CIDR	Status	Status Reason
10.0.0.0/16	● associated	

Select another VPC to peer with

Account

- ☒ My account
☐ Another account

Region

- ☒ This region (us-west-1)
☐ Another Region

VPC (Acceptor)*

choose vpcB



CIDRs

CIDR	Status	Status Reason
20.0.0.0/16	● associated	

* Required

Cancel

Create Peering Connection

Create Peering Connection



Success

A VPC peering connection (pcx-093a7c58cdb8e2504) has been requested.

Requester VPC owner 939096940193 (This account)
Requester VPC ID vpc-0e6a112da1cda8a34
Requester VPC Region us-west-1
Requester VPC CIDRs 10.0.0.0/16

Acceptor VPC owner 939096940193 (This account)
Acceptor VPC ID vpc-08d27cc8d537dd5a0
Acceptor VPC Region us-west-1
Acceptor VPC CIDRs -

OK

Step 2 - Accept the Peering Connection

Create Peering Connection

Actions ▾

Filter by tags and attributes or search by keyword

☐	Name ▾	Peering Connecti ▾	Status ▾	Requester VPC	Accepter
☐	vpcA-B	pcx-093a7c58cdb...	Pending Acceptance	vpc-0e6a112da1c...	vpc-08d27

Create Peering Connection

Actions ▲

Filter by tags and attributes or search by keyword

☐	Name ▾	Peering	Status ▾	Requester VPC	Accepter
☐	vpcA-B	pcx-093	Accept Request Reject Request Delete VPC Peering Connection Edit ClassicLink Settings Edit DNS Settings Add/Edit Tags	vpc-0e6a112da1c...	vpc-08d

Accept VPC Peering Connection Request

×

Are you sure you want to accept this VPC peering connection request (pcx-093a7c58cdb8e2504)?

Requester Account ID	939096940193 (This account)	Accepter Account ID	939096940193 (This account)
Requester VPC ID	vpc-0e6a112da1cda8a34	Accepter VPC ID	vpc-08d27cc8d537dd5a0
Requester VPC Region	us-west-1	Accepter VPC Region	us-west-1
Requester VPC CIDR	10.0.0.0/16	Accepter VPC CIDR	-

Cancel

Yes, Accept

Accept VPC Peering Connection Request

×

Your VPC Peering Connection has been established.

To send and receive traffic across this VPC peering connection, you must add a route to the peered VPC in one or more of your VPC route tables. [Learn more](#)

[Modify my route tables now](#)

Close

Step 3 - Modify Route Tables

First on the VPC A side:

[Route Tables](#) > Edit routes

Edit routes

Destination	Target	Status	Propagated	
10.0.0.0/16	local	active	No	
0.0.0.0/0	lgw-0e61889bb58062dcf	active	No	⊗
20.0.0.0/16	choose the vpc peer connection		No	⊗
<button>Add route</button>				

* Required

[Cancel](#)

[Save routes](#)

Then on the VPC B side:

[Route Tables](#) > Edit routes

Edit routes

Destination	Target	Status	Propagated	
20.0.0.0/16	local	active	No	
10.0.0.0/16	choose the vpc peer connection		No	⊗
<button>Add route</button>				

* Required

[Cancel](#)

[Save routes](#)

To test the setting, first ssh to the EC2 instance A (the one on VCP A). Then try to ssh to EC2 instance B (the on on VPC B) using its private IP address.