Lab-10

Alpha Beta Pruning

```
import math
def minimax(node, depth, is maximizing):
    Implement the Minimax algorithm to solve the decision
tree.
    Parameters:
    node (dict): The current node in the decision tree,
with the following structure:
        {
            'value': int,
            'left': dict or None,
            'right': dict or None
    depth (int): The current depth in the decision tree.
    is maximizing (bool): Flag to indicate whether the
current player is the maximizing player.
    Returns:
    int: The utility value of the current node.
    # Base case: Leaf node
    if node['left'] is None and node['right'] is None:
        return node['value']
    # Recursive case
    if is maximizing:
        best value = -math.inf
        if node['left']:
            best value = max(best value,
minimax(node['left'], depth + 1, False))
        if node['right']:
            best value = max(best value,
minimax(node['right'], depth + 1, False))
        return best value
    else:
        best value = math.inf
```

```
if node['left']:
            best value = min(best value,
minimax(node['left'], depth + 1, True))
        if node['right']:
            best_value = min(best_value,
minimax(node['right'], depth + 1, True))
        return best value
# Example usage
decision tree = {
    'value': 5,
    'left': {
        'value': 6,
        'left': {
             'value': 7,
             'left': {
                 'value': 4,
                 'left': None,
                'right': None
            },
             'right': {
                 'value': 5,
                'left': None,
                'right': None
          }
        },
        'right': {
             'value': 3,
             'left': {
                 'value': 6,
                'left': None,
                'right': None
            },
             'right': {
                'value': 9,
                 'left': None,
                 'right': None
         }
        }
    },
    'right': {
        'value': 8,
```

```
'left': {
            'value': 7,
            'left': {
                'value': 6,
                'left': None,
                'right': None
            },
            'right': {
                'value': 9,
                'left': None,
                'right': None
          }
        },
        'right': {
            'value': 8,
            'left': {
                'value': 6,
                'left': None,
                'right': None
            },
            'right': None
      }
}
}
# Find the best move for the maximizing player
best value = minimax(decision tree, 0, True)
print(f"The best value for the maximizing player is:
{best value}")
```

Output:

The best value for the maximizing player is: 6