## B.M.S. COLLEGE OF ENGINEERING BENGALURU

Autonomous Institute, Affiliated to VTU



# Lab Record

# **Object Oriented Modelling**

Submitted in partial fulfillment for the 5<sup>th</sup> Semester Laboratory

Bachelor of Engineering in Computer Science and Engineering

Submitted by:

**SAKSHI SHETTY** 

1BM22CS234

Department of Computer Science and Engineering
B.M.S. College of Engineering
Bull Temple Road, Basavanagudi, Bangalore 560 019
Mar-June 2024

# B.M.S. COLLEGE OF ENGINEERING DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING



# **CERTIFICATE**

This is to certify that the Object-Oriented Modelling (23CS5PCOOM) laboratory has been carried out by Sakshi Shetty (1BM22CS234) during the 5<sup>th</sup> Semester Oct24-Jan2025.

Signature of the Faculty In charge:
M Lakshmi Neelima
Assistant Professor
Department of Computer Science and Engineering
B.M.S. College of Engineering, Bangalore

# Table of Contents

Sl. No.	Title	Page No.
1	Hotel Management System	1-9
2	Credit Card Processing	10-16
3	Library Management System	17-24
4	Stock Maintenance System	25-31
5	Passport Automations System	32-39

# 1. Hotel Management System


## 1.1 Problem Statement:

The hotel management system aims to streamline the operations of a hotel, focusing on reservation, guest management, and resource allocation. It enables efficient booking of rooms, allowing both online and offline reservations while managing room availability and preventing double bookings. The system handles guest information, tracks check-ins and check-outs, and supports personalized services. Billing and payments are processed smoothly, with invoicing for rooms and additional services. Staff management is also integrated, ensuring smooth coordination between departments like housekeeping and the front desk. Additionally, the system tracks maintenance requests, helping ensure that all facilities are in good working order. It generates real-time reports for management to monitor room occupancy, revenue, and staff performance, ultimately improving operational efficiency and guest satisfaction.

# 1.2 SRS-Software Requirements Specification:

	Pole No.	Falsing) Date
	D max	out Party of Party and Market
	Hotal Management System	Non-Functional Regularineste
	Beauty of leading and 4	Weblite should work dynamically when booking is to
1	und strangerer	Security of the customer is mandatury
H	Purpose of the document	Scourably of payments a first of the
	This document helps to develop a compositionistic undersationaling	Bellabilety on the workstern
	of how that management system works it thelides of application of the develop a entire gratem	Usabelety of the System of the stemment
	Scope of the document:	Interface requirements transact is to amost
	Overall working of a thotal management system is described	UI compatile to mobile as well as PCE
	En ethic document. It hope the user to have a widorcton	Doubles to Manage question of the total of
-	about the Hotel Management system. The system helps to	The ste make pay went to the segment first with the
20	manage and provolde atmost serves it its customer	Dieplay the probe of soon per day
1.8	Overseus:	D. C.
	The Anguent includes tunitional and non-functional regularione	Respondence regularements
15	for the Hotel Management Spetan In the user can avail	Able to Book a room sux7 dynamically.
	the services of the hotal	in the database and conformation of booking who en
		Update in the database and confirmation of booking who enough by sins.  Send a resultness about the booking.
2.	A Hotel management system is the system in which w	Send a resultiday about the booking.
	can avail services of the hotel effectively to book a soon	1 9th (4 V )
	and the option of the room stay this does	Not be Killing to the transaction of the state of
	Privates functional and non-functional organizements organize	Not to book a norm that is already booked.
	To develop the system constrainte, UT, time and deadline of the system	Not to provide moon octanions of all other rooms are booted and are on high demand ther rooms are continuously their and Budget to get completed with a
	of the system total his shirts and the	hat sold to all demands landberg wheel
1	a cooks hatelpool by its harder of surger of	Ballubory Shelper and D. 1
	Firethoral Regulerments of the Street of of 2	The system is almost in surger
		more porth a but N
	Able to book a room easily through website or by an app.	to to morths with a budget ranging from 5 to 10 Jakks
	Mote easy payments who debt cord, UPI, Not banking ste	which were the second of the s
_	Make easy from chay extendent	william to the same of the sam
	Able to Letter the demands of customer leving in room.	the strength and the

## 1.3 Class Diagram:



## **Entities:**


- Customer: Represents guests with attributes like ID, username, password, email, and address.
   They can perform actions such as searching hotels, booking rooms, cancelling reservations, and ordering food.
- Hotel: Represents individual hotels with attributes like ID, description, manager ID, number
  of rooms, address, and ratings. Hotels provide descriptions, food services, and manage room
  allocations.
- Room: Represents individual rooms within a hotel with attributes like room number, floor, servant ID, status, and guest details.

- Staff: Represents hotel staff members with attributes like ID, name, age, date of birth,
   address, and roles like chef, housekeeper, manager, or receptionist.
- Payment: Represents payment transactions with attributes like payment ID, sender and receiver IDs, and methods for transition and status display.
- Service: Represents services provided by the hotel management and the description of each service.

## **Relationships:**

- A customer can book one or many rooms, and a room can be booked by one or many customers.
- A hotel has many rooms, and a room belongs to a hotel.
- A hotel can be managed by a manager, and a manager can manage one hotel.
- Staff can be assigned to rooms (servants), prepare food (chefs), manage housekeeping, or act as receptionists.
- A customer can make one or many payments, and a payment can be made by one customer.
- Service can be requested by the customer to the hotel staff.

# 1.4 State Diagram:



## **Customer States:**

- Customer Login: The customer logs in to the system.
- View Information: The customer views information related to rooms, prices, etc.
- Book: The customer books a room.
- Room: The customer is assigned a room.
- Cancel Reservation: The customer cancels their reservation.

## **Hotel Staff States:**

- Staff Activation: The staff member activates their account.
- Idle: The staff member is waiting for a task.
- Manage Rooms: The staff member manages the availability and reservation status of rooms.
- Prepare: The staff member prepares the room for the customer.

## **Payment States:**

- Payment Initiated: The payment process has begun.
- Payment Completed: The payment has been completed successfully.

## **Other States:**


- Filed: The request is filed.
- Successful: The process was successful.
- Order Management: The staff manages the order for room service.
- Room Service: The staff prepares and delivers room service.

# 1.5 Use-Case Diagram:

## **Actors:**

• Guest: Guests interact with the system to make bookings, make payments, update bookings, cancel bookings, and receive refunds.

- Manager: Managers have access to features such as adding/modifying employee records, issuing employee cards, and managing rooms.
- Receptionists: Receptionists perform actions like checking in guests, issuing room keys, checking out guests, updating room information, and removing rooms.



## **Use Cases:**

- Hotel Management: This encompasses a range of activities, including making bookings, updating bookings, and managing payments.
- Make Booking: Guests can make bookings through the system.
- Book Room: This is a specific function within booking, allowing guests to reserve a room.
- Make Payment: Guests can make payments for their bookings.
- Update Booking: Guests can update their bookings, such as changing dates or room preferences.
- Cancel Booking: Guests can cancel their bookings.
- Refund: The system facilitates refunds for canceled bookings.

- Update Payment: Receptionists can update payment information.
- View Booking: Receptionists can view booking details.
- Checkin Guest: Receptionists check in guests upon arrival.
- Issue Room Key: Receptionists provide room keys to guests.
- Checkout: Receptionists process guest checkouts.
- Add Room: Managers can add new rooms to the hotel.
- Add/Modify Employee: Managers can add or modify employee records.
- Issue Employee Card: Managers can issue employee cards.
- Update Room: Receptionists can update room information.
- Remove Room: Receptionists can remove rooms from the system.

# 1.6 Sequence Diagram:

#### Actors

Actor

## **Systems**

- :Hotel System
- :Staff
- :Payment System
- :Notification System

## **Sequence**

- Actor -> :Hotel System : book room
- :Hotel System -> :Staff : check availability
- :Staff --> :Hotel System : room available
- :Hotel System -> :Payment System : process payment
- :Payment System --> :Hotel System : confirm
- :Hotel System -> :Staff : confirm boking
- :Staff --> :Hotel System : booking confirmed
- :Hotel System -> :Notification System : Send Booking Confirmation
- :Notification System --> Actor : Booking confirmed

• Actor -> :Hotel System : Order Food

• :Hotel System -> :Staff : Prepare Food

• :Staff --> :Hotel System : Deliver


• :Hotel System -> :Payment System : Payment

• :Payment System --> :Hotel System : Confirm Payment


• :Hotel System -> :Staff : dispatch


• :Staff --> :Notification System : Notify

• :Notification System --> Actor : Notify



# 1.6 Activity Diagram:





## **Customer Interaction:**

- Booking: The customer initiates the process by making a booking.
- Check-In: Upon arrival, the customer checks in. The system verifies room availability and assigns a room.
- Stay: The customer can request services during their stay, such as room service or

housekeeping.

- Ordering Food: The customer can order food. The system processes the order and adds it to the bill.
- Check-Out: When the customer checks out, the system generates a bill, processes payment, and confirms the check-out.

## **System Processes:**

- Room Availability: The system manages room availability, updating it after check-ins, check-outs, and bookings.
- Housekeeping: The system handles housekeeping requests, preparing rooms for the next guests.
- Food Orders: The system processes food orders and bills them to the customer.
- Payment Processing: The system receives and processes payments from customers.
- Check-Out Confirmation: The system confirms check-outs and updates room availability accordingly.

# 2. Credit Card Processing

## 2.1 Problem Statement:


The increasing reliance on digital transactions has highlighted the need for a secure and efficient credit card processing system. Current systems often struggle with security vulnerabilities, slow transaction speeds, and poor user experiences, leading to increased fraud, transaction failures, and customer dissatisfaction. The objective is to develop a robust credit card processing system that complies with Payment Card Industry Data Security Standards (PCI DSS) to protect sensitive information while ensuring quick and seamless transactions for both online and in-store purchases. The system should feature an intuitive interface for merchants and customers, support multiple payment methods, and integrate easily with existing business systems. Additionally, it should include fraud detection mechanisms and provide comprehensive reporting tools for businesses to analyze transactions and customer behavior. By addressing these challenges, the proposed system aims to enhance security, improve customer satisfaction, and ultimately drive revenue growth for businesses.

# 2.2 SRS-Software Requirements Specification:

1901	Tool to.
Credit Card System  1. Johnstuffen  1. Perfore of Alle downers  1. The downers is recessary because it helps us keep in trust  the downers is recessary because it helps us keep in trust  the transactions I have a helpful be make us urdented here a credit card system works althe to give a body overlook on how  the designed and show the most asymirement and specification  looks like  1.3 Single of the downers  1.4 Single of the downers  1.5 Single of the downers  1.6 System in looks the main configuration of downers to how to double a could work the main configuration of downers to how to double a could work the main configuration of downers to have a double a could work the main configuration of downers to be deliged  1.5 System in looks in this downers we are windustand how a contit  that is used by the customers to make transactions and withdraw  many. They loud make use of the system do pay boars and fay  downers to day originary. The dwelfament cost would be one to talk  1.5 Dissolve:  1.6 Dissolve:  1.6 Dissolve:  1.6 Dissolve:  1.6 Signed on Acre a coult card system is hitt and used by	Grenant Description  A credit soul system is a system which higher to become the of money to helps the less to withhour money from the credit and. It so designed in such a way that a accertant can suggest money of me the back and the book would grow the suggest out of presenting suggestionship performance sequence testas desan construction. An furthern altitude It will give us a body about prelaminary schedule and budget  3. Functional Requirements.  After the work for very access for the access.  Back is regulated for us to go and deposit the money.  Estabase of the weeks should be stored so that we have influently all wells and the work in the stored and the work in the stored as the work without and should be set up for easy disancentions.  A laterface Requirements.  Making a loan should be easy disancentions.  A laterface Requirements to be made.  Description to be made.
dour traday opposes. The dissolphierd cost copull his own 50 boths subject over a posted of 4 months.  18 Overlow like document contains functional and non functional suggestimate that he necessary he a conditional system 44 phrase us the persol description on how a conditional system 95 bill and well by the uses to make transactions of induction between and	Atom should be set up for easy disansantions  4. Interface Requirements: Making a loan should be easy Change password for security
degn templates that evold mote the contribute of gatem butter will give us expectly cost and the three period within which the system development would be completed	5. Reformance Requirements:  All to hardle the acopterno that has been mentioned message uses about the disconscittor.  Update the halance dynamically:  Able to make translation offers also than the minimal belong.

TV II.	
6-	Dusgan Constructive:
	Not to update new passivored with any of the previous fassivord.  Not to make a disansaction above I look in a single day.
1	Not to make a doorsauther above I look in a strate to
	Not in have palance this than so subus in host and
10 W	16 digit number should be there, CVV should be present.
4	Non-Juntional attributes:
Same S.	Postablishy - use can casely could't earl
No.	Also Entigosty - the data should not be hampered
	Securely Is regulared so that scan doesn't occur
	Usability - easy across lisage
	Reliability - the card should be sellable
	and the set were made in the the terms and
8	Prelintropy Schoolie and budget:
4	This profest is almed to be completed by 24/02/2025 with an
1000	the project be almost to be completed by 24/00/2025 with an estimated budget of 50 dather
	and doubt he there was drawn the
	John English Samuel Sam
	Paris at their and a suite
	the state of the second st
	and the mean
Sinkle	A supplied to the same
	The state of the s
	to the
	James & would be
-	The second secon

# 2.3 Class Diagram:



## **Entities:**

- Address: Represents an address with attributes like street, city, state, and zip code.
- CardHolder: Represents a cardholder with attributes like name, address, email, and phoneNumber.
- Merchant: Represents a merchant with attributes like merchantName, merchantID, and address.
- CreditCard: Represents a credit card with attributes like cardNo, expiryDate, cvv, cardLimit, and balance.
- CreditTransaction: Represents a credit transaction with attributes like transactionID, amount, transactionDate, and merchant.

# **Relationships:**


• A CardHolder can have multiple CreditCards.

- A CreditCard belongs to a CardHolder.
- A CreditTransaction is associated with a CreditCard.
- A Merchant can process multiple CreditTransactions.
- A CreditTransaction is associated with a Merchant.

## **Inheritance:**

• MasterCard and VisaCard inherit from CreditCard.

# 2.4 State Diagram:



## **States:**

- Inactive: The initial state of a newly issued credit card.
- Active: The state after the card has been activated by the cardholder.

- Blocked: The state when a card is temporarily or permanently blocked, typically due to security reasons or non-payment.
- Expired: The state when a card reaches its expiration date and becomes unusable.

## **Transitions:**

- Card Application: Transition from no card to an inactive state when a card application is submitted and approved.
- Card Activation: Transition from inactive to active state when the cardholder activates the card.
- Card Block: Transition from active to blocked state when the card is blocked due to security concerns or non-payment.
- Card Expire: Transition from active or blocked to expired state when the card reaches its expiration date.
- Initiate Transaction: Transition from active to pending authorization state when a transaction is initiated.
- Pending Authorization: The state while a transaction is being authorized.
- Success: Transition from pending authorization to approved state if the authorization is successful.
- Failed: Transition from pending authorization to declined state if the authorization fails.
- Transaction Initiated: Transition from approved to processing state when a transaction is initiated.
- Processing: The state while a transaction is being processed.
- Successful: Transition from processing to complete state if the transaction is successful.
- Declined: Transition from processing to complete state if the transaction is declined.


## 2.5 Use-Case Diagram:

## **Actors:**


- Customer: Initiates the process by presenting their credit card for a transaction.
- Merchant: Receives the credit card information from the customer.
- Bank: The financial institution that issues the credit card and handles the transaction processing.
- Cleaning House: An entity responsible for verifying and clearing transactions.

## **Use Cases:**

- Credit Card Processing: The main use case, encompassing the entire credit card transaction process.
- Present Credit Card: The customer presents their credit card to the merchant.
- Send Card and Merchant Info: The merchant sends the credit card information and transaction details to the bank.
- Send Confirmation: The bank sends a confirmation message back to the merchant indicating whether the transaction was approved or declined.
- Verify Confirmation: The merchant verifies the confirmation message from the bank.
- Check Available Credit: The bank checks the customer's credit limit to ensure sufficient funds are available for the transaction.
- Verify Expiry Date: The bank verifies the validity of the credit card by checking its expiry date.
- Verify Card Number: The bank verifies the validity of the credit card number.
- Update Available Credit: If the transaction is approved, the bank updates the customer's available credit limit.



# 2.6 Sequence Diagram:



## **Sequence:**

- User applies for a credit card.
- Bank System requests the credit score from the Credit Card Service.
- Credit Card Service returns the credit score to the Bank System.
- Bank System processes the application and decides whether to approve or reject it.
- Bank System sends an application result notification to the User.
- User makes a payment using the credit card.
- Payment System processes the payment and validates the transaction.
- Payment System sends the payment status to the Merchant.
- Merchant receives the payment and completes the transaction.

## 2.7 Activity Diagram:


## **Applicant/User:**

- Applies for a Credit Card.
- The system verifies the application.

- If valid, the system approves the credit card and issues it.
- If invalid, the application is rejected.

# **Customer Makes Payment:**

- Enters Credit Card Details.
- The system verifies the card information.
- If valid, it checks the card balance.
- If insufficient funds, the customer is notified.
- If sufficient funds, the system verifies transaction details and checks fraud detection systems.
- If no issues, the system processes the payment, sends a confirmation to the customer, updates the card balance, and generates a receipt.
- If invalid card information, the customer is notified and the system logs the invalid attempt.



# 3. Library Management System


## 3.1 Problem Statement:

This project aims to develop a comprehensive and efficient library management system. The system will streamline library operations and provide a seamless experience for both users and librarians. It will encompass key functionalities such as book cataloging, user management, and transaction processing. The system should cater to the needs of both users and librarians. Users will be able to easily search for books, place orders, make online payments, manage their memberships, and access their transaction history. Librarians will have tools to manage book inventory, process user requests, and assist users with their queries. The system must be robust, scalable, and secure. It should be able to handle a growing number of users and books while maintaining optimal performance. Data security measures will be implemented to protect user information and prevent unauthorized access. The system should also incorporate accessibility features to ensure usability for all users, including those with disabilities. The system will be developed using appropriate technologies, including a suitable programming language, database management system, and web framework.

# 3.2 SRS-Software Requirements Specification:

	P((p (p) )		
	Library Management System		Philosop Date
	1 - Car	-	Performance Registerments
1	Introduction:		Penformance Requirements
1.1	Introduction: Repose of Bese document		tast crarch and response times
	while documents helps to streamline library operations such as be		more to hold there reportery of books
	The downers help to streamline Aborary operations such as be tracking, Essue of books and mancher management.  Such to the downers	6.	Fast search and response Gives Abole to hold shape refersitory of books  Design (hostrophile)
12	Scope of the document		Design Constraints Linuted by detabase size and internet connectivity  Non-functional Attributes
	Provides a user transfer management of books in the library		Size and thereis connectivity.
	management of Morary members and stroff and the details	4	Non-functional Attrabutes when the same
	of the bornessy members		Secure number data and book records encryption
2			Reliability on cyclen during worst chouse
1.3	Duranius July 7 has white probabled I		0 0 1
9150	This documents covers all the operations needed for afficien	8.	Portlininary School and Budget Esternated three 3 months
M.X.M.	management of books numbers and about for a alban	testif	Estimated time 3 months
	Managenest system	1	Software development book and grover look around to be
2	General description	·	AND FRANCES OF THE PARTY AND T
	Library management groten & a system to manage the		The state of the s
	Library management system is a system to manage the Usbrary resources Such as books, e-bods user accounts and	OI.	skiftensk for and
	bemound sportes		Special of which is I say to prove youth
-			- Brown we office wheel so had about your
	Fundanal Regulationale		A A S A S A S A S A S A S A S A S A S A
	Add Woods delite books from the system		1 2 7 1 11 2
1	Management of Albroarsy memberss		Harding I had been
1	Management of bosonowing returning of books	1	and the said shad at a trappe face
	Effect searching of motor	1	The state of the s
		1	they i properly glamed & want will
+	nterface Regularements		and properly and
0	less filently (not to access the abooks	1	
1	burnhad the necessary books through the website	1	Wal to Commission wheater
A	ble to share the books	-	the rate and to prove the
		1	all of the state of the same of the sale

# 3.3 Class Diagram:



## **Entities:**

- Person: A base class with attributes like name, address, and mobile. It is inherited by User and Librarian.
- User: Represents users of the system, with attributes like UID, joinDate, and methods for searching, ordering, and canceling books.
- Librarian: Represents library staff, with attributes like salary, joinDate, and methods for managing books, keeping stock, and researching.
- Book: Represents books with attributes like BID, price, rating, and status.
- Author: Represents authors of books with attributes like authorID, name, and contact.
- Membership: Represents user memberships with attributes like UID, date, expiryDate, and

methods for checking available books and renewing memberships.

- Payment: Represents payment transactions with attributes like PID, sender, receiverID, amount, and methods for processing and showing transaction details.
- Transaction: Represents book transactions with attributes like transactionID, date, amount, and methods for processing and showing transaction details.


# **Relationships:**

• Inheritance: User and Librarian inherit from Person.

## **Association:**

- A Book can have multiple Authors.
- A User can order multiple Books.
- A Librarian can manage multiple Books.
- A User can have a Membership.
- A User can make Payments.
- A Transaction can be associated with a User.

# 3.4 State Diagram:



#### **States:**

- Idle: The initial state where the user is not actively interacting with the system.
- User Login: The state where the user logs into the system.
- Librarian Activation: The state where a librarian activates their account.
- Manage Books: The state where a librarian manages book information (adding, editing, deleting).
- Search/Order Book: The state where a user searches for a book and places an order.
- Placed: The state where the user's order is placed.
- Order Cancel: The state where the user cancels an order.
- Payment: The state where the user makes a payment for a book.
- Success: The state where the payment is successful.
- Failed: The state where the payment fails.
- Membership: The state where the user manages their membership.
- User: The state where the user is actively using the system.
- Book Viewed: The state where the user views a book.
- Membership: The state where the user manages their membership.
- Download: The state where the user downloads a book.

## **Transitions:**

• The diagram shows transitions between these states based on user actions and system responses. For example, a user can transition from the "Idle" state to the "User Login" state by logging in.

# 3.5 Use-Case Diagram:


## **Use Cases:**

- Handle Cataloging: This is a core use case that includes several sub-use cases related to book management.
- Add Book: Allows adding new books to the library catalog.
- Remove Book: Enables removing books from the catalog.
- Edit Book: Allows updating existing book records.
- Search Catalog: Allows members to search for books based on various criteria:


- Search By Book Title
- Search By Author Name
- Search By Subject Name
- Request Book: Allows members to request books that are currently unavailable.
- Issue Book: Allows librarians to issue books to members.
- Renew Book: Allows members to renew borrowed books.
- Return Book: Allows members to return borrowed books.
- Update Membership: Allows members to update their membership information.
- Register New Account: Allows new members to register for a library account.
- Issue Library Card: Allows librarians to issue library cards to new members.

## **Relationships:**

- Include: Several sub-use cases are included within the "Handle Cataloging" use case.
- Extend: The "Issue Library Card" use case extends the "Register New Account" use case, indicating that issuing a library card is an optional step after registering a new account.



# 3.6 Sequence Diagram:



## sequence:

- User searches for a book: The user initiates the process by searching for a book.
- Library System queries the database: The Library System sends a query to the Database to retrieve information about the searched book.
- Database returns results: The Database responds to the Library System with the search results.
- Library System displays results: The Library System displays the search results to the User.
- User takes subscription: The User decides to subscribe or borrow the book.
- Subscription System processes payment: If required, the Subscription System handles the payment process.
- Library System gets book: The Library System retrieves the book from the database.
- Library System provides book: The Library System provides the book to the User.
- Librarian adds books: The Librarian adds new books to the system.
- Library System updates database: The Library System updates the database with the new book information.
- Librarian removes books: The Librarian removes books from the system.
- Library System updates database: The Library System updates the database to reflect the removal of books.
- Librarian updates database: The Librarian updates other information in the database.


# 3.7 Activity Diagram:

## **Activities:**

- User Actions:
- User logs in to the system.
- User searches for a book.
- User selects a book.
- User checks out the book.
- User returns the book.
- User views their account information.
- User updates their account information.
- Librarian Actions:
- Librarian logs in to the system.
- Librarian manages books (adds, removes, updates).
- Librarian manages user accounts.
- Librarian processes subscriptions.
- Librarian updates library inventory.

# Workflow:

- The diagram shows the sequence of these activities, indicating how user and librarian actions interact.
- For example, a user first logs in, then searches for a book, selects it, and finally checks it out.
- Librarians manage the book inventory, process user requests, and update user information.



# 4. Stock Maintenance System


## 4.1 Problem Statement:

Stock maintenance systems are critical for businesses that deal with inventory, encompassing a wide range of processes and technologies aimed at optimizing the flow of goods. These systems enable businesses to accurately track stock levels across all locations, monitor stock movements, and generate insightful reports on inventory trends and usage. By effectively managing inventory, businesses can minimize the risks associated with stockouts and overstocking, leading to significant cost savings. Furthermore, these systems facilitate efficient order fulfillment, ensuring timely delivery to customers and enhancing overall customer satisfaction. By leveraging data- driven insights and employing forecasting techniques, businesses can optimize inventory levels, predict future demand, and proactively address potential challenges. Key components of stock maintenance systems often include Warehouse Management Systems (WMS), Enterprise Resource Planning (ERP) systems, and technologies like RFID and barcoding for real-time tracking. By implementing robust stock maintenance practices, businesses can gain a competitive edge by streamlining operations, reducing costs, and improving overall efficiency.

# **4.2 SRS-Software Requirements Specification:**

	0	6/11
	Stock Maintainana System	Stage sanitality of the
-	Post-like and the second of	4 Interface Requirements
3	The state of the s	A year dividin Gill be access white and is
2-5	This document is helpful to management track stock levels, unders	A user friendly GOI to access, update and uservaline about
	and swentery efficiently by automating stock monstoring and recoloring processes	Court at 8 holy 19 have been compared to the second
	D. P. L. L.	Compatibility will barriede craner for easy attack entry
	Purpose of the document	Intropolar well cubling I con I I s
1.5	Co of the Association of the second s	Integration with suppliers for every delivery.
-	Stope of the deament	5: Portugues De Comment
	The system manages munitary for small to made with shad businesses	5. Performana Regularmente
	tracking atock Much purchase orders and product adm It	System should be able to update select a lin real-trime
-	10911 allow the users to update stock doubt, generate separts	The seasch operation should be just
-	and set about for low stock on eapling dates.	goton should be able to plande shape repositivities
1.0	Direction of the second of the	System should be able to should share respositioner.  6. Design Contraint
4.0.	Durpheus the shall assume back all accurate	6. Design Construint
-	The system sutomates stock maragement clocks, reflecting accurate	Database Montation: accommendate large amount of short data
-	tracking of heaving and outgoing stock, optimizing multipay dealth making	Mardwage requirements should own afficiently on standard to
	reners and supported merrica making	thorousous requirements: should not affecting on abordand to  Computers or scannes  Barriedo Integration
20	2 1 5 40 1 1 4 1 4 1	Basede Integration
91	General Description	
-	The stock maketaknesse eyetem will allow anotheres to manage	3. Non-furtheral attributes
	there stock lands effected It will track positione sales	
-	seturns and deliveres will hotelying users for low stock. It	Relability to prevent data large
	also provides reports to analyze stort usage fatherns	Portably the of the stocks
		Scalability of P. Chile
8	Furctional Regularments	Scalability of the stocks
	Stock Management Add, update, remove products from Enventory	Date of the state
220	Stock Toucking : Track real time stock levels and them	recombane achedule and budget
	V details	Prelimbary solution and budget  Duration of 3 months
	Low Stock aleste.	A Budget of arround 3 habbs to Integrate bounds mall
	Pinchase orders	A Budget of arround 3 Latte to Integrate broade, malet
	Generate the report Brelading current stock levels, status and	
	USage	slesso sine as
		and my design of the second of

# 4.3 Class Diagram:



## **Entities:**


- Product: Represents individual products with attributes like ID, name, price, stock quantity, and dimensions. It also includes methods for checking availability and calculating discounts.
- Supplier: Represents suppliers of products with attributes like ID, name, contact information, and rating.
- Category: Represents product categories with attributes like ID, name, and description.
- User: Represents users of the system, potentially customers or employees, with attributes like ID, name, contact information, and roles.
- Stock Transaction: Represents changes in product stock levels, including stock entries (additions) and stock exits (removals).
- StockEntry: Represents stock additions with attributes like entry ID and processing methods.
- StockExit: Represents stock removals with attributes like exit ID and processing methods.

## **Relationships:**

• Product-Category: A product belongs to a category.

- Product-Supplier: A product is supplied by a supplier.
- Product-StockTransaction: A product is associated with multiple stock transactions.
- StockTransaction-StockEntry/StockExit: A stock transaction can be either a stock entry or a stock exit.
- User-StockTransaction: Users can initiate stock transactions (e.g., placing orders).

## 4.4 State Diagram:




# **States:**

- User Authentication: The initial state where the user needs to authenticate themselves to access the system.
- Stock In: The state where the user is managing incoming stock (e.g., receiving new inventory).
- Add Stock: The state where the user is adding new stock items to the system.
- Sell Stock: The state where the user is processing a sale or order.
- Confirm Order: The state where the user confirms the details of a sale or order.
- Make Payment: The state where the user handles the payment for a sale.
- Print Bill: The final state where the system generates and prints an invoice or receipt.

# **Transitions:**

• The diagram shows the transitions between these states based on user actions and system responses. For example, a user can transition from "User Authentication" to "Stock In" if they have permission to manage incoming stock.

# 4.5 Use-Case Diagram:



## **Use Cases:**

- Stock Maintenance: This is a core use case that includes several sub-use cases related to stock management.
- Process Customer Details: This likely involves gathering and verifying customer information for orders or inquiries.
- Check Customer Records: This could involve checking customer history, creditworthiness, or other relevant information.
- Identify Regular Customer: This use case might be used to identify and provide special offers or discounts to regular customers.
- Process Product Details: This likely involves handling product information, such as checking stock availability, verifying pricing, and managing product descriptions.

- Check Expiry Dates For Products: This is crucial for perishables or products with limited shelf life.
- Flag Expired Products: This involves identifying and marking products that have exceeded their expiry dates.
- Give Shipping Info: This use case involves providing shipping and delivery information to customers.
- Get Confirmation: This likely involves obtaining confirmation from the customer about their order or any changes.
- Give Payment Info: This involves processing payment information from the customer.
- Add New Items to Inventory: This allows for adding new products to the stock inventory.
- Delete Expired or Unnecessary Items from Inventory: This enables the removal of expired or obsolete products from the inventory.
- Check for Flagged Products: This allows for identifying and handling products that have been flagged for any reason (e.g., quality issues).

## **Relationships:**


- Include: Several sub-use cases are included within the "Stock Maintenance" use case.
- Extend: The "Identify Regular Customer" use case extends the "Process Customer Details" use case, indicating that identifying regular customers is an optional step within customer processing.

# 4.6 Sequence Diagram:


## sequence:

- User views available stock: The user initiates the process by viewing the available stock.
- Stock Maintenance System queries details: The Stock Maintenance System sends a query to the Database to retrieve details about the available stock.
- Database returns stock details: The Database responds to the Stock Maintenance System with the requested stock details.
- Stock Maintenance System displays details: The Stock Maintenance System displays the retrieved stock details to the User.
- User purchases goods: The User decides to purchase certain goods.

- Stock Maintenance System checks availability: The Stock Maintenance System checks the availability of the requested goods in the database.
- Database returns result: The Database responds with the availability status of the requested goods.
- Stock Maintenance System updates stock level: If the goods are available, the Stock Maintenance System updates the stock levels in the database.
- Database confirms update: The Database confirms the successful update of the stock levels.
- Stock Maintenance System confirms purchase and invoice: The Stock Maintenance System confirms the purchase and generates an invoice for the User.
- Stock Maintenance System notifies stock inefficiency: If the stock levels fall below a certain threshold, the Stock Maintenance System notifies the relevant personnel about the stock inefficiency.
- Stock Maintenance System updates stock: The Stock Maintenance System updates the stock levels accordingly.
- Database confirms confirmation: The Database confirms the successful update of the stock levels.



# 4.7 Activity Diagram:



## **Activities:**

- Stock Manager Adds New Stock: The Stock Manager initiates the process by adding new stock items to the system.
- Update Stock Database: The Inventory System updates its database to reflect the addition of new stock.
- Customer Browses Products: The Customer explores the available products within the system.
- Customer Selects Items to Purchase: The Customer chooses the products they wish to purchase.
- Check Stock Availability: The Inventory System verifies if the requested items are available in stock.
- Process Purchase: If stock is available, the Inventory System proceeds to process the purchase.
- Update Stock Level: The Inventory System updates the stock levels to reflect the items sold.
- Notify Customer (Purchase Successful): The Inventory System notifies the Customer that

their purchase was successful.

- Notify Customer (Out of Stock): If any items are out of stock, the Inventory System notifies the Customer accordingly.
- Complete Transaction: The entire purchase process is completed.

# 5. Passport Automations System


## **5.1 Problem Statement:**

The current manual passport application and issuance process presents significant challenges. The reliance on paper-based forms, manual data entry, and physical document handling leads to a cumbersome and time-consuming process for both applicants and government agencies. This manual approach is prone to errors, delays, and inconsistencies in data entry, increasing the risk of inaccuracies and potential fraud. Furthermore, the manual system often involves multiple touchpoints and physical visits to government offices, causing inconvenience and frustration for applicants. The long processing times associated with manual applications can have a negative impact on travel plans and business activities. To address these issues, an automated passport system is urgently needed. This system should leverage technology to streamline the entire application process, from online submission and data capture to secure document verification and passport production.

# **5.2** SRS-Software Requirements Specification:

Topo to Mari	D/E
Paufort Automation System  1. Introduction  3.1 Peoples of the document  The passent automatication system aims to automate to procur  of verifying and authoritisating possibority, enough they are  up to date and from of food  This system will volidate possiont by clerking details such  the document number fooding country exploration date as  the possion procedure road after needed for the semificiation  the possion procedure road after authoritisation of possions  the possion procedure road after authoritisation of possions  the possion procedure road after authoritisation of possions  contraction are procedure road after authoritisation of possions  of the contraction procedure road after authoritisation of possions  of the contraction authoritisation system ensures possion validate by  Scentral teacrephtion  The possions authoritisation system ensures possion validate by  Scentral teacrephtion and coops references possion delates of  Centralized databases the area to reduce change error of  Procedure scenarity by automatically flaggong captract or does  possions.	Design Constraints  Handware requirements Requires specialized passport exam  Access to the database for international passport verific  with high availability.  Non-turistical Attorbutes  Security the system should ensure encrypted strongs on  transmission of sensitive passport data  The system about to reliable  Scalability the system much hardle harcoasty trouffee  Performance Requirements  System should be able to sean the passport field.  Securice way.  Postenerary Schedule and Budget  Stalle of the passion
E to 1 P c t	A PR S D D Sandar
Functional Regularization of the Landon	
Passport Starting about allow scarning of the passport Extract content data from the passport	Supering Court
Validation of the orderacted dotalla-	I get be placed who should a parcel hade
Petretter of found	I specified the may also hallow hand
Generation of the reports	Mater Advanta St. F walls
	harp je while

## 5.3 Class Diagram:



## **Entities:**


- Person: A base class representing individuals with attributes like name, date of birth, gender, nationality, and address.
- Police verification Dept: Represents the officers responsible for processing passport applications, with attributes like officerID, rank, and location.
- PassportApplication: Represents an individual's application for a passport, with attributes like applicationID, application date, and status.
- Passport: Represents an issued passport with attributes like passportID, issue date, expiry date, and type.
- Documents: Represents the documents submitted along with the passport application, with attributes like documentID, document type, and date submitted.
- BiometricData: Represents biometric information collected as part of the application process, such as fingerprints and iris scans.
- Payment: Represents the payment made for the passport application, with attributes like paymentID, date, and amount.

• Visa: Represents a visa issued to an individual, with attributes like visaID, expiry date, and visa type.

# **Relationships:**

- Inheritance: ImmigrationOfficer inherits from Person.
- Association:
  - 1. A Person can apply for multiple PassportApplications.
  - 2. A PassportApplication is associated with one or more Documents.
  - 3. A PassportApplication is associated with BiometricData.
  - 4. A PassportApplication is associated with a Payment.
  - 5. A Passport is issued to a Person.
  - 6. A Visa is issued to a Person.

# 5.4 State Diagram:



#### **States:**

- User Authentication: The initial state where the user needs to authenticate themselves to access the system.
- User Login: The state where the user successfully logs into the system.
- Application: The state where the user fills out and submits the passport application.
- Application Review: The state where the application is under review by the authorities.
- Payment Initiated: The state where the user initiates the payment for the passport application.
- Payment Processing: The state where the payment is being processed.
- Payment Successful: The state where the payment is successfully processed.
- Payment Failed: The state where the payment process fails.
- Approved: The state where the passport application is approved.
- Rejected: The state where the passport application is rejected.
- Resubmit: The state where the user is required to resubmit the application after rejection.

## **Transitions:**

 The diagram shows the transitions between these states based on user actions and system responses. For example, a user can transition from "User Login" to "Application" after successfully logging in.

# 5.5 Use-Case Diagram:


#### **Use Cases:**

- Passport Automation: This is the main use case, encompassing the entire passport application process.
- Login: The initial step where users (both applicants and administrators) log into the system.
- Personal Info: Applicants provide their personal information, such as name, date of birth, and contact details.
- Submit Details: Applicants submit their application forms and supporting documents.
- Contact Info: Applicants provide contact information for further communication.
- Address Info: Applicants provide their current address and other relevant address details.
- Check Status: Applicants can check the status of their passport applications.


- Verify: This use case involves verification of applicant information, possibly by Police or Regional Admin.
- Secondary Verification: This use case represents additional verification steps, which might involve background checks or other procedures.
- Issue Passport: The final step where the Passport Admin issues the passport to the applicant.

## **Relationships:**

- Include: Several sub-use cases are included within the "Passport Automation" use case, indicating that these are necessary steps within the overall process.
- Extend: The "Secondary Verification" use case extends the "Verify" use case, suggesting that secondary verification is an optional step that might be required in certain situations.



# **5.6 Sequence Diagram:**



## **Sequence:**

- Applicant Requests Payment: The applicant initiates the process by requesting payment for the passport application.
- Passport System Stores Application: The Passport System receives the payment request and stores the application details.
- Applicant Makes Payment: The applicant proceeds to make the payment through the Payment Gateway.
- Payment Gateway Processes Payment: The Payment Gateway processes the payment and confirms the transaction.
- Payment Gateway Confirms Payment: The Payment Gateway sends a confirmation of the successful payment to the Passport System.
- Passport System Updates Database: The Passport System updates its database to reflect the successful payment.

- Passport System Requests Verification: The Passport System sends the application to the Verification System for further processing.
- Verification System Verifies Application: The Verification System performs necessary checks and verifications on the application.
- Verification System Returns Result: The Verification System returns the result of the verification process to the Passport System.
- Passport System Updates Status: Based on the verification result, the Passport System updates the application status.
- Passport System Sends for Delivery: If the application is approved, the Passport System sends the passport for delivery to the Delivery Service.
- Delivery Service Confirms Delivery: The Delivery Service confirms the delivery of the passport to the applicant.

## 5.7 Activity Diagram:

## **Activities:**

- Applicant Submits Application: The process begins with the applicant submitting their passport application.
- Request Payment: The system prompts the applicant to make the required payment for the application.
- Make Payment: The applicant makes the payment through the Payment System.
- Notify Payment Success to Applicant: The Payment System notifies the applicant about the successful payment.
- Send Details for Verification: The Passport System sends the application details to the Verification System for further processing.
- Wait for Verification Result: The Passport System waits for the verification results from the Verification System.
- Approve Application/Reject Application: Based on the verification results, the Passport Office either approves or rejects the application.
- Generate Passport: If approved, the Passport Office generates the passport.
- Update Records: The Passport System updates its records to reflect the status of the application.

- Send Passport for Delivery: The Passport Office sends the passport to the Delivery Service for delivery to the applicant.
- Delivery Service Confirms Delivery: The Delivery Service confirms the successful delivery of the passport to the applicant.

