

MySQL Workbench

Local instance wampmysqld

File Edit View Query Database Server Tools Scripting Help

Navigator: ...

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3* SQL File 4* sql 27 Window Function* sql 28 Functions SQL Assignment 1 SQL Assignment 2 sql 1 Triggers SQL File 10* SQL Additions

Limit to 1000 rows

```
1 -- DATE & STRING ASSIGNMENT
2
3 -- 1. Given String
4 -- "Hello Good Morning"
5
6 • SELECT SUBSTRING('Hello Good Morning', 7) AS result;
7
8 -- STRING FUNCTION - PADDING
9
10 • SELECT RPAD(LPAD('HI', 5, '%'), 7, '%') AS result;
```

Result Grid

Filter Rows: Export: Wrap Cell Contents

result

Good Morning

Result 12 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	20:59:22	SELECT SUBSTRING('Hello Good Morning', 7) AS result LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
✓ 2	21:01:28	SELECT RPAD(LPAD('HI', 5, '%'), 7, '%') AS result LIMIT 0, 1000	1 row(s) returned	0.031 sec / 0.000 sec
✓ 3	21:03:05	SELECT SUBSTRING('Hello Good Morning', 7) AS result LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance wampmysqld

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1

SQL File 3*

SQL File 4*

sql 27 Window Function*

sql 28 Functions

SQL Assignment 1

SQL Assignment 2

sql 1 Triggers

SQL File 10*

SQL Additions

1

-- DATE & STRING ASSIGNMENT

2

3

-- 1. Given String

4

-- "Hello Good Morning"

5

6

• SELECT SUBSTRING('Hello Good Morning', 7) AS result;

7

8

-- STRING FUNCTION - PADDING

9

10

• SELECT RPAD(LPAD('HI', 5, '%'), 7, '%') AS result;

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

result

%%%%%%

Result 13

Read Only

Context Help

Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	20:59:22	SELECT SUBSTRING('Hello Good Morning', 7) AS result LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
✓ 2	21:01:28	SELECT RPAD(LPAD('HI', 5, '%'), 7, '%') AS result LIMIT 0, 1000	1 row(s) returned	0.031 sec / 0.000 sec
✓ 3	21:03:05	SELECT SUBSTRING('Hello Good Morning', 7) AS result LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 4	21:03:38	SELECT RPAD(LPAD('HI', 5, '%'), 7, '%') AS result LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info

Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.