

WEEK 4

➔ Thus, the program is executed successfully...

➔ Thus, the program is executed successfully...

Question 1
Correct
Marked out of 1.00
Flag question

Fill in the missing code to understand the concept of a function with arguments and without return value.

Note: Take pi value as 3.14
The below code is to find the area of circle using functions.

For example:

Input	Result
11.23	Area of circle = 395.994476

Answer: (penalty regime: 0 %)
Reset answer

Ace editor not ready. Perhaps reload page?
Falling back to raw text area.

```
#include <stdio.h>

void area_circle(float r);

int main()
{
    float radius;
    scanf("%f", &radius);
    area_circle(radius);
    return 0;
}

void area_circle(float r)
{
    float area;
    //Correct the code
    area = 3.14*r*r;
    // Write the code to calculate the area of circle
```

	Input	Expected	Got	
✓	11.23	Area of circle = 395.994476	Area of circle = 395.994476	✓

Passed all tests! ✓

➔ Thus, the program is executed successfully...

Question 2
Correct
Marked out of 1.00
Flag question

Fill in the missing code in the below code to understand about function with arguments and with return value.

The below code is to find the factorial of a given number using functions.

For example:

Input	Result
3	Factorial of a given number 3 = 6

Answer: (penalty regime: 0 %)
Reset answer

Ace editor not ready. Perhaps reload page?
Falling back to raw text area.

```
#include <stdio.h>

int factorial(int);

int main()
{
    int number;
    scanf("%d", &number);
    printf("Factorial of a given number %d = %d\n", number, factorial(number));
    return 0;
}

int factorial(int n)
{
    int i, fact = 1;
    for (i = 1; i <= n; i++)
    {
        fact = fact * i;
    }
}
```

	Input	Expected	Got	
✓	3	Factorial of a given number 3 = 6	Factorial of a given number 3 = 6	✓


Passed all tests! ✓

➔ Thus, the program is executed successfully...


➔ Thus, the program is executed successfully...

➔ Thus, the program is executed successfully...


➔ Thus, the program is executed successfully...



➔ Thus, the program is executed successfully...



➔ Thus, the program is executed successfully...



➔ Thus, the program is executed successfully...

