

Jenkins Practical 1

 Jenkins

[+ New Item](#)

[Build History](#)

Build Queue

No builds in the queue.

Build Executor Status

0/2

Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job

Set up a distributed build

Set up an agent

Configure a cloud

Learn more about distributed builds

[Add description](#)

REST API

Jenkins 2.541.3

 Jenkins

New Item

Enter an item name

simpleJob1

Select an item type

 Pipeline
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.

 Freestyle project
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

 Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

 Folder
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

 Multibranch Pipeline
Creates a set of Pipeline projects according to detected branches in one SCM repository.

 Organization Folder
Creates a set of multibranch project subfolders by scanning for repositories.

OK

New Item

Enter an item name

simpleJob1

Select an item type



Pipeline

Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.



Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.



Multibranch Pipeline

Creates a set of Pipeline projects according to detected branches in one SCM repository.



Organization Folder

Creates a set of multibranch project subfolders by scanning for repositories.

OK

 Jenkins

simpleJob1

Configure

Search

Help

Profile

Configure

General

Triggers

Pipeline

Advanced

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script

Script ?

```
1 pipeline{
2   agent any
3
4   stages{
5     stage('Build') {
6       steps {
7         echo 'Building First sample Pipeline...'
8       }
9     }
10    stage('Test') {
11      steps {
12        echo 'Running here...'
13      }
14    }
15    stage('Deploy') {
```

☒ Use Groovy Sandbox ?

[Pipeline Syntax](#)

Advanced

Save

Apply

 Jenkins

simpleJob1

Search

Help

Profile

Status

Changes

Build Now

Configure

Delete Pipeline

Stages

Rename

Pipeline Syntax

Builds >

Filter

Today

✓ #3 12:34

✓ simpleJob1

Edit description

This is done to perform a simple pipeline job to understand the basic working of the jenkins

Permalinks

- Last build (#3), 5 min 3 sec ago
- Last stable build (#3), 5 min 3 sec ago
- Last successful build (#3), 5 min 3 sec ago
- Last completed build (#3), 5 min 3 sec ago

REST API

Jenkins 2.541.3