Date: 11-03-2026
Docker Compose Example 2:
Convert the given file into docker compose

Convert the given file into docker compose :
FROM wordpress:latest
Set environment variables for database connection
ENV WORDPRESS_DB_HOST=db
ENV WORDPRESS_DB_USER=wpuser
ENV WORDPRESS_DB_PASSWORD=wppassword
ENV WORDPRESS_DB_NAME=wpdatabase
Expose port
EXPOSE 80

With docker run command :m
docker run -d \
--name wordpress_app \
-p 8082:80 \
-e WORDPRESS_DB_HOST=db \
-e WORDPRESS_DB_USER=wpuser \
-e WORDPRESS_DB_PASSWORD=wppassword \
-e WORDPRESS_DB_NAME=wpdatabase \
-v wordpress_data:/var/www/html \
mywordpress

With the given two separate questions– create a dockercompose file. First identify the components we need from both of the questions.

From Question1: we can get:-
Base image: wordpress: latest
ports : 8082:80
Container name: wordpress_app
Volume name: wordpress_data
Environment:
WORDPRESS_DB_HOST=db
WORDPRESS_DB_USER=wpuser
WORDPRESS_DB_PASSWORD=wppassword
WORDPRESS_DB_NAME=wpdatabase

Now we will write: docker-compose.yml

```
services:
 mywordpress:
   image: wordpress:latest
   container_name: wordpress_app1
   environment:
     WORDPRESS_DB_HOST: db
```

```
      WORDPRESS_DB_USER: wpuser
      WORDPRESS_DB_PASSWORD: wppassword
      WORDPRESS_DB_NAME: wpdatabase
    ports:
      - "8082:80"
    volumes:
      - wordpress_data:/var/www/html

volumes:
 wordpress_data:
```

```
Run All Services
services:
  Run Service
  mywordpress:
    image: wordpress:latest
    container_name: wordpress_app1
    environment:
      WORDPRESS_DB_HOST: db
      WORDPRESS_DB_USER: wpuser
      WORDPRESS_DB_PASSWORD: wppassword
      WORDPRESS_DB_NAME: wpdatabase
    ports:
      - "8082:80"
    volumes:
      - wordpress_data:/var/www/html

volumes:
  wordpress_data:
```

Now: Start via command: `docker compose up -d`

```
sumitkumarmehta@sumits-MacBook-Air convertdocker % docker compose up -d
[+] up 1/1
 ✔ Container wordpress_app1 Created
```

Now Confirm using: `docker ps`

```
sumitkumarmehta@sumits-MacBook-Air convertdocker % docker ps
CONTAINER ID   IMAGE              COMMAND                  CREATED         STATUS         PORTS
   NAMES
e2a0b928e226   wordpress:latest   "docker-entrypoint.s…"   3 minutes ago   Up 3 minutes   0.0.0.0:8082->80/tcp, [::]:8082->80/tcp
   wordpress_app1
```

Now go to the browser and type: http://localhost:8082



NOTE: Here Error is visible because we haven't provided the database connection, so no need to worry our container is running fine.