
# **Project – Random Joke Generator**

-Sahil Dhaka, 2019UCO1687
-Navneet Singh Loomba, 1688
-Aman Choudhary, 1704

## **Features:**

- 1. Home Page
- 2. Different Scroll Bar
- 3. Hover on new joke button
- 4. Stylized Tweet button
- 5. Different Themes available to choose from
- 6. About page of joke generator
- 7. Hyperlinks are hidden, like easter eggs
- 8. Emojis pour on screen whenever new joke button is clicked
- 9. Logo changes color when we hover over it

# **Home Page:**



### Code:

```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <title>Random Joke Generator</title>
   k
     href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
     rel="stylesheet"
   />
   <link rel="stylesheet" href="style.css" />
   <script src='https://kit.fontawesome.com/a076d05399.js'></script>
   <script defer src="index.js"></script>
 </head>
 <body class="light">
   <!-- Navbar -->
   <nav class="navbar">
     class="nav-item">
           <a href="#">Home</a>
```

```
<a href="#">Theme</a>
 <a id="light" href="#">light</a>
  <a id="dark" href="#">dark</a>
  <a id="solar" href="#">solarize</a>
  <a href = "about.html">About</a>
<a href ="#">Team</a>
 <a id="light" href="aman.html">Aman</a>
```

```
<a id="dark" href="navneet.html">Navneet</a>
        <a id="solar" href="sahil.html">Sahil</a>
        </nav>
<header>
 <img src="logo.png" class="logo" style="width:18%"/>
 <h1>Random Joke Generator, <br />Bleh! </h1>
 Jokes by Sahil, Navneet and Aman
</header>
<main>
<div class="container">
  <div class="joke"></div>
  <div class="button emoji-wrapper">
```

### Css:

```
:root {
   font-size: 16px;
   font-family: 'Open Sans';
   --text-primary: #b6b6b6;
   --text-secondary: #ececec;
   --bg-primary: #23232e;
   --bg-secondary: #141418;
   --transition-speed: 600ms;
   --gray0: #f8f8f8;
   --gray1: #dbe1e8;
   --gray2: #b2becd;
   --gray3: #6c7983;
   --gray4: #454e56;
   --gray5: #2a2e35;
   --gray6: #12181b;
   --blue: #0084a5;
   --purple: #a82dd1;
   --yellow: #fff565;
   --scroll1: #1e1e24;
   --scroll2: #6649b8;
   padding: 0;
   margin: 0;
   box-sizing: border-box;
```

```
margin: 0;
    padding: 0;
   font-family: 'Montserrat', sans-serif;
   color: var(--text);
    background: var(--bg);
   transition: background 500ms ease-in-out, color 1000ms ease-in-out;
body::-webkit-scrollbar {
   width: 0.25rem;
 body::-webkit-scrollbar-track {
   background: var(--scroll1);
 body::-webkit-scrollbar-thumb {
   background: var(--scroll2);
ul {
    list-style-type: none;
   margin: 0;
   padding: 0;
```

```
a {
    color: currentColor;
    text-decoration: none;
header {
   padding: 1em;
    clip-path: polygon(50% 0%, 100% 0, 100% 65%, 50% 100%, 0 65%, 0 0);
   background: var(--bg-nav);
   margin-bottom: 1em;
   padding-bottom: 3.5em;
   text-align: center;
main {
    padding: 2rem;
   margin-left: 20%;
   margin-right: 20%;
img {
   margin: 2em 0 0;
   width: 180px;
   height: 180px;
```

```
/* Navbar */
.navbar {
   height: 70px;
   width: 100%;
   background: var(--bg-nav);
   color: var(--text);
.navbar-nav {
   display: flex;
   align-items: center;
   justify-content: space-evenly;
   height: 100%;
.dropdown {
    position: absolute;
   width: 400px;
   opacity: 0;
    z-index: 2;
   background: var(--bg-dropdown);
    border-top: 2px solid var(--border-color);
```

```
border-bottom-right-radius: 8px;
   border-bottom-left-radius: 8px;
   display: flex;
   align-items: center;
   justify-content: space-around;
   height: 3rem;
   margin-top: 2rem;
   padding: 0.5rem;
   box-shadow: rgba(2, 8, 20, 0.1) 0px 0.175em 0.5em;
   transform: translateX(-40%);
   transition: opacity .15s ease-out;
.has-dropdown:focus-within .dropdown {
   opacity: 1;
   pointer-events: auto;
.dropdown-item a {
   width: 100%;
   height: 100%;
   size: 0.7rem;
```

```
padding-left: 10px;
    font-weight: bold;
.dropdown-item a::before {
   content: ' ';
   border: 2px solid var(--border-color);
   border-radius: 50%;
   width: 2rem;
   height: 2rem;
   display: inline-block;
   vertical-align: middle;
   margin-right: 10px;
.active{
   background-color: #4CAF50;
.container {
   padding: 50px 25px;
   padding-top: 7px;
   /* background-color: #fff; */
   /* background-color: lightblue; */
   background-color: black;
```

```
color: white;
   border-radius: 5px;
h3 {
   display: inline-block;
    font-size: 2.2rem;
    color: #888;
   margin-bottom: 20px;
   text-decoration: none;
.joke {
    color: white;
    font-size: 1.8rem;
   margin-bottom: 30px;
   font-family: monospace;
.btn{
   border: none;
    color: white;
   text-align: center;
    text-decoration: none;
   display: inline-block;
```

```
.joke-btn {
   background-color: #E06e8b;
   padding: 1em 2em;
   margin-right: 25px;
   cursor: pointer;
   outline: none;
   border-radius: 2rem;
.joke-btn:hover{
   background-color: rgb(185, 87, 209);
.joke-btn:active {
   transform: scale(0.98);
   /* Scaling button to 0.98 to its original size */
   box-shadow: 3px 2px 22px 1px rgba(0, 0, 0, 0.24);
   /* Lowering the shadow */
.emoji {
   --scale-x: 0;
    --scale-y: 0;
```

```
pointer-events: none;
display: block;
position: absolute;
top: 0;
left: calc(50% - .5rem);
border-radius: 50%;
width: 1em;
height: 1em;
display: flex;
justify-content: center;
align-items: center;
font-size: 5vmin;
transform:
  translate(
    calc(var(--x) * 1px),
    calc( var(--y) * 1px )
  translate(-50%, -50%);
pointer-events: none;
animation:
  emoji-enter .1s ease-in backwards,
  emoji-exit 300ms linear
  calc( (var(--lifetime, 3000) * 1ms) - 300ms)
  forwards;
  from {
   opacity: 0;
```

```
@keyframes emoji-exit {
    to {
      opacity: 0;
.inner {
   animation: inner-rotate .6s linear infinite;
       transform: rotate(
       calc(-1turn * var(--direction) )
       @keyframes inner-rotate {
          to {
       transform: none;
   /* tweet button */
.hexagon-wrapper {
   display: inline-block;
   /* margin: auto;
   display: flex; */
   text-align: initial;
   width: 60px;
```

```
height: 60px;
   cursor: pointer;
.hexagon{
   position: relative;
   width: 46%;
   height: 80%;
   margin: auto;
   color: white;
   background: linear-gradient(-180deg, white, #fda3b2);
   display: flex;
   align-content: center;
   justify-content: center;
   transition: 0.5s;
.hexagon i {
   z-index: 1;
   margin: auto;
   font-size: 30px;
   color: transparent;
   background: linear-gradient(45deg, #a58fe9, #e37682);
   background-clip: text;
   -webkit-background-clip: text;
.hexagon:before,
.hexagon:after {
```

```
position: absolute;
   content: "";
   background: inherit;
   height: 100%;
   width: 100%;
   border-radius: 0;
   transition: 0.5s;
   transform-origin: center;
.hexagon:before {
   transform: rotateZ(60deg);
.hexagon:after {
   transform: rotateZ(-60deg);
.hexagon:hover {
   border-radius: 50px;
   transition: 0.5s;
.hexagon:hover:before {
   border-radius: 50px;
   transition: 0.5s;
.hexagon:hover:after {
   border-radius: 50px;
   transition: 0.5s;
```

```
/* Themes */
.light {
    --bg: var(--gray0);
    --bg-nav: linear-gradient(to right, var(--gray1), var(--gray3));
    --bg-dropdown: var(--gray0);
    --text: var(--gray6);
    --border-color: var(--blue);
   --bg-solar: var(--yellow);
.dark {
    --bg: var(--gray5);
    --bg-nav: linear-gradient(to right, var(--gray5), var(--gray6));
    --bg-dropdown: var(--gray6);
    --text: var(--gray0);
    --border-color: var(--purple);
    --bg-solar: var(--blue);
.solar {
   --gray0: #fbffd4;
    --gray1: #f7f8d0;
    --gray2: #b6f880;
    --gray3: #5ec72d;
```

```
--gray4: #3ea565;
   --gray5: #005368;
   --gray6: #003d4c;
   --scroll1: gray;
   --scroll2: var(--gray2);
#dark::before {
   background: #2a2e35;
#light::before {
   background: #ffffff;
#solar::before {
   background: var(--bg-solar);
/* Logo Animation */
@keyframes color-rotate {
   from {
```

```
filter: hue-rotate(0deg);
}
to {
    filter: hue-rotate(360deg);
}

.logo:hover {
    animation: color-rotate 2s;
    animation-iteration-count: infinite;
    animation-direction: alternate;
}
```

### Js file:

```
let width = window.innerWidth;
let height = window.innerHeight;
const darkButton = document.getElementById('dark');
const lightButton = document.getElementById('light');
const solarButton = document.getElementById('solar');
const body = document.body;
const elButton = document.querySelector(".emoji-button");
const elWrapper = document.querySelector(".emoji-wrapper");
function getRandomArbitrary(min, max) {
   return Math.random() * (max - min) + min;
function getRandomInt(min, max) {
   return Math.floor(Math.random() * (max - min + 1)) + min;
// Apply the cached theme on reload
const theme = localStorage.getItem('theme');
const isSolar = localStorage.getItem('isSolar');
```

```
if (theme) {
 body.classList.add(theme);
 isSolar && body.classList.add('solar');
const laughmojis = ["�", "⊕", "⊕", "⊕", "⊕", "⊕", "⊕"];
const emojis = [];
const radius = 15;
const Cd = 0.47; // Dimensionless
const rho = 1.22; // kg / m^3
const A = Math.PI * radius * radius / 10000; // m^2
const ag = 9.81; // m / s^2
const frameRate = 1 / 60;
// Button Event Handlers
darkButton.onclick = () => {
 body.classList.replace('light', 'dark');
 localStorage.setItem('theme', 'dark');
```

```
lightButton.onclick = () => {
 body.classList.replace('dark', 'light');
 localStorage.setItem('theme', 'light');
solarButton.onclick = () => {
 if (body.classList.contains('solar')) {
    body.classList.remove('solar');
    solarButton.style.cssText = `
     --bg-solar: var(--yellow);
    solarButton.innerText = 'solarize';
    localStorage.removeItem('isSolar');
 } else {
    solarButton.style.cssText = `
      --bg-solar: var(--gray2);
```

```
body.classList.add('solar');
    solarButton.innerText = 'normalize';
    localStorage.setItem('isSolar', true);
function createEmojis() /* create a emoji */ {
    const vx = getRandomArbitrary(-10, 10); // x velocity
    const vy = getRandomArbitrary(-10, 1); // y velocity
   const el = document.createElement("div");
   el.className = "emoji";
    const inner = document.createElement("span");
    inner.className = "inner";
    inner.innerText = laughmojis[getRandomInt(0, laughmojis.length - 1)];
    el.appendChild(inner);
    elWrapper.appendChild(el);
    const rect = el.getBoundingClientRect();
    const lifetime = getRandomArbitrary(2000, 3000);
```

```
el.style.setProperty("--lifetime", lifetime);
const emoji = {
  el,
  absolutePosition: { x: rect.left, y: rect.top },
  position: { x: rect.left, y: rect.top },
  velocity: { x: vx, y: vy },
  mass: 0.1, //kg
  radius: el.offsetWidth, // 1px = 1cm
  restitution: -.7,
  lifetime,
  direction: vx > 0 ? 1 : -1,
  animating: true,
    this.animating = false;
    this.el.parentNode.removeChild(this.el);
    const emoji = this;
    let Fx =
     -0.5 *
      Cd *
      A *
      rho *
```

```
emoji.velocity.x *
 emoji.velocity.x *
 emoji.velocity.x /
 Math.abs(emoji.velocity.x);
let Fy =
 -0.5 *
 Cd *
 A *
 rho *
 emoji.velocity.y *
 emoji.velocity.y *
 emoji.velocity.y /
 Math.abs(emoji.velocity.y);
Fx = isNaN(Fx) ? 0 : Fx;
Fy = isNaN(Fy) ? 0 : Fy;
// Calculate acceleration ( F = ma )
var ax = Fx / emoji.mass;
var ay = ag + Fy / emoji.mass;
// Integrate to get velocity
emoji.velocity.x += ax * frameRate;
emoji.velocity.y += ay * frameRate;
// Integrate to get position
emoji.position.x += emoji.velocity.x * frameRate * 100;
emoji.position.y += emoji.velocity.y * frameRate * 100;
emoji.checkBounds();
```

```
emoji.update();
if (emoji.position.y > height - emoji.radius) {
  emoji.velocity.y *= emoji.restitution;
 emoji.position.y = height - emoji.radius;
if (emoji.position.x > width - emoji.radius) {
  emoji.velocity.x *= emoji.restitution;
 emoji.position.x = width - emoji.radius;
 emoji.direction = -1;
if (emoji.position.x < emoji.radius) {</pre>
  emoji.velocity.x *= emoji.restitution;
 emoji.position.x = emoji.radius;
 emoji.direction = 1;
const relX = this.position.x - this.absolutePosition.x;
const relY = this.position.y - this.absolutePosition.y;
this.el.style.setProperty("--x", relX);
this.el.style.setProperty("--y", relY);
this.el.style.setProperty("--direction", this.direction);
```

```
setTimeout(() => {
    emoji.remove();
  }, lifetime);
 return emoji;
function animationLoop() {
 var i = emojis.length;
 while (i--) {
    emojis[i].animate();
    if (!emojis[i].animating) {
     emojis.splice(i, 1);
 requestAnimationFrame(animationLoop);
function addemojis() {
 //cancelAnimationFrame(frame);
  if (emojis.length > 40) {
```


```
return;
  for (let i = 0; i < 100; i++) {
    emojis.push(createEmojis());
elButton.addEventListener("click", addemojis);
elButton.click();
window.addEventListener("resize", () => {
 width = window.innerWidth;
 height = window.innerHeight;
//fetching jokes and displaying new jokes
const jokeText = document.querySelector('.joke');
const newJokeBtn = document.querySelector('.joke-btn');
const tweetBtn = document.querySelector('.tweet-btn');
newJokeBtn.addEventListener('click', getJoke);
function getJoke() {
  fetch('https://icanhazdadjoke.com/', {
```

```
headers: {
   'Accept': 'application/json'
}).then(function (response) {
 return response.json();
}).then(function (data) {
 const joke = data.joke;
 jokeText.innerText = joke;
 const tweetLink = `https://twitter.com/share?text=${joke}`;
 tweetBtn.setAttribute('href', tweetLink);
}).catch(function (error) {
 jokeText.innerText = 'Oops! Some error happened :(';
 tweetBtn.removeAttribute('href');
 console.log(error);
```


# When hovered over logo:




## When hovered over New Joke Button:




## When hovered over Tweet Button:




## **Different Themes:**




# Light:




### Dark:



# **Solarized Light:**



### **Solarized Dark:**



#### **About Page:**

### **About Website** -features

Developed by Navneet, Sahil and Aman

This is a Random Joke Generator that generates a new joke every time you click on the new joke button. You can also tweet the joke by clicking on the tweet button. The project was submitted to Syed Aamiruddin sir. Some of the cool features of the project includes:

- i.) Fetching of a new joke every time you click on "new joke" button.
  ii.) Showering of emojis on clicking the "new joke" button.
  iii.) Tweet button: the tweet button changes its shape on hover from hexagonal to hexagon with circular sides.
  iv.) Logo also change its color on hover.
  v.) Navigation bar fixed at the top of the web page and drop down buttons are also used. also used.
- vii.) Three different themes:Light, Dark and Solarize(which change color both in dark and light theme) in website.
  vii.) Custom Scrollbar is used in website.

## Code: (css and js same used)

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>About</title>
    k
      href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
     rel="stylesheet"
    />
```

```
<link rel="stylesheet" href="style.css" />
 <script src='https://kit.fontawesome.com/a076d05399.js'></script>
 <script defer src="index.js"></script>
</head>
<body class="light">
 <!-- Navbar -->
 <nav class="navbar">
  class="nav-item">
      <a href = "index.html">Home</a>
    <a href="#">Theme</a>
      <a id="light" href="#">light</a>
        <a id="dark" href="#">dark</a>
        <a id="solar" href="#">solarize</a>
```

```
<a href = "#">About</a>
 <a href ="#">Team</a>
   <a id="light" href="aman.html">Aman</a>
     <a id="dark" href="navneet.html">Navneet</a>
     <a id="solar" href="sahil.html">Sahil</a>
     </nav>
<header>
```

```
<img src="logo.png" class="logo" style="width:18%"/>
      <h1>About Website<br>-features</h1>
      Developed by Navneet, Sahil and Aman
    </header>
    <main>
        <div class="container" style="padding-top: 50px;">
            This is a Random Joke Generator that generates a new joke every time
you click on the new joke button. You can
            also tweet the joke by clicking on the tweet button. The project was
submitted to Syed Aamiruddin sir.<br/>
            Some of the cool features of the project includes :<br/> <br/>
            i.) Fetching of a new joke every time you click on "new joke"
button.<br/>
            ii.) Showering of emojis on clicking the "new joke" button. <br/>
            iii.) Tweet button: the tweet button changes its shape on hover from
hexagonal to hexagon with circular sides. <br/>
            iv.) Logo also change its color on hover.<br/>
            v.) Navigation bar fixed at the top of the web page and drop down
buttons are also used.<br/>>
            vi.) Three different themes:Light, Dark and Solarize(which change
color both in dark and light theme) in website. <br/>
            vii.) Custom Scrollbar is used in website.
        </div>
    </main>
</body>
</html>
```

#### **Team mates Pages:**



# Aman Choudhary, 2019UCO1704

Computer Science Student at NSUT

### Basic Details:

Name: Aman Choudhary Roll: 2019UCO1704 Sem: 3 Batch: COE-3 Email: amanchoudhary032@gmail.com



# Navneet Singh Loomba 2019UCO1688

Computer Science Student at NSUT

# Basic Details:

Name:Navneet Singh Loombab Roll No: 2019UCO1688 Sem:3 Batch:COE-3 Email:navneetsingh2121@yahoo.com



### Aman, code: (css and js same used)

Sem: 3 Batch: COE-3

Email: lucifer22111@gmail.com

```
<script src='https://kit.fontawesome.com/a076d05399.js'></script>
 <script defer src="index.js"></script>
</head>
<body class="light">
 <!-- Navbar -->
 <nav class="navbar">
  class="nav-item">
      <a href="index.html">Home</a>
   <a href="#">Theme</a>
      <a id="light" href="#">light</a>
       <a id="dark" href="#">dark</a>
       <a id="solar" href="#">solarize</a>
```

```
<a href = "about.html">About</a>
  <a href ="#">Team</a>
    <a id="light" href="#">Aman</a>
      <a id="dark" href="navneet.html">Navneet</a>
      <a id="solar" href="sahil.html">Sahil</a>
      </nav>
<header>
 <img src="aman.png"/>
```

```
<h1>Aman Choudhary,<br/><br/>br />2019UC01704</h1>
```

```
Computer Science Student at <a
href="http://www.nsit.ac.in/">NSUT</a>
    </header>
    <main>
        <h3>Basic Details :</h3>
        >
           Name : Aman Choudhary
            <br />
           <br />
           <br />
            <br />
            <a href="mailto:</pre>
amanchoudhary032@gmail.com">amanchoudhary032@gmail.com</a>
            <hr>>
        </main>
  </body>
</html>
```

#### Similarly, Navneet:

```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <title>Navneet Singh</title>
   klink
     href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
     rel="stylesheet"
   />
   <link rel="stylesheet" href="style.css" />
   <script src='https://kit.fontawesome.com/a076d05399.js'></script>
   <script defer src="index.js"></script>
 </head>
 <body class="light">
   <!-- Navbar -->
   <nav class="navbar">
     <a href = "index.html">Home</a>
```

```
<a href="#">Theme</a>
 <a id="light" href="#">light</a>
  <a id="dark" href="#">dark</a>
  <a id="solar" href="#">solarize</a>
  <a href = "about.html">About</a>
<a href ="#">Team</a>
 <a id="light" href="aman.html">Aman</a>
```

```
<a id="dark" href="#">Navneet</a>
            <a id="solar" href="sahil.html">Sahil</a>
            </nav>
   <header>
    <img src="navneet.png"/>
    <h1>Navneet Singh Loomba<br/>2019UC01688</h1>
    Computer Science Student at NSUT
   </header>
   <main>
      <h3>Basic Details:</h3>
      Name:Navneet Singh Loombab <br>Roll No: 2019UC01688 <br>Sem:3
<br>Batch:COE-3 <br>Email:navneetsingh2121@yahoo.com
      <hr>>
   </main>
</body>
</html>
```

#### Sahil:

```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <title>Random Joke Generator</title>
   klink
     href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
     rel="stylesheet"
   />
   <link rel="stylesheet" href="style.css" />
   <script src='https://kit.fontawesome.com/a076d05399.js'></script>
   <script defer src="index.js"></script>
 </head>
 <body class="light">
   <!-- Navbar -->
   <nav class="navbar">
     <a href="index.html">Home</a>
```

```
<a href="#">Theme</a>
 <a id="light" href="#">light</a>
  <a id="dark" href="#">dark</a>
  <a id="solar" href="#">solarize</a>
  <a href = "about.html">About</a>
<a href ="#">Team</a>
 <a id="light" href="aman.html">Aman</a>
```

```
<a id="dark" href="navneet.html">Navneet</a>
            <a id="solar" href="#">Sahil</a>
            </nav>
   <header>
    <img src="sahil.png"/>
    <h1>Sahil Dhaka, <br />2019UC01687</h1>
    Computer Science Student at <a
href="http://www.nsit.ac.in/">NSUT</a>
   </header>
   <main>
      <h3>Basic Details :</h3>
      >
         Name : Sahil Dhaka
         <br />
```

## Hyperlinks are shown as normal text on purpose, so that style isn't hindered:



